

**CRAFTSMAN**

REG. U. S. PAT. OFF.

# TOOLS



**SEARS, ROEBUCK AND CO.**

*Satisfaction Guaranteed or Your Money Back*





CRAFTSMAN heavy-duty steel Roller Cabinet holds all pieces in set. Has 3-in. rubber-tired ball-bearing casters.

**\$2250  
DOWN**

**\$22500  
CASH**  
175-piece set

### GUARANTEE

CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.



8 Forged Box-end Wrenches



1/4-in. Square Drive Parts



7-pc. Screwdriver Set



9 Open-end Wrenches




6 Combination Wrenches



12-pc. Punch, Chisel Set



3/8-in. Square Drive Parts



1/2-in. Square Drive Parts . . . HOT FORGED Sockets



1/2-in. Square Drive Parts . . . with HOT FORGED Sockets



## Our Biggest and Best CRAFTSMAN 175-piece Mechanics' Tool Set

REG. U.S. PAT. OFF.

Heavy-duty steel roller cabinet included . . . Just R-O-L-L your tools right to the job

The biggest, finest, most complete set we've ever offered—for only \$4.00 per month more than our 115-piece set on opposite page . . . use Sears Easy Terms! And it's priced much lower than if all these items were bought separately. Every tool is CRAFTSMAN professional quality . . . unconditionally guaranteed. (See guarantee at top of page.)

Each socket and part made of "Super-Tuff" steel . . . heat-treated, tempered and chrome plated. Sockets in 3/8-inch and 1/2-inch drive sizes are HOT FORGED for super strength. (See socket features at top of page 8.) Improved, streamlined, forged flex "T" handles. Improved-type ratchet wrenches have handle and head in one-piece forging for extra strength and durability. Extra-large tension balls on extensions, etc., assure solid locking of sockets.

**1/4-inch square drive parts.** Seven 6-pt. sockets (7/32, 1/4, 5/32, 3/16, 1/2, 3/8, 7/16 inch); two 8-pt. sockets (1/4 and 5/16 inch); reversible ratchet; 6-in. flex "T" handle with crossbar; 2 extensions (3 and 6 in.); 4 1/2-in. slide bar handle; 6-in. handy metal box with hinged cover.

**3/8-inch square drive parts.** Five 8-pt. sockets (1/4, 5/16, 3/8, 7/16, 1/2 inch); eight 12-pt. sockets (3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1 1/8, 1 1/4 inch); three 6-pt. extra-deep sockets (3/8, 7/16, 1/2 inch); five 12-pt. extra-deep sockets (1/2, 5/8, 3/4, 7/8, 1 1/8 inch);

seven 6-pt. flexible sockets (3/8 to 3/4 inch); three extensions (3, 6, 10 inch); 16-inch speeder wrench; 10-inch flex "T" handle; 8-inch slide bar handle; reversible ratchet, universal joint, No. 2 Phillips bit.

**1/2-inch square drive parts.** Fourteen super-strong hot forged 12-pt. sockets (7/16, 1/2, 5/8, 3/4, 7/8, 1 1/8, 1 1/4, 1 1/2 inch); five 8-pt. sockets (1/2, 5/8, 3/4, 7/8, 1 1/8, 1 1/4 inch); twelve 12-pt. hot forged deep sockets (1/2, 5/8, 3/4, 7/8, 1 1/8, 1 1/4, 1 1/2, 1 3/4, 1 7/8, 2, 2 1/8, 2 1/4, 2 1/2, 2 3/4, 3, 3 1/4, 3 1/2, 3 3/4, 4, 4 1/4, 4 1/2, 4 3/4, 5, 5 1/4, 5 1/2, 5 3/4, 6, 6 1/4, 6 1/2, 6 3/4, 7, 7 1/4, 7 1/2, 7 3/4, 8, 8 1/4, 8 1/2, 8 3/4, 9, 9 1/4, 9 1/2, 9 3/4, 10, 10 1/4, 10 1/2, 10 3/4, 11, 11 1/4, 11 1/2, 11 3/4, 12, 12 1/4, 12 1/2, 12 3/4, 13, 13 1/4, 13 1/2, 13 3/4, 14, 14 1/4, 14 1/2, 14 3/4, 15, 15 1/4, 15 1/2, 15 3/4, 16, 16 1/4, 16 1/2, 16 3/4, 17, 17 1/4, 17 1/2, 17 3/4, 18, 18 1/4, 18 1/2, 18 3/4, 19, 19 1/4, 19 1/2, 19 3/4, 20, 20 1/4, 20 1/2, 20 3/4, 21, 21 1/4, 21 1/2, 21 3/4, 22, 22 1/4, 22 1/2, 22 3/4, 23, 23 1/4, 23 1/2, 23 3/4, 24, 24 1/4, 24 1/2, 24 3/4, 25, 25 1/4, 25 1/2, 25 3/4, 26, 26 1/4, 26 1/2, 26 3/4, 27, 27 1/4, 27 1/2, 27 3/4, 28, 28 1/4, 28 1/2, 28 3/4, 29, 29 1/4, 29 1/2, 29 3/4, 30, 30 1/4, 30 1/2, 30 3/4, 31, 31 1/4, 31 1/2, 31 3/4, 32, 32 1/4, 32 1/2, 32 3/4, 33, 33 1/4, 33 1/2, 33 3/4, 34, 34 1/4, 34 1/2, 34 3/4, 35, 35 1/4, 35 1/2, 35 3/4, 36, 36 1/4, 36 1/2, 36 3/4, 37, 37 1/4, 37 1/2, 37 3/4, 38, 38 1/4, 38 1/2, 38 3/4, 39, 39 1/4, 39 1/2, 39 3/4, 40, 40 1/4, 40 1/2, 40 3/4, 41, 41 1/4, 41 1/2, 41 3/4, 42, 42 1/4, 42 1/2, 42 3/4, 43, 43 1/4, 43 1/2, 43 3/4, 44, 44 1/4, 44 1/2, 44 3/4, 45, 45 1/4, 45 1/2, 45 3/4, 46, 46 1/4, 46 1/2, 46 3/4, 47, 47 1/4, 47 1/2, 47 3/4, 48, 48 1/4, 48 1/2, 48 3/4, 49, 49 1/4, 49 1/2, 49 3/4, 50, 50 1/4, 50 1/2, 50 3/4, 51, 51 1/4, 51 1/2, 51 3/4, 52, 52 1/4, 52 1/2, 52 3/4, 53, 53 1/4, 53 1/2, 53 3/4, 54, 54 1/4, 54 1/2, 54 3/4, 55, 55 1/4, 55 1/2, 55 3/4, 56, 56 1/4, 56 1/2, 56 3/4, 57, 57 1/4, 57 1/2, 57 3/4, 58, 58 1/4, 58 1/2, 58 3/4, 59, 59 1/4, 59 1/2, 59 3/4, 60, 60 1/4, 60 1/2, 60 3/4, 61, 61 1/4, 61 1/2, 61 3/4, 62, 62 1/4, 62 1/2, 62 3/4, 63, 63 1/4, 63 1/2, 63 3/4, 64, 64 1/4, 64 1/2, 64 3/4, 65, 65 1/4, 65 1/2, 65 3/4, 66, 66 1/4, 66 1/2, 66 3/4, 67, 67 1/4, 67 1/2, 67 3/4, 68, 68 1/4, 68 1/2, 68 3/4, 69, 69 1/4, 69 1/2, 69 3/4, 70, 70 1/4, 70 1/2, 70 3/4, 71, 71 1/4, 71 1/2, 71 3/4, 72, 72 1/4, 72 1/2, 72 3/4, 73, 73 1/4, 73 1/2, 73 3/4, 74, 74 1/4, 74 1/2, 74 3/4, 75, 75 1/4, 75 1/2, 75 3/4, 76, 76 1/4, 76 1/2, 76 3/4, 77, 77 1/4, 77 1/2, 77 3/4, 78, 78 1/4, 78 1/2, 78 3/4, 79, 79 1/4, 79 1/2, 79 3/4, 80, 80 1/4, 80 1/2, 80 3/4, 81, 81 1/4, 81 1/2, 81 3/4, 82, 82 1/4, 82 1/2, 82 3/4, 83, 83 1/4, 83 1/2, 83 3/4, 84, 84 1/4, 84 1/2, 84 3/4, 85, 85 1/4, 85 1/2, 85 3/4, 86, 86 1/4, 86 1/2, 86 3/4, 87, 87 1/4, 87 1/2, 87 3/4, 88, 88 1/4, 88 1/2, 88 3/4, 89, 89 1/4, 89 1/2, 89 3/4, 90, 90 1/4, 90 1/2, 90 3/4, 91, 91 1/4, 91 1/2, 91 3/4, 92, 92 1/4, 92 1/2, 92 3/4, 93, 93 1/4, 93 1/2, 93 3/4, 94, 94 1/4, 94 1/2, 94 3/4, 95, 95 1/4, 95 1/2, 95 3/4, 96, 96 1/4, 96 1/2, 96 3/4, 97, 97 1/4, 97 1/2, 97 3/4, 98, 98 1/4, 98 1/2, 98 3/4, 99, 99 1/4, 99 1/2, 99 3/4, 100, 100 1/4, 100 1/2, 100 3/4, 101, 101 1/4, 101 1/2, 101 3/4, 102, 102 1/4, 102 1/2, 102 3/4, 103, 103 1/4, 103 1/2, 103 3/4, 104, 104 1/4, 104 1/2, 104 3/4, 105, 105 1/4, 105 1/2, 105 3/4, 106, 106 1/4, 106 1/2, 106 3/4, 107, 107 1/4, 107 1/2, 107 3/4, 108, 108 1/4, 108 1/2, 108 3/4, 109, 109 1/4, 109 1/2, 109 3/4, 110, 110 1/4, 110 1/2, 110 3/4, 111, 111 1/4, 111 1/2, 111 3/4, 112, 112 1/4, 112 1/2, 112 3/4, 113, 113 1/4, 113 1/2, 113 3/4, 114, 114 1/4, 114 1/2, 114 3/4, 115, 115 1/4, 115 1/2, 115 3/4, 116, 116 1/4, 116 1/2, 116 3/4, 117, 117 1/4, 117 1/2, 117 3/4, 118, 118 1/4, 118 1/2, 118 3/4, 119, 119 1/4, 119 1/2, 119 3/4, 120, 120 1/4, 120 1/2, 120 3/4, 121, 121 1/4, 121 1/2, 121 3/4, 122, 122 1/4, 122 1/2, 122 3/4, 123, 123 1/4, 123 1/2, 123 3/4, 124, 124 1/4, 124 1/2, 124 3/4, 125, 125 1/4, 125 1/2, 125 3/4, 126, 126 1/4, 126 1/2, 126 3/4, 127, 127 1/4, 127 1/2, 127 3/4, 128, 128 1/4, 128 1/2, 128 3/4, 129, 129 1/4, 129 1/2, 129 3/4, 130, 130 1/4, 130 1/2, 130 3/4, 131, 131 1/4, 131 1/2, 131 3/4, 132, 132 1/4, 132 1/2, 132 3/4, 133, 133 1/4, 133 1/2, 133 3/4, 134, 134 1/4, 134 1/2, 134 3/4, 135, 135 1/4, 135 1/2, 135 3/4, 136, 136 1/4, 136 1/2, 136 3/4, 137, 137 1/4, 137 1/2, 137 3/4, 138, 138 1/4, 138 1/2, 138 3/4, 139, 139 1/4, 139 1/2, 139 3/4, 140, 140 1/4, 140 1/2, 140 3/4, 141, 141 1/4, 141 1/2, 141 3/4, 142, 142 1/4, 142 1/2, 142 3/4, 143, 143 1/4, 143 1/2, 143 3/4, 144, 144 1/4, 144 1/2, 144 3/4, 145, 145 1/4, 145 1/2, 145 3/4, 146, 146 1/4, 146 1/2, 146 3/4, 147, 147 1/4, 147 1/2, 147 3/4, 148, 148 1/4, 148 1/2, 148 3/4, 149, 149 1/4, 149 1/2, 149 3/4, 150, 150 1/4, 150 1/2, 150 3/4, 151, 151 1/4, 151 1/2, 151 3/4, 152, 152 1/4, 152 1/2, 152 3/4, 153, 153 1/4, 153 1/2, 153 3/4, 154, 154 1/4, 154 1/2, 154 3/4, 155, 155 1/4, 155 1/2, 155 3/4, 156, 156 1/4, 156 1/2, 156 3/4, 157, 157 1/4, 157 1/2, 157 3/4, 158, 158 1/4, 158 1/2, 158 3/4, 159, 159 1/4, 159 1/2, 159 3/4, 160, 160 1/4, 160 1/2, 160 3/4, 161, 161 1/4, 161 1/2, 161 3/4, 162, 162 1/4, 162 1/2, 162 3/4, 163, 163 1/4, 163 1/2, 163 3/4, 164, 164 1/4, 164 1/2, 164 3/4, 165, 165 1/4, 165 1/2, 165 3/4, 166, 166 1/4, 166 1/2, 166 3/4, 167, 167 1/4, 167 1/2, 167 3/4, 168, 168 1/4, 168 1/2, 168 3/4, 169, 169 1/4, 169 1/2, 169 3/4, 170, 170 1/4, 170 1/2, 170 3/4, 171, 171 1/4, 171 1/2, 171 3/4, 172, 172 1/4, 172 1/2, 172 3/4, 173, 173 1/4, 173 1/2, 173 3/4, 174, 174 1/4, 174 1/2, 174 3/4, 175, 175 1/4, 175 1/2, 175 3/4, 176, 176 1/4, 176 1/2, 176 3/4, 177, 177 1/4, 177 1/2, 177 3/4, 178, 178 1/4, 178 1/2, 178 3/4, 179, 179 1/4, 179 1/2, 179 3/4, 180, 180 1/4, 180 1/2, 180 3/4, 181, 181 1/4, 181 1/2, 181 3/4, 182, 182 1/4, 182 1/2, 182 3/4, 183, 183 1/4, 183 1/2, 183 3/4, 184, 184 1/4, 184 1/2, 184 3/4, 185, 185 1/4, 185 1/2, 185 3/4, 186, 186 1/4, 186 1/2, 186 3/4, 187, 187 1/4, 187 1/2, 187 3/4, 188, 188 1/4, 188 1/2, 188 3/4, 189, 189 1/4, 189 1/2, 189 3/4, 190, 190 1/4, 190 1/2, 190 3/4, 191, 191 1/4, 191 1/2, 191 3/4, 192, 192 1/4, 192 1/2, 192 3/4, 193, 193 1/4, 193 1/2, 193 3/4, 194, 194 1/4, 194 1/2, 194 3/4, 195, 195 1/4, 195 1/2, 195 3/4, 196, 196 1/4, 196 1/2, 196 3/4, 197, 197 1/4, 197 1/2, 197 3/4, 198, 198 1/4, 198 1/2, 198 3/4, 199, 199 1/4, 199 1/2, 199 3/4, 200, 200 1/4, 200 1/2, 200 3/4, 201, 201 1/4, 201 1/2, 201 3/4, 202, 202 1/4, 202 1/2, 202 3/4, 203, 203 1/4, 203 1/2, 203 3/4, 204, 204 1/4, 204 1/2, 204 3/4, 205, 205 1/4, 205 1/2, 205 3/4, 206, 206 1/4, 206 1/2, 206 3/4, 207, 207 1/4, 207 1/2, 207 3/4, 208, 208 1/4, 208 1/2, 208 3/4, 209, 209 1/4, 209 1/2, 209 3/4, 210, 210 1/4, 210 1/2, 210 3/4, 211, 211 1/4, 211 1/2, 211 3/4, 212, 212 1/4, 212 1/2, 212 3/4, 213, 213 1/4, 213 1/2, 213 3/4, 214, 214 1/4, 214 1/2, 214 3/4, 215, 215 1/4, 215 1/2, 215 3/4, 216, 216 1/4, 216 1/2, 216 3/4, 217, 217 1/4, 217 1/2, 217 3/4, 218, 218 1/4, 218 1/2, 218 3/4, 219, 219 1/4, 219 1/2, 219 3/4, 220, 220 1/4, 220 1/2, 220 3/4, 221, 221 1/4, 221 1/2, 221 3/4, 222, 222 1/4, 222 1/2, 222 3/4, 223, 223 1/4, 223 1/2, 223 3/4, 224, 224 1/4, 224 1/2, 224 3/4, 225, 225 1/4, 225 1/2, 225 3/4, 226, 226 1/4, 226 1/2, 226 3/4, 227, 227 1/4, 227 1/2, 227 3/4, 228, 228 1/4, 228 1/2, 228 3/4, 229, 229 1/4, 229 1/2, 229 3/4, 230, 230 1/4, 230 1/2, 230 3/4, 231, 231 1/4, 231 1/2, 231 3/4, 232, 232 1/4, 232 1/2, 232 3/4, 233, 233 1/4, 233 1/2, 233 3/4, 234, 234 1/4, 234 1/2, 234 3/4, 235, 235 1/4, 235 1/2, 235 3/4, 236, 236 1/4, 236 1/2, 236 3/4, 237, 237 1/4, 237 1/2, 237 3/4, 238, 238 1/4, 238 1/2, 238 3/4, 239, 239 1/4, 239 1/2, 239 3/4, 240, 240 1/4, 240 1/2, 240 3/4, 241, 241 1/4, 241 1/2, 241 3/4, 242, 242 1/4, 242 1/2, 242 3/4, 243, 243 1/4, 243 1/2, 243 3/4, 244, 244 1/4, 244 1/2, 244 3/4, 245, 245 1/4, 245 1/2, 245 3/4, 246, 246 1/4, 246 1/2, 246 3/4, 247, 247 1/4, 247 1/2, 247 3/4, 248, 248 1/4, 248 1/2, 248 3/4, 249, 249 1/4, 249 1/2, 249 3/4, 250, 250 1/4, 250 1/2, 250 3/4, 251, 251 1/4, 251 1/2, 251 3/4, 252, 252 1/4, 252 1/2, 252 3/4, 253, 253 1/4, 253 1/2, 253 3/4, 254, 254 1/4, 254 1/2, 254 3/4, 255, 255 1/4, 255 1/2, 255 3/4, 256, 256 1/4, 256 1/2, 256 3/4, 257, 257 1/4, 257 1/2, 257 3/4, 258, 258 1/4, 258 1/2, 258 3/4, 259, 259 1/4, 259 1/2, 259 3/4, 260, 260 1/4, 260 1/2, 260 3/4, 261, 261 1/4, 261 1/2, 261 3/4, 262, 262 1/4, 262 1/2, 262 3/4, 263, 263 1/4, 263 1/2, 263 3/4, 264, 264 1/4, 264 1/2, 264 3/4, 265, 265 1/4, 265 1/2, 265 3/4, 266, 266 1/4, 266 1/2, 266 3/4, 267, 267 1/4, 267 1/2, 267 3/4, 268, 268 1/4, 268 1/2, 268 3/4, 269, 269 1/4, 269 1/2, 269 3/4, 270, 270 1/4, 270 1/2, 270 3/4, 271, 271 1/4, 271 1/2, 271 3/4, 272, 272 1/4, 272 1/2, 272 3/4, 273, 273 1/4, 273 1/2, 273 3/4, 274, 274 1/4, 274 1/2, 274 3/4, 275, 275 1/4, 275 1/2, 275 3/4, 276, 276 1/4, 276 1/2, 276 3/4, 277, 277 1/4, 277 1/2, 277 3/4, 278, 278 1/4, 278 1/2, 278 3/4, 279, 279 1/4, 279 1/2, 279 3/4, 280, 280 1/4, 280 1/2, 280 3/4, 281, 281 1/4, 281 1/2, 281 3/4, 282, 282 1/4, 282 1/2, 282 3/4, 283, 283 1/4, 283 1/2, 283 3/4, 284, 284 1/4, 284 1/2, 284 3/4, 285, 285 1/4, 285 1/2, 285 3/4, 286, 286 1/4, 286 1/2, 286 3/4, 287, 287 1/4, 287 1/2, 287 3/4, 288, 288 1/4, 288 1/2, 288 3/4, 289, 289 1/4, 289 1/2, 289 3/4, 290, 290 1/4, 290 1/2, 290 3/4, 291, 291 1/4, 291 1/2, 291 3/4, 292, 292 1/4, 292 1/2, 292 3/4, 293, 293 1/4, 293 1/2, 293 3/4, 294, 294 1/4, 294 1/2, 294 3/4, 295, 295 1/4, 295 1/2, 295 3/4, 296, 296 1/4, 296 1/2, 296 3/4, 297, 297 1/4, 297 1/2, 297 3/4, 298, 298 1/4, 298 1/2, 298 3/4, 299, 299 1/4, 299 1/2, 299 3/4, 300, 300 1/4, 300 1/2, 300 3/4, 301, 301 1/4, 301 1/2, 301 3/4, 302, 302 1/4, 302 1/2, 302 3/4, 303, 303 1/4, 303 1/2, 303 3/4, 304, 304 1/4, 304 1/2, 304 3/4, 305, 305 1/4, 305 1/2, 305 3/4, 306, 306 1/4, 306 1/2, 306 3/4, 307, 307 1/4, 307 1/2, 307 3/4, 308, 308 1/4, 308 1/2, 308 3/4, 309, 309 1/4, 309 1/2, 309 3/4, 310, 310 1/4, 310 1/2, 310 3/4, 311, 311 1/4, 311 1/2, 311 3/4, 312, 312 1/4, 312 1/2, 312 3/4, 313, 313 1/4, 313 1/2, 313 3/4, 314, 314 1/4, 314 1/2, 314 3/4, 315, 315 1/4, 315 1/2, 315 3/4, 316, 316 1/4, 316 1/2, 316 3/4, 317, 317 1/4, 317 1/2, 317 3/4, 318, 318 1/4, 318 1/2, 318 3/4, 319, 319 1/4, 319 1/2, 319 3/4, 320, 320 1/4, 320 1/2, 320 3/4, 321, 321 1/4, 321 1/2, 321 3/4, 322, 322 1/4, 322 1/2, 322 3/4, 323, 323 1/4, 323 1/2, 323 3/4, 324, 324 1/4, 324 1/2, 324 3/4, 325, 325 1/4, 325 1/2, 325 3/4, 326, 326 1/4, 326 1/2, 326 3/4, 327, 327 1/4, 327 1/2, 327 3/4, 328, 328 1





Big Roller Cabinet included

\$1550  
DOWN

\$15450  
CASH

### GUARANTEE



CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.

\$1050  
DOWN

\$10350  
CASH



Heavy-duty Steel Chest included



## Big CRAFTSMAN 115-piece and 90-piece Mechanics' Tool Sets

REG. U.S. PAT. OFF.

### CRAFTSMAN 115-piece Mechanics' Tool Set

Buy this big 115-piece set and **SAVE!** Priced substantially lower than what you'd pay for all these items if you bought them separately. Every tool made of "Super-Tuff" steel. See description of CRAFTSMAN features at top of page 8. Heavy-duty roller cabinet permits you to roll the tools right up to the job.

**1/2-inch square drive parts.** Thirteen "Super-Tuff" forged 12-pt. sockets ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{9}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $\frac{15}{16}$ , 1,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$  in.); five 8-pt. sockets ( $\frac{1}{8}$ ,  $\frac{9}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$  and  $\frac{3}{4}$  in.); eleven 12-pt. deep spark plug sockets ( $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $\frac{15}{16}$ , 1,  $1\frac{1}{16}$  and  $1\frac{1}{8}$  in.); four extensions (3, 6, 10, and 20 in. long); 15-in. flex "T" handle with crossbar; 9-in. slide bar handle; 18-in. speeder wrench; reversible ratchet, and universal joint.

**3/8-in. square drive parts.** Five 8-pt. sockets ( $\frac{1}{4}$  to  $\frac{3}{4}$  in.); seven 12-pt. sockets ( $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$  and  $\frac{3}{4}$  in.); four 12-pt. extra-deep sockets ( $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$  and  $\frac{3}{4}$  in.); three 6-pt. extra deep sockets ( $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$  in.); two 6-pt. flexible sockets ( $\frac{1}{2}$  and  $\frac{9}{16}$  in.); 3 extensions (3, 6, 10 in. long); 16-in. speeder wrench; 10-in. flex "T" handle with crossbar;  $7\frac{1}{2}$ -in. slide bar handle; reversible ratchet, and universal joint.

**1/4-in. square drive parts.** Seven 6-pt. sockets ( $\frac{1}{8}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$  and  $\frac{3}{4}$  in.); two 8-pt. sockets ( $\frac{1}{4}$  and  $\frac{5}{16}$  in.); reversible ratchet; 6-in. flex "T" handle with crossbar; 2 extension handles (3 and 6 in. long), and  $4\frac{1}{2}$ -in. slide bar handle. In metal box with hinged cover.

**Miscellaneous Tools.** 6 open-end wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{15}{16} \times \frac{1}{2}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$ ,  $\frac{15}{16} \times 1$  in.); 6 long box-end wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{15}{16} \times \frac{1}{2}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$ ,  $\frac{15}{16} \times 1$  in.); 3 short box-end wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{5}{8} \times \frac{3}{4}$  in.); 4 check nut wrenches (sizes  $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$  in.); 5-pc. punch and chisel set in leather case; 16-in. pry bar; 3 plastic handle screwdrivers (4, 6, 8 in.); 2 ball pin hammers (8, 12 oz.); safety-grip hack saw; 10-in. locking plier-wrench; 8-in. adjustable-end wrench; steel roller cabinet (see description of 99CM4358 on page 35.) \$15.50 down on Sears Easy Terms.

99 C M74346—Tool Set with cabinet. Shpg. wt. 125 lbs. . . . . Cash \$154.50  
99 C 04339L—Tool Set without cabinet. Shpg. wt. 41 lbs. \$12.00 down. . . . . Cash 117.00

### CRAFTSMAN 90-piece Mechanics' Tool Set

Mechanics, garage owners and farmers have found this full 90-pc. set practical and economical. Complete with big portable steel cabinet. . . ALL for only \$10.50 down. Famous CRAFTSMAN quality throughout. Every tool made of "Super-Tuff" steel. Heat-treated, tempered and chrome-plated socket wrench parts. Improved, forged flex "T" handles. Improved-type ratchet wrenches with handles and heads in one-piece forgings. See description of socket features at top of page 8.

**1/2-inch square drive parts.** Thirteen forged 12-pt. sockets ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{9}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $\frac{15}{16}$ , 1,  $1\frac{1}{16}$  and  $1\frac{1}{8}$  inch); five 8-pt. sockets ( $\frac{1}{8}$ ,  $\frac{9}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$  and  $\frac{3}{4}$  inch); three socket extensions (3, 6 and 10 inch); 18-inch speeder wrench; 15-inch flex "T" handle with crossbar; 9-inch slide bar handle; reversible ratchet, and universal joint.

**3/8-inch square drive parts.** Five 8-point sockets ( $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$  and  $\frac{1}{2}$  inch); seven 12-pt. sockets ( $\frac{3}{8}$  to  $\frac{3}{4}$  inch); three socket extensions (3, 6, 10 in.); 16-inch speeder wrench; 10-inch flex "T" handle with crossbar;  $7\frac{1}{2}$ -inch slide bar handle; reversible ratchet, and universal joint.

**1/4-inch square drive parts.** Seven 6-point sockets ( $\frac{1}{8}$  to  $\frac{3}{4}$  inch); two 8-point sockets ( $\frac{1}{4}$  and  $\frac{5}{16}$  inch); one reversible ratchet, and a 6-inch flex "T" handle with crossbar. In hinged metal box.

**Miscellaneous Tools.** Six open-end wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{15}{16} \times \frac{1}{2}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$ , and  $\frac{15}{16} \times 1$  inch); six long box-end wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{15}{16} \times \frac{1}{2}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$ , and  $\frac{15}{16} \times 1$  inch); 3 short box-end wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ , and  $\frac{5}{8} \times \frac{3}{4}$  inch); 4 check nut wrenches ( $\frac{3}{8} \times \frac{7}{16}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{5}{8} \times \frac{3}{4}$  and  $\frac{3}{4} \times \frac{7}{8}$  inch); one 10-inch locking plier-wrench; 5-piece punch and chisel set; 16-inch pry bar; 3 plastic handle screwdrivers (4, 6, and 8 inches); 2 ball pin hammers (8 and 12 ounce); 1 pistol-grip hack saw; 1 portable steel chest (25x10x11 inches) . . . large enough to hold all the tools in this set. (See description of 99C04370L on page 35.) With lock and key.

99 C T4345L—Tool Set with chest. Shpg. wt. 65 lbs. . . . . Cash \$103.50  
99 C 04338K—Tool Set without chest. Shpg. wt. 33 lbs. \$9.50 down. . . . . Cash 82.00

For Easy Terms, see page 34

Zone 3 PAGE 3 . . MECHANICS' TOOLS



## Save Workshop Space! 90-pc. Set Hangs on Wall

**\$1100** **\$10550**  
**DOWN** **CASH**

Set with tool cabinet

- All the tools a mechanic, garage owner or farmer needs . . . in easy reach
- Contains  $\frac{1}{2}$ ,  $\frac{3}{8}$ , and  $\frac{1}{4}$ -inch square drive sockets and parts—PLUS miscellaneous tools
- $\frac{3}{8}$ -in. sockets are HOT FORGED for extra strength . . . heat-treated, tempered, chrome plated
- Complete with CRAFTSMAN all-steel, wall-hung cabinet that holds all pieces in set

**CRAFTSMAN 90-piece Mechanics' Tool Set with all-steel cabinet.** A tremendous value . . . a complete 90-piece set of CRAFTSMAN quality mechanics' tools in a large, wall-hung steel cabinet in a rich machinery gray finish, with cylinder lock and key.

Every tool made of "Super-Tuff" steel . . . heat-treated and tempered for strength. All socket parts are chrome plated and polished to resist rust. Extra-large tension balls assure solid locking of sockets on handles. New design, forged flex "T" handles. New-type ratchet wrenches with handles and heads in one-piece forgings.

**$\frac{1}{2}$ -inch square drive parts.** Thirteen forged 12-pt. sockets ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{9}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $\frac{15}{16}$ , 1,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$  in.); five 8-pt. sockets ( $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$  in.); three extensions (3, 6, 10 in.); 18-in. speeder wrench; 15-in. flex "T" handle with crossbar; 9-in. slide bar handle; reversible ratchet; universal joint.

**$\frac{3}{8}$ -inch square drive parts.** Five 8-point sockets ( $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$  and  $\frac{1}{2}$  inch); seven 12-pt. sockets ( $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$  and  $\frac{3}{4}$  inch); three socket extensions (3, 6 and 10 inch); 16-inch speeder wrench; 10-inch flex "T" handle with crossbar;  $7\frac{1}{2}$ -inch slide bar handle; reversible ratchet; and universal joint.

**$\frac{1}{4}$ -inch square drive parts.** Seven 6-point sockets ( $\frac{7}{32}$  to  $\frac{1}{2}$  inch); two 8-point sockets ( $\frac{3}{4}$  and  $\frac{5}{16}$  inch); one reversible ratchet; and a 6-inch flex "T" handle with crossbar. In hinged metal box. See column at right.



**Miscellaneous Tools.** Six open-end wrenches ( $\frac{3}{8} \times \frac{1}{2}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{19}{32} \times \frac{11}{16}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$ ,  $1\frac{1}{2} \times 1$  inch); six long box-end wrenches ( $\frac{3}{8} \times \frac{1}{2}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{9}{16} \times \frac{5}{8}$ ,  $1\frac{1}{16} \times \frac{13}{16}$ ,  $\frac{3}{4} \times \frac{7}{8}$  and  $1\frac{1}{2} \times 1$  inch); 3 short box-end wrenches ( $\frac{3}{8} \times \frac{1}{2}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{5}{8} \times \frac{3}{4}$  inch); 4 check nut wrenches ( $\frac{3}{8} \times \frac{1}{2}$ ,  $\frac{1}{2} \times \frac{9}{16}$ ,  $\frac{5}{8} \times \frac{3}{4}$ ,  $\frac{3}{4} \times \frac{7}{8}$  inch); 10-in. locking plier-wrench; 5-pc. punch and chisel set; 16-in. pry bar; 3 plastic handle screwdrivers (4, 6, 8 in.); 2 ball pein hammers (8, 12 oz.); hacksaw.


All-steel wall-hung cabinet (32x19x5 $\frac{1}{4}$  in.) holds over 90 pieces. Has steel doors with cylinder lock and key; swing out drawers; brackets in doors. Full length, easy-action, piano-type hinges. Machinery-gray finish resists rust.

99 C T4361L—Complete Set. Shipping weight 61 lbs. \$11.00 down . . . . . Cash **\$105.50**  
99 C 04363L—Wall Cabinet only. Shipping weight 28 lbs. \$2.50 down . . . . . Cash **21.50**

**GUARANTEE:** CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.

**\$550** **\$5095**  
**DOWN** **CASH**

Buy on Sears Easy Terms



## CRAFTSMAN 49-pc. Set with $\frac{1}{2}$ , $\frac{3}{8}$ , $\frac{1}{4}$ -in. Square Drive Parts

REG. U.S. PAT. OFF.

Dependable . . . 29 sockets in set cover a wide range of work from  $\frac{7}{32}$  to  $1\frac{1}{8}$  inches

Gives the professional mechanic the tools he needs for almost every kind of job. All parts are made from "Super-Tuff" steel, carefully heat-treated and hardened for the necessary toughness to give longest possible service. All parts are chrome-plated and highly polished for resistance to rust. The 29 sockets cover a wide range of work from  $\frac{7}{32}$  to  $1\frac{1}{8}$  inches.

Openings are precision broached and held to a close tolerance to prevent slipping and rounding of nuts.

Special extra-large, tension ball lock-on feature on attachments holds sockets securely . . . permits them to give the same service as a one-piece tool. Improved, streamlined, forged flex "T" handles. Improved-type ratchet wrenches with heads and handles in one-piece forgings for far greater strength.

**$\frac{1}{2}$ -inch square drive parts.** Thirteen "Super-Tuff" forged 12-point sockets ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{9}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ ,  $\frac{13}{16}$ ,  $\frac{7}{8}$ ,  $\frac{15}{16}$ , 1,  $1\frac{1}{16}$ ,  $1\frac{1}{8}$  inches); two socket extensions (6 and 10 inches); reversible ratchet for easier, faster work; 18-inch speeder wrench with rotating center grip; 9-inch slide bar handle; 15-inch flex "T" handle with crossbar; universal joint.

**$\frac{3}{8}$ -inch square drive parts.** Seven 12-point sockets ( $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$ ,  $1\frac{1}{16}$  and  $\frac{3}{4}$  inch); two socket extensions (3 and 6 inches); reversible ratchet; 16-inch speeder wrench; 8-inch slide bar handle; 10-inch flex "T" handle.

**$\frac{1}{4}$ -inch square drive parts.** Seven 6-point sockets ( $\frac{7}{32}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $\frac{3}{8}$ ,  $\frac{7}{16}$  inch); two 8-point sockets ( $\frac{3}{4}$  and  $\frac{5}{16}$  inch); 2 socket extensions (3 and 6 inches); reversible ratchet;  $4\frac{1}{2}$ -inch slide bar handle; 6-inch flex "T" handle with crossbar. Midget tool box with hinged cover.

Entire 49-piece set comes in a streamlined, rugged, electrically welded, 22-gauge steel CRAFTSMAN hip-roof tool box. Size 19x7x8 $\frac{3}{4}$  in. Rolled edges for added strength and safety. Partitioned lift-out "tote" tray. Full-length, easy-action, piano-type hinge.

Two suitcase-type catches and catch-hasps for padlock. (Padlock not included.) Die-cast aluminum top handle. Attractive, rust-resistant, gray hammerloid finish. Entire set has CRAFTSMAN dependable quality throughout. Only \$5.50 down on Sears Easy Payment Plan.

99 C 04403K—49-piece Set. Shipping weight 24 pounds . . . . . Cash **\$50.95**





**\$350  
DOWN**



**\$34.95  
CASH**  
35-pc. Set

### GUARANTEE

CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.

**\$450  
DOWN**

**\$42.95  
CASH**  
45-pc. Set



## Socket Wrench Sets with 1/2-in. and 1/4-in. Square Drive Parts

### CRAFTSMAN 35-piece Socket Wrench Set Ideal for auto repairs, assembly work, etc.

An ideal set for any mechanic who has learned the value of detachable socket wrenches. The 22 sockets cover a wide range of work from 7/32 to 1 1/8 inches. All sockets and wrenches are made from "Super-Tuff" steel, expertly hardened and tempered to stand up under severe strain. All parts are plated, finished and machine polished to resist rust. Here are tools you'll be proud to own.

**1/2-in. square drive parts.** 13 forged 12-pt. sockets (7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4, 1 1/2 in.); 2 extensions (6, 10 in.); reversible ratchet; 9-in. slide bar handle; 18-in. speeder wrench; 15-in. flex "T" handle with crossbar.

**1/4-in. square drive parts.** Seven 6-pt. sockets (7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16 in.); two 8-pt. sockets (1/2 and 5/8 in.); two extensions (3 and 6 in.); 6-in. flex "T" handle with crossbar; 4 1/2-in. slide bar handle; 6-in. flex "T" handle with crossbar; midjet tool box. Comes in 22-gauge steel hip-roof tool box with lift-out "tote" tray; rust-resisting gray finish.

99 C 04401—Shipping weight 19 pounds, \$3.50 down on Terms.....Cash **\$34.95**


### CRAFTSMAN 45-piece Socket Wrench Set Most versatile set we've seen at this price!

Includes a wide assortment of 1/2-in. square drive deep sockets... for use with long bolts, spark plugs, etc. . . and five 8-point sockets for square nuts. Has the tools necessary to do a first-class repair job. All parts of "Super-Tuff" steel; expertly hardened and tempered.

**1/2-inch square drive parts.** Thirteen forged 12-point sockets (7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, and 1 1/4 in.); five 12-point deep sockets (3/4 to 3 1/2-in.); three 8-point sockets (1/2, 5/8, 3/4 in.); reversible ratchet; 3 extensions (3, 6, 10-in.); 9-in. slide bar handle; 18-in. speeder wrench; 15-in. flex "T" handle with crossbar, and 1/2-in. universal joint.

**1/4-inch square drive parts.** Seven 6-pt. sockets (7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16 in.); two 8-pt. sockets (1/2 and 5/8 in.); reversible ratchet; 2 extensions (3 and 6-in.); 6-in. flex "T" handle with crossbar; 4 1/2-in. slide bar handle; midjet tool box. Set comes in steel tool box with lift-out "tote" tray; machinery gray finish to resist rust.


99 C 04411K—Shipping weight 25 pounds, \$4.50 down on Terms.....Cash **\$42.95**



12-piece Set  
**\$14.25**



12-piece Set  
**\$9.50**  
Complete



16-piece Set  
**\$20.95**  
cash  
\$2.50 down

### 12-pc. Spark Plug Socket Set

CRAFTSMAN . . 1/2-in. square drive. Extra-deep sockets for use on spark plugs, spring "U" bolts, etc. Can also be used to reach nuts that are set down over bolts. Hot forged for extra strength and accurate, non-slip fit. All parts are plated, finished and machine polished. 12-point openings. Straight thin walls fit into close, hard-to-reach places.

All sockets are made of "Super-Tuff" steel, properly heat treated and tempered for strength and long life. Plated finish for protection against rust. Socket sizes: 1/2, 9/16, 5/8, 11/16, 3/4, 7/8, 1, 1 1/8 and 1 1/4 inch. Complete with an "L" handle and handy metal box.


9 C 4383—Shpg. wt. 9 lbs. 2 oz.....**\$14.25**

### CRAFTSMAN 12-pc. Socket Set

1/2-inch square drive sockets and parts. Hot forged; made of "Super-Tuff" steel, heat treated, tempered and finished. Contains the right sizes for a handy, general-purpose set . . valuable in home shop repairs or for professional requirements. Forged thin-wall sockets for getting at tight places.

**12-piece set includes:** ten forged 12-point sockets (7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4, 1 1/2 in.); 15-in. flex "T" handle with crossbar; 15x3 1/2x1 1/8-in. steel tool box.

9 C 4396—Shipping weight 5 lbs.....**\$9.50**



14-piece Set  
**\$8.95**

### CRAFTSMAN 16-piece Socket Wrench Set

1/2-inch square drive sockets and parts. Here is a set that is especially popular among mechanics in the industrial, automotive and aircraft fields; for mechanics who demand the highest quality in their tools. Also ideal for the maintenance and repair of power farm equipment. Set includes all the tools necessary to do basic work on motor or assembly jobs.

**16-piece set includes:** ten forged 12-point sockets (7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4, 1 1/2 in.); two socket extensions (6 and 10-inch); reversible ratchet; 18-inch speeder wrench; 15-inch flex "T" handle with crossbar; and heavy-duty 19 3/4x 6 1/2x3 3/4-inch hip-roof steel tool box with handle.

9 C 4409—Shipping weight 11 pounds.....**\$20.95**

**CRAFTSMAN 14-piece Socket Set . . 1/2-inch square drive.** (Shown at left.) Hot forged 12-point sockets for use on standard hex nuts and cap screws. Thin walls. Sizes: 7/32, 1/4, 9/32, 11/32, 5/16, 3/8, 7/16, 1/2, 5/8, 3/4, 7/8, 1, 1 1/8, 1 1/4 and 1 1/2 inch. In convenient metal carrying tray.

9 C 4348—Shipping weight 4 pounds 10 ounces.....**\$8.95**

It's easy to buy all your tools on  
Sears Easy Payment Plan. See page 34  
for complete details





9-piece Set  
**A \$7.95**



9-piece Set  
**B \$5.95**  
Complete



16-piece Set  
**C \$18.25**  
Complete

## CRAFTSMAN Socket Wrench Sets with $\frac{3}{8}$ -inch Square Drive Parts

REG. U.S. PAT. OFF.

Made of "Super-Tuff" Steel for Extra Strength and Longer Life!

### CRAFTSMAN 9-piece Extra-deep Socket Set

**A**  $\frac{3}{8}$ -in. square drive. For use on hard-to-reach nuts. 9-pc. set includes a 7-in. ell handle and 8 sockets ( $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$  and  $\frac{13}{16}$ -in. sizes). Sockets are full  $2\frac{1}{2}$  in. deep.  $\frac{3}{8}$  to  $\frac{1}{2}$ -in. sizes have 6-point openings.  $\frac{5}{8}$  to  $\frac{13}{16}$ -in. sizes have 12-point openings.

Straight, thin walls fit into close places. Made from "Super-Tuff" steel, properly heat-treated and tempered for strength and long life in hardest service. Packed in metal box.

9 C 4315—Shpg. wt. 2 lbs. .... \$7.95

### CRAFTSMAN 9-piece Socket Wrench Set For small jobs, motors, etc.

**B**  $\frac{3}{8}$ -inch square drive. Carefully selected to furnish the pieces needed for small jobs around the home. Ideal for the home mechanic for work on automobiles, motor scooters, outboard motors, etc. Thin side walls on sockets help get into close places. Precision broached, non-slip openings. All parts made of "Super-Tuff" steel, heat-treated hardened for strength and long life.

9-piece set includes: seven 12-point sockets (sizes  $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$  and  $\frac{13}{16}$  in.); 10-in. flex "T" handle with crossbar; metal tool box (size  $10\frac{1}{2} \times 2\frac{3}{4} \times 1\frac{1}{4}$  inches).

9 C 4395—Shpg. wt. 1 lb. 8 oz. .... \$5.95

### CRAFTSMAN 16-piece Socket Wrench Set Thousands in industry as standard equipment

**C**  $\frac{3}{8}$ -inch square drive sockets and parts. A tremendously popular set in aircraft and automotive factories. Greater strength, and balance. "Super-Tuff" steel; scientifically heat-treated and tempered to stand strain of daily use. Socket walls are stronger because metal grain follows socket contour, permits thinner walls for getting into tight places. Fully guaranteed against breakage caused by defects in material or workmanship.

16-piece set includes: seven 12-pt. sockets ( $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$  and  $\frac{13}{16}$  inch); three socket extensions (3, 6 and 10 inch); reversible ratchet;  $7\frac{1}{2}$ -inch slide bar handle; 16-inch speeder wrench; 10-inch flex "T" handle with crossbar; universal joint; heavy-gauge steel tool box, size  $17\frac{1}{2} \times 6\frac{1}{2} \times 3\frac{3}{8}$  inches; rust-resisting machinery-gray finish.

9 C 4397—Shipping weight 8 pounds. .... \$18.25

**GUARANTEE:** CRAFTSMAN tools are unconditionally guaranteed by Sears to be free from defects in materials or workmanship. Any tool that fails to give you complete satisfaction will be replaced free of charge.



\$3.00 DOWN  
**D \$26.75** CASH  
42-pc. Set

### CRAFTSMAN 42-piece Socket Wrench Set $\frac{1}{4}$ -inch Square Drive

**D** For mechanics, farmers, and homeowners. Has thin sockets for getting into close places.

Set includes: eight 6-point sockets (sizes  $\frac{7}{32}$  to  $\frac{1}{2}$  inch); eight 6-point deep sockets (sizes  $\frac{3}{16}$  to  $\frac{7}{16}$  inch); two 8-point sockets (sizes  $\frac{1}{4}$  and  $\frac{5}{16}$  inch); one 12-point deep socket ( $\frac{1}{2}$ -inch size); reversible ratchet wrench; flex "T" handle with crossbar; slide bar handle; 6-inch socket extension; three extension bars (3, 6, and 14 inches long); 4-inch flex extension; set screw wrench (for  $\frac{3}{64}$ -inch No. 8 set screw); five hex sockets for set screw wrench (sizes  $\frac{3}{16}$  to  $\frac{3}{8}$  inch); two Phillips-type screwdriver-bit sockets (No. 1 and No. 2); three clutch head bit sockets ( $\frac{3}{32}$ ,  $\frac{1}{4}$ , and  $\frac{5}{16}$  inch); two screwdriver bit sockets (.030 and .039);  $\frac{1}{4}$ -inch universal joint.

Packed in handy metal box,  $15\frac{1}{4} \times 3\frac{1}{4} \times 2$  inches.  
9 C 4438—Shipping weight 5 pounds. .... \$26.75

6 .. SEARS, ROEBUCK AND CO. Zone 2



11-piece Set  
**E \$4.75**  
Complete

### CRAFTSMAN Midget Wrench Sets . $\frac{1}{4}$ -inch square drive For ignition, carburetor work, radio, etc.

**E** CRAFTSMAN 11-piece Midget Wrench Set. A set no mechanic should ever be without when doing carburetor, refrigerator, ignition or radio work. Made from "Super-Tuff" steel; precision heat-treated and tempered to combine strength with hardness. Thin-wall sockets for those close places. Contains all the parts necessary to do a small job in a big way.

11-piece set includes all of the following: Seven 6-point sockets ( $\frac{1}{32}$  to  $\frac{7}{16}$  inch); two 8-point sockets ( $\frac{1}{4}$  and  $\frac{5}{16}$  inch); flex "T" handle with crossbar; and  $6\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ -inch handy metal tool box. Please be sure to order by correct catalog number. Shipping weight 15 ounces. Use Easy Terms to help you buy.

9 C 4406—11-piece Set. .... \$4.75




15-piece Set  
**F \$8.95**  
Complete

**F** CRAFTSMAN 15-piece Midget Wrench Set. A splendid midget wrench set . . . extremely popular for ignition, radio, carburetor, refrigerator, oil burner and aircraft work. It helps make small, difficult repair and assembly jobs easy. Made from "Super-Tuff" steel; properly heat-treated and tempered for strength.

15-piece set includes the following: seven 6-point sockets ( $\frac{1}{32}$  to  $\frac{7}{16}$  inch); two 8-point sockets ( $\frac{1}{4}$  and  $\frac{5}{16}$  inch); reversible ratchet to speed up the work; flex "T" handle with crossbar. Two extension handles (3 and 6 inches); slide bar handle, and strong  $6\frac{1}{2} \times 3\frac{1}{2} \times 1\frac{1}{2}$ -inch useful metal tool box.

Take advantage of Sears convenient Easy Terms when you build up your tool order to \$20 or more. See page 34 for complete details. Order by correct catalog number. Shipping weight 2 lbs. 4 oz.  
9 C 4414—15-piece Set. .... \$8.95



13-piece Set  
**G \$5.25**  
Complete


### CRAFTSMAN Set Screw Wrench Set . . 13-pc.

**G** Contains the most widely used set screw wrenches. Ideal for mechanics, etc. All parts are made of "Super-Tuff" steel for long wear. Properly heat-treated and hardened.

Set includes: six standard set screw wrenches (sizes .050,  $\frac{1}{16}$ ,  $\frac{5}{64}$ ,  $\frac{3}{32}$ ,  $\frac{1}{8}$  and  $\frac{5}{32}$  in.); five  $\frac{1}{4}$ -inch square drive sockets with set screw wrenches held in position by a set screw in the socket (sizes  $\frac{3}{16}$ ,  $\frac{7}{32}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$  and  $\frac{3}{8}$  inch); and one flex "T" handle with crossbar. In metal box.


Shipping weight 1 pound 6 ounces.  
9 C 4367. .... \$5.25






**CRAFTSMAN** MOORE PATENT 3/4-inch Square Drive  
18-piece Heavy-duty Socket Set

Tightens, loosens, re-taps bolts, nuts. Threads rods, bushings. Removes broken studs. Good for all types of maintenance.



### CRAFTSMAN Electric Impact Tool

**GUARANTEE!** If CRAFTSMAN Electric Impact Tool above shows any defects in materials or workmanship, we will repair it at no charge to you if returned within one year from the date of purchase.



**D CRAFTSMAN 7-piece Nut Driver Set.** Use in close quarters. Shock-proof clear plastic handles. Hardened socket. Chrome-plated. One each of sizes below. In plastic pouch. *Buy the set and save.* Shipping weight 2 pounds.

9 C 4196—7-piece Set ..... \$6.45




## GUARANTEE

CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.

## 7 REASONS FOR OUR UNCONDITIONAL GUARANTEE!

1. Sockets in 1/2-in. and 3/4-in. drive sizes are forged for super strength. Precision heat-treated.
2. All parts are "Super-Tuff" steel, properly heat-treated and tempered for strength and long life.
3. All parts are chrome plated, finished and machine polished for protection against rust.
4. FORGED flex "T" handles with extra-strong roll pin rivet in drive lug.
5. Ratchet wrenches . . . handle and head 1-piece FORGING.
6. Extra-large tension balls on extensions, etc., gives same service as 1-piece tool.
7. CRAFTSMAN socket wrenches are used by airlines, industrial plants, etc. Meet Navy Spec. 41W10 (INT.)




### All 1/2 and 3/4-inch Straight Wall Sockets are HOT FORGED

#### NOT THIS . . . Ordinary Socket

**A** Ordinary socket walls MUST be thick to stand strain. Straight metal grain sockets are bulkier and heavier. Straight metal grain at points of greatest stress in ordinary sockets often results in costly, damaging breaks. Despite their bulk, ordinary 1/2-in. size sockets can't equal forged sockets for heavy load strain required. The regular socket cannot be used full depth because of space wasting shoulders . . . there is less grabbing area, more chance to slip off bolt.

#### BUT THIS . . . Forged Socket

**B** Forged socket walls are stronger because metal grain follows socket contour. THINNER walls fit tight places. Contour grain of forged sockets adds tremendous strength at point of greatest strain (where base meets side walls). Hot forged CRAFTSMAN sockets stand over twice the load required by U.S. Government Specifications GGG-W-641B. CRAFTSMAN THIN-WALLED sockets can be used full depth, since space wasting shoulders are eliminated.



6-PT. SOCKETS are for use on hex nuts, and walls are much thicker. Teeth are more deeply broached for greater effect on nuts with corners rounded off.

8-PT. SOCKETS are used for square nuts only (generally found on farm machinery and equipment). Really a "must" for all farm mechanics.

12-PT. SOCKETS are for use on standard hex nuts and cap screws. They allow for a thinner wall section and give you double the positions when turning the nut.



1/4-inch Square Drive Sockets with 6-point openings for use on hex nuts. Broached teeth. Polished finish.

9 C 4350—State size.

Size, in.	Shpg. wt.	Each	Size, in.	Shpg. wt.	Each
1/32	2 oz.	30c	1 1/2	3 oz.	30c
1/16	2 oz.	30c	3/8	3 oz.	30c
1/8	2 oz.	30c	1/2	3 oz.	30c
3/16	3 oz.	30c	5/8	4 oz.	35c

9 C 4351—As above but 8-pt. openings. Sizes 1/4 or 3/8-in. Shpg. wt. 2 oz. State size . . . 30c

3/8-inch Square Drive Sockets. 8-point openings for square nuts. Deeply broached teeth. Polished finish.

9 C 4434—State size.

Size, in.	Shpg. wt.	Each
1/4	3 oz.	49c
5/16	3 oz.	49c
3/8	3 oz.	49c
1/2	3 oz.	49c
5/8	3 oz.	49c

3/8-inch Square Drive Sockets. 6-pt. and 12-pt. openings for use on hex nuts. Polished finish. State Catalog No. and size.

Size, in.	Shpg. wt.	9 C 4300 6-pt.	9 C 4433 12-pt.
3/8	3 oz.	49c	49c
1/2	3 oz.	49c	49c
5/8	3 oz.	49c	49c
1 1/8	4 oz.	49c	49c
1 1/2	4 oz.	49c	49c
1 3/4	5 oz.	49c	49c

1/2-inch Square Drive Sockets. 6-point openings for use on hex nuts. Deeply broached teeth grip even rounded nuts. Hot forged. Thinner walls provide extra strength. Have features above. Chrome plated and polished.


9 C 4405—State size wanted.

Size	Shpg. wt.	Each
1/16 inch	4 ounces	55c
1/8 inch	4 ounces	55c
3/16 inch	4 ounces	55c
1/2 inch	5 ounces	55c

1/2-inch Square Drive Sockets. 8-point openings to fit square-headed nuts. Hot forged for super strength. Heat treated and tempered. Thin walls to fit into tight places for close-quarter jobs. Polished finish.

9 C 4422—Please state size wanted.

Size	Shipping wt.	Each
1/16 inch	4 ounces	55c
1/8 inch	4 ounces	55c
3/16 inch	4 ounces	55c
1/2 inch	5 ounces	55c
1 1/2 inch	5 ounces	59c
3/4 inch	6 ounces	59c



CRAFTSMAN 1/2-inch Square Drive Sockets. With 12-point openings for use on all standard hex nuts and cap screws. Properly heat treated and tempered for strength and long life. Hot forged; strong, thin walls for getting into tight places.

9 C 4421—Please be sure to state the correct size you want when ordering.

Size, in.	Shpg. wt.	Each	Size, in.	Shpg. wt.	Each
1/16	4 ounces	55c	2 1/2	6 ounces	65c
1/8	4 ounces	55c	1 1/2	6 ounces	65c
3/16	5 ounces	55c	3/4	6 ounces	65c
1/4	5 ounces	55c	1 1/4	7 ounces	75c
5/16	6 ounces	60c	1 1/2	8 ounces	80c
3/8	6 ounces	60c	1 3/4	8 ounces	80c
1/2	6 ounces	60c	2	8 ounces	90c
5/8	6 ounces	65c	2 1/4	10 ounces	\$1.00

CRAFTSMAN 3/4-inch Square Drive Sockets. Hot forged. 12 point for hexagonal nuts. For tractors, trucks, heavy machinery. "Super-Tuff" steel, tempered and heat treated for added strength.

Guaranteed against breakage due to defects. See features at the top of this page that make CRAFTSMAN sockets so outstanding.

9 C 4444—State size wanted when ordering.

Size, in.	Shpg. wt.	Each	Size, in.	Shpg. wt.	Each
3/4	6 oz.	\$1.09	1 1/2	15 oz.	\$1.65
1 1/8	6 oz.	1.09	1 3/4	15 oz.	1.75
1 1/4	6 oz.	1.09	1 7/8	1 lb.	1.85
1 1/2	9 oz.	1.09	1 3/4	1 lb. 8 oz.	2.35
1 3/4	10 oz.	1.25	1 3/4	2 lbs.	2.65
1 7/8	10 oz.	1.35	1 3/4	2 lbs. 4 oz.	2.75
2	10 oz.	1.39	1 3/4	2 lbs. 8 oz.	2.89
1 3/4	12 oz.	1.45	2	3 lbs.	3.15
1 3/8	14 oz.	1.55			

CRAFTSMAN Flexible Sockets. 3/8-inch square drive. 6-point openings for use on hexagonal nuts. With universal joints that stay in position at any angle; no slipping. "Super-Tuff" steel. Your choice of 7 sizes.


9 C 4325—Please be sure to state size wanted.

3/8 in. Shpg. wt. 3 oz.	\$1.65
1/2 in. Shpg. wt. 3 oz.	1.65
5/8 in. Shpg. wt. 4 oz.	1.65
3/4 in. Shpg. wt. 4 oz.	1.65
1 in. Shpg. wt. 5 oz.	1.65
1 1/8 in. Shpg. wt. 5 oz.	1.65
1 1/4 in. Shpg. wt. 5 oz.	1.65

CRAFTSMAN Universal Joints. Compact design; all unnecessary bulk eliminated to permit freedom of movement. Joint swings at any angle up to 90 degrees to reach hard-to-get-at places. Chrome-plated finish is rust resistant.

9 C 4425—1/2-inch square drive. Shipping weight 10 ounces.	\$1.85
9 C 4435—3/8-inch square drive. Shipping weight 3 ounces.	\$1.75
9 C 4280—1/4-inch square drive. Shipping weight 2 ounces.	\$1.65





## Make short work of nut-tightening, loosening!

**CRAFTSMAN Flex Spinners . . Socket Handles . . Extension Bars . . Ratchet and Speeder Wrenches**

- A** CRAFTSMAN Extension. For  $\frac{1}{4}$ -in. square drive sockets. 3 $\frac{3}{4}$  in. long. "Super-Tuff" steel. Shockproof clear plastic handle. 9 C 4335—Shpg. wt. 4 oz. . . . . 95c
- B** CRAFTSMAN Socket Extension. For  $\frac{1}{4}$ -in. square drive. "Super-Tuff" steel.  $\frac{1}{4}$ -in. square female socket broached in top of shockproof clear plastic handle to receive sliding bar, ratchet or flex "T" handles. Handle practically unbreakable. 9 C 4337—Shpg. wt. 6 oz. . . . . \$1.40
- C** CRAFTSMAN Flex Spinner. For  $\frac{1}{4}$ -in. square drive sockets and fittings. 6-inch flexible spinner, for reaching around corners. "Super-Tuff" steel. Shockproof plastic handle. 9 C 4355—Shpg. wt. 4 oz. . . . . \$1.75
- D** CRAFTSMAN Flex Extension.  $\frac{1}{4}$ -in. square drive, for midsize sockets. 4 in. long. Flexible cable for difficult jobs. 9 C 4336—Shpg. wt. 3 oz. . . . . \$1.29
- E** CRAFTSMAN Socket Wrench Adapters. Convert your present wrenches to sizes below. 9 C 4256— $\frac{3}{8}$ -in. socket;  $\frac{1}{4}$ -in. drive. Converts  $\frac{3}{8}$ -in. drive to  $\frac{1}{4}$ -in. Shpg. wt. 2 oz. . . . . 59c 9 C 4257— $\frac{1}{2}$ -in. socket;  $\frac{3}{8}$ -in. drive. Converts  $\frac{1}{2}$ -in. drive to  $\frac{3}{8}$ -in. Shpg. wt. 2 oz. . . . . 59c 9 C 4258— $\frac{3}{8}$ -in. socket;  $\frac{1}{2}$ -in. drive. Converts  $\frac{3}{8}$ -in. drive to  $\frac{1}{2}$ -in. Shpg. wt. 3 oz. . . . . 69c 9 C 4259— $\frac{1}{2}$ -in. socket;  $\frac{3}{8}$ -in. drive. Converts  $\frac{1}{2}$ -in. drive to  $\frac{3}{8}$ -in. Shpg. wt. 3 oz. . . . . 69c

- F** CRAFTSMAN  $\frac{1}{2}$ -inch Square Drive Adapter. Connects sockets and accessories to refrigerator-type ratchet. 9 C 4418—Shpg. wt. 2 oz. . . . . 29c
- G** CRAFTSMAN Stud Remover.  $\frac{1}{2}$ -in. square drive. Cam action, for easy removal of studs. Capacity  $\frac{5}{16}$  to  $\frac{3}{4}$  in. Alloy steel. 9 C 4457—Shpg. wt. 1 lb. . . . . \$3.60
- H** CRAFTSMAN Bits. "Super-Tuff" steel hex stock;  $\frac{1}{4}$ -in. square drive sockets. Heat-treated, hardened. Chrome plated. 9 C 4269—Screwdriver Bits. 1 $\frac{3}{4}$  in. long. Sizes .030 for small screws and .039 for large. State size. Shpg. wt. ea. 2 oz. . . . . Each 59c 9 C 4268—Phillips-type Bits. 1 $\frac{1}{2}$  in. long. Sizes 1 and 2. State size. Shpg. wt. 2 oz. . . . . Each 70c 9 C 4267—Clutch Head Bits. 1 $\frac{3}{4}$  in. long. Sizes  $\frac{1}{2}$ ,  $\frac{1}{4}$ , or  $\frac{1}{8}$  in. State size. Shipping weight each 2 oz. . . . . Each 75c
- I** CRAFTSMAN Phillips-type Bits.  $\frac{3}{8}$ -in. square drive. 2 $\frac{3}{8}$  in. long. "Super-Tuff" steel. For Phillips screws No. 2, 3 or 4. Shpg. wt. 4 oz. State size. 9 C 4437 . . . . . 85c
- J** CRAFTSMAN Drag Link Sockets.  $\frac{1}{2}$ -in. square drive. Screwdriver type socket: for slotted nuts on shock absorbers, etc. Use two larger sizes for trucks. "Super-Tuff" steel. 9 C 4451—State size wanted.  $\frac{1}{2}$  in. Shpg. wt. 5 oz. . . . . 69c  $\frac{3}{4}$  in. Shpg. wt. 6 oz. . . . . 79c  $1\frac{1}{8}$  in. Shpg. wt. 7 oz. . . . . 89c

- N** CRAFTSMAN Flex "T" Handles. Swivel joint. With crossbar (except 9 C 4431). 9 C 4352— $\frac{1}{4}$ -in. square drive. 6 in. long. Shipping weight 5 oz. . . . . \$1.59 9 C 4436— $\frac{3}{8}$ -in. square drive. 10 in. long. Shipping weight 1 lb. . . . . 2.49 9 C 4420— $\frac{1}{2}$ -in. square drive. State size. 15 in. long. Shipping wt. 2 lbs. 6 oz. . . . . 3.29 18 inches long. Shipping weight 2 pounds 8 ounces. . . . . 3.85 9 C 4431— $\frac{3}{4}$ -in. square drive. 18 inches long. Without crossbar. Shpg. wt. 4 lbs. . . . . 6.15
- P** CRAFTSMAN Ell Handles. For use with spark plug sockets (see CRAFTSMAN spark plug sockets listed below). 9 C 4318— $\frac{3}{8}$ -in. square drive. 7 in. long. Shipping weight 9 ounces. . . . . 85c 9 C 4402— $\frac{1}{2}$ -in. square drive. 8 in. long. Shipping weight 12 ounces. . . . . 95c
- R** CRAFTSMAN Extension Bars. With lock-on feature. Please state size wanted. 9 C 4353— $\frac{1}{4}$ -in. square drive. 3 inches long. Shipping weight 2 oz. . . . . 65c 6 inches long. Shipping weight 4 oz. . . . . 75c 14 inches long. Shipping weight 6 oz. . . . . \$1.35 9 C 4426— $\frac{3}{8}$ -in. square drive. 3 inches long. Shipping weight 4 oz. . . . . 69c 6 inches long. Shipping weight 8 oz. . . . . 85c 10 inches long. Shipping weight 1 lb. . . . . \$1.10 20 inches long. Shipping weight 1 lb. 6 oz. . . . . 1.80 9 C 4413— $\frac{1}{2}$ -in. square drive. 3 inches long. Shipping weight 6 ounces. . . . . 89c 6 inches long. Shipping weight 10 ounces. . . . . \$1.05 10 inches long. Shpg. weight 1 lb. 2 oz. . . . . 1.29 20 inches long. Shpg. weight 2 lbs. 2 oz. . . . . 1.98 9 C 4441— $\frac{1}{4}$ -in. square drive. 8 inches long. Shpg. wt. 2 lbs. . . . . 1.89 9 C 4442— $\frac{3}{4}$ -in. square drive. 16 inches long. Shpg. wt. 4 lbs. . . . . 2.50

- S** CRAFTSMAN Ratchet Wrenches. Light, yet super-strong. Head and handle made of one-piece forged "Super-Tuff" steel, heat-treated, chrome plated. Stainless steel ratchet pawl and pin. Long, streamlined design. Thumb lever for reversing ratchet; no lost motion; won't trip accidentally when working in close places. Specially designed handle is easy on hands. 9 C 4317— $\frac{1}{4}$ -in. square drive. Has 24 ratchet teeth. 5 $\frac{1}{2}$  in. long. Shpg. wt. 6 oz. . . . . \$2.75 9 C 4378— $\frac{3}{8}$ -in. square drive. Has 32 ratchet teeth. 6 $\frac{1}{2}$  in. long. Shpg. wt. 13 oz. . . . . 3.85 9 C 4497— $\frac{1}{2}$ -in. square drive. Has 40 ratchet teeth. 9 $\frac{3}{4}$  in. long. Shpg. wt. 1 lb. 8 oz. . . . . 5.50 9 C 4480— $\frac{3}{4}$ -in. square drive. 18 $\frac{1}{4}$  inches long. Shipping weight 6 lbs. 8 oz. . . . . 11.95


- T** CRAFTSMAN  $\frac{1}{2}$ -in. Square Drive Ratchet Adapter. Converts handle, extension, socket to ratcheting tool. Reverses. 9 C 4474—Shipping weight 13 oz. . . . . \$4.25
- U** CRAFTSMAN Speeder Wrenches. Speed work. Full swing for great leverage. 9 C 4281— $\frac{1}{4}$ -in. square drive, 15 $\frac{1}{2}$  inches long. Without center grip. Shpg. wt. 9 oz. . . . . \$1.75 9 C 4427— $\frac{3}{8}$ -in. square drive, 16 inches long. Without center grip. Shpg. wt. 1 lb. . . . . 1.89 9 C 4416— $\frac{1}{2}$ -in. square drive, 18 in. long. Has rotating center grip. Shpg. wt. 2 lbs. 4 oz. . . . . 2.69

- V** CRAFTSMAN Slide Bar Handles. Use either as "T" or "L" handles. Handy in tight places. 9 C 4354— $\frac{1}{4}$ -in. square drive. 4 $\frac{1}{2}$  in. long. Shipping weight 4 oz. . . . . 85c 9 C 4428— $\frac{3}{8}$ -in. square drive. 8 in. long. Shipping weight 8 oz. . . . . \$1.20 9 C 4415— $\frac{1}{2}$ -in. square drive. State size. 9 inches long. Shipping weight 1 lb. . . . . 1.55 15 inches long. Shpg. wt. 1 lb. 12 oz. . . . . 1.89 9 C 4443— $\frac{3}{4}$ -in. square drive. 18 in. long. Shipping weight 5 lbs. . . . . 3.25



**CRAFTSMAN Extra-deep Sockets.**  $\frac{3}{8}$ -in. square drive. 2 $\frac{1}{2}$  inches deep. For hex nuts:  $\frac{3}{8}$  to  $\frac{1}{2}$ -in. 6-point openings;  $\frac{3}{16}$  to  $\frac{3}{8}$  inch, 12-point openings. (1 $\frac{1}{8}$  and  $\frac{3}{8}$  inch have extra-thin wall). 9 C 4331—Please be sure to state size wanted when ordering.

Size, in.	Shpg. wt.	Each	Size, in.	Shpg. wt.	Each
$\frac{3}{8}$	3 oz.	79c	$1\frac{1}{8}$	4 oz.	89c
$\frac{7}{16}$	3 oz.	79c	$\frac{3}{4}$	5 oz.	95c
$\frac{1}{2}$	3 oz.	85c	$\frac{1}{2}$	6 oz.	98c
$\frac{9}{16}$	3 oz.	85c			
$\frac{5}{8}$	4 oz.	89c			



**CRAFTSMAN 9-pc. Extra-deep Socket Set.**  $\frac{3}{8}$ -in. square drive. For hard-to-reach nuts. Includes oil handle and 8 sockets (1 $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{2}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{3}{4}$ ,  $\frac{1}{2}$ , and  $\frac{3}{8}$ -in. sizes).  $\frac{1}{2}$ -in. size has extra-thin wall for close-quarter tightening. Sockets are 2 $\frac{1}{2}$  inches deep.  $\frac{3}{8}$  to  $\frac{1}{2}$ -in. sizes have 6-point openings;  $\frac{3}{16}$  to  $\frac{1}{2}$ -in. sizes have 12-point openings. For hexagonal nuts. Metal box. Send your order today. Shipping wt. 2 lbs. 9 C 4315—9-piece Set. . . . . \$7.95



**CRAFTSMAN Deep Sockets.**  $\frac{1}{4}$ -in. square drive sockets. Sizes  $\frac{1}{16}$  to  $\frac{1}{2}$  inch have 6-pt. openings;  $\frac{1}{2}$  inch has 12-pt. opening. "Super-Tuff" steel; heat-treated and hardened. Thin walls. Deeply broached teeth. Chrome plated. 9 C 4357—Please be sure to state size wanted when you order.


Size in.	Shpg. wt.	Each	Size in.	Shpg. wt.	Each
$\frac{1}{16}$	2 oz.	55c	$1\frac{1}{2}$	2 oz.	60c
$\frac{1}{8}$	2 oz.	55c	$\frac{3}{4}$	2 oz.	60c
$\frac{3}{16}$	2 oz.	55c	$\frac{1}{2}$	3 oz.	60c
$\frac{1}{4}$	2 oz.	60c			



**CRAFTSMAN Spark Plug Sockets.**  $\frac{1}{2}$ -in. square drive. 12-pt. openings. Extra deep. Hot forged; heat-treated. Polished finish. 9 C 4424—State size wanted.

Size in.	Shpg. wt.	Each	Size in.	Shpg. wt.	Each
$\frac{1}{2}$	6 oz.	95c	$\frac{1}{2}$	8 oz.	\$1.25
$\frac{3}{4}$	6 oz.	95c	$\frac{3}{4}$	8 oz.	1.25
$\frac{1}{2}$	7 oz.	\$1.00	1	10 oz.	1.39
$\frac{3}{4}$	8 oz.	1.00	$1\frac{1}{4}$	14 oz.	1.49
$2\frac{1}{2}$	8 oz.	1.15	$1\frac{1}{2}$	15 oz.	1.59





## CRAFTSMAN "Super-Tuff" Steel Wrenches in Plastic Envelope or Metal Stand

REG. U.S. PAT. OFF.

### OUR BEST Open-End WRENCH SETS

- They are laboratory approved and price compared. We've seen no finer value!
- Handsome chrome-plated finish. Highly polished heads and panels.
- Balanced, streamlined design. Longer handle gives greater leverage.
- The lowest price we know of for such complete sets of this high quality steel.
- Drop-forged "Super-Tuff" steel, expertly heat-treated for tremendous strength.
- Larger range of opening sizes... from 1/4 in. to 1 1/2 in.; accurately milled for perfect fit.

### Open-End Wrench Sets

See features at left. Thin, pear-shaped heads.

**A** 9 C 4466—9-pc. open-end wrench set in plastic envelope. One ea. of sizes in table below through 1 1/4 in. Shpg. wt. 3 lbs. 8 oz. **\$7.98**

**B** 9 C 4455—6-pc. open-end wrench set in plastic envelope. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 5 to 10 3/4 in. Shpg. wt. 2 lbs. 8 oz. **\$4.98**

**C** 9 C 4456—9-pc. open-end wrench set in stand. One ea. of sizes in table below through 1 1/4 in. Shpg. wt. 3 lbs. 8 oz. **\$7.98**

**D** 9 C 4454—6-pc. open-end wrench set in stand. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 5 to 10 3/4 in. Shpg. wt. 2 lbs. 8 oz. **\$4.98**

**E** 9 C 4453—5-pc. open-end wrench set in metal clip. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 5 to 9 in. Shpg. wt. 2 lbs. 6 oz. **\$3.75**

**F** 9 C 4458—Individual Wrenches. State size.

Opening size	Length	Shpg. wt.	Each
1/4-1/2 in.	4 3/4 in.	2 oz.	49c
3/8-1/2 in.	5 in.	2 oz.	59c
1/2-5/8 in.	5 3/4 in.	3 oz.	65c
5/8-3/4 in.	7 in.	5 oz.	75c
3/4-7/8 in.	8 in.	7 oz.	85c
7/8-1 in.	8 1/2 in.	8 oz.	95c
1-1 1/4 in.	9 in.	10 oz.	\$1.09
1 1/4-1 1/2 in.	10 3/4 in.	14 oz.	1.39
1 1/2-1 3/4 in.	11 1/4 in.	1 lb.	1.75
1 3/4-1 7/8 in.	14 1/2 in.	1 lb. 8 oz.	2.89
1 7/8-2 in.	15 1/2 in.	2 lbs. 2 oz.	3.85
2-2 1/4 in.	17 1/2 in.	2 lbs. 6 oz.	4.39

### Combination Wrench Sets

One end open; other box-end with 12-pt. opening for hex or square nuts. Accurately broached. Box-end offset at 15° angle. Open end set at 15° angle. Strong, thin tapered heads. Chrome plated. Polished heads, panels.

**C** 9 C 4462—6-pc. combination wrench set in plastic envelope. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 5 1/4 to 9 3/4 in. Shipping weight 2 pounds. **\$5.45**

**D** 9 C 4496—10-pc. combination wrench set in plastic envelope. (Not shown.) Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Shipping weight 3 pounds 12 ounces. **\$9.95**

**E** 9 C 4463—6-pc. combination wrench set in stand. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 5 1/4 to 9 3/4 in. Shpg. wt. 2 lbs. **\$5.45**

**F** 9 C 4469—Individual Wrenches. State size.

Opening size	Length	Shpg. wt.	Each
3/8 in.	4 in.	3 oz.	65c
1/2 in.	4 1/2 in.	3 oz.	69c
5/8 in.	5 1/4 in.	3 oz.	75c
3/4 in.	5 3/4 in.	4 oz.	79c
7/8 in.	6 in.	5 oz.	85c
1 in.	7 in.	6 oz.	95c
1 1/4 in.	8 1/2 in.	8 oz.	\$1.05
1 1/2 in.	9 in.	10 oz.	1.25
1 3/4 in.	10 in.	11 oz.	1.29
2 in.	11 in.	12 oz.	1.39
2 1/4 in.	10 3/4 in.	14 oz.	1.49
2 1/2 in.	11 1/4 in.	1 lb.	1.65

### Box-End Wrench Sets

Accurately broached 12-point openings give non-slip fit. Rust resisting chrome-plated finish. Polished heads and panels.


**E** 9 C 4461—6-pc. box-end wrench set in plastic envelope. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 7 3/4 to 14 1/4 in. Shpg. wt. 2 lbs. 8 oz. **\$6.29**

**F** 9 C 4340—11-pc. box-end wrench set in plastic envelope. (Not shown.) One each of sizes in table below. Shipping weight 5 pounds 5 ounces. **\$13.75**

**G** 9 C 4391—6-pc. box-end wrench set in stand. Sizes 3/8, 1/2, 5/8, 3/4, 7/8, 1 in. Lengths 7 3/4 to 14 1/4 in. Shipping weight 3 lbs. 4 oz. **\$6.29**

**H** 9 C 4392—Individual Wrenches. Please be sure to state opening size wanted.

Opening size	Length	Shpg. wt.	Each
3/8-1/2 in.	7 3/4 in.	5 oz.	69c
1/2-5/8 in.	8 1/4 in.	6 oz.	75c
5/8-3/4 in.	8 3/4 in.	6 oz.	85c
3/4-7/8 in.	9 3/4 in.	6 oz.	89c
7/8-1 in.	10 1/4 in.	7 oz.	98c
1-1 1/4 in.	10 1/2 in.	9 oz.	\$1.05
1 1/4-1 1/2 in.	11 in.	10 oz.	1.19
1 1/2-1 3/4 in.	12 in.	13 oz.	1.29
1 3/4-1 7/8 in.	14 1/4 in.	1 lb.	1.45
1 7/8-2 in.	15 1/4 in.	1 lb. 10 oz.	2.39
2-2 1/4 in.	17 in.	2 lbs.	2.79



## CRAFTSMAN and DUNLAP Steel Wrenches... Heat-treated and Hardened for Long Service

**G** CRAFTSMAN Ratchet Wrenches. Excellent for work in close, hard-to-get-at places. "Super-Tuff" alloy steel; heat-treated and hardened for long service. Accurately broached, snug-fitting 12-point openings. Available separately or in 5-piece set. Build your order up to \$20 or more... use Sears Easy Terms.

**9 C 4388—5-pc. set.** One each of all sizes listed below under 9 C 4366. Comes in handy plastic carrying case. Shipping weight 2 lbs. **\$7.98**

**9 C 4366—Individual CRAFTSMAN Ratchet Wrenches.** Same quality as above. Please state size wanted.

Size, in.	Length, in.	Shpg. wt.	Price Each
3/4-1 1/4	4 1/2	6 oz.	\$1.39
3/8-1 1/2	5 1/2	6 oz.	1.49
1/2-1 3/4	6 3/4	9 oz.	1.59
5/8-2	8	11 oz.	1.79
3/4-2 1/4	9 1/4	12 oz.	1.98

**H** CRAFTSMAN Ratchet-action Combination Wrenches. For all types of assembly and repair work. Ratcheting open end turns down a nut without removing wrench from work. Other end is 12-point box-end of same size. Chrome plated; polished head and panels. Please be sure to state correct catalog number when ordering.

**3-piece set.** Includes one each of sizes listed below. In attractive plastic case to hold all tools in set.

**9 C 4439—Shipping weight 12 ounces. **\$2.29****

**Individual Ratcheting Combination Wrenches.** Same quality as above. State size wanted when ordering.

**9 C 4434—Please be sure to order by correct catalog number.**

Opening size	Length	Shpg. wt.	Each
3/8 in.	5 1/4 in.	3 oz.	79c
1/2 in.	6 in.	4 oz.	85c
5/8 in.	6 3/4 in.	5 oz.	95c

**J** DUNLAP 6-piece Open-end Wrench Set. Drop forged from high carbon steel. Set at standard 15° angle. Heads polished. Chrome plated to resist rust. Set of six: 3/8 to 3 1/2-inch openings; lengths 3 3/4 to 8 1/4 inches.

**9 C 4364—In metal clip. Order by catalog number. Shipping weight 1 pound 7 ounces. **\$2.55****

**K** DUNLAP 6-piece Combination Wrench Set. Drop forged from fine grain controlled steel. Individually tempered, chrome plated for rust resistance. Accurately broached. Set of 6: 3/8 to 3 1/2-inch openings; lengths 4 3/4 to 8 inches. In handy metal clip. **9 C 4385—Shipping weight 1 pound. **\$2.65****

**L** DUNLAP 5-pc. Box-end Wrench Set. Drop forged from high carbon steel. Expertly hardened, chrome plated. Precision broached. Polished heads. Set of five: 3/8 to 3 1/2-in. openings; lengths 6 3/4 to 12 inches. In metal clip.

**9 C 4380—Shpg. wt. 2 lbs. 2 oz. **\$2.85****

**M** CRAFTSMAN Check Nut Wrenches. Extra thin; ideal for auto tappets. Drop-forged alloy steel. Chrome plated. Length 10 in. **9 C 4445—4-piece set. One each of sizes listed below except 1 1/2-1 3/4 in. In metal clip. Shipping weight 1 pound. **\$3.45****

**9 C 4447—Individual Check Nut Wrenches. State size wanted.**

Size	Shipping weight	Price, each
3/8-1 1/2 in.	4 ounces.	75c
1/2-1 3/4 in.	4 ounces.	79c
5/8-2 in.	4 ounces.	85c
3/4-2 1/4 in.	4 ounces.	89c
1-2 1/2 in.	4 ounces.	\$1.09

**N** CRAFTSMAN 3-piece Short Box-end Wrench Set. Offset heads. 12-pt. openings. "Super-Tuff" alloy steel; heat-treated, hardened. Chrome plated; polished heads.

**9 C 4365—3-pc. set. One each of sizes below. Shpg. wt. 7 oz. **\$2.09****

**9 C 4386—Individual Short Box-end Wrenches. State size wanted.**

Opening size	Length	Shpg. wt.	Each
3/4-1 1/4 in.	4 1/2 in.	1 ounce	69c
1/2-1 1/2 in.	5 1/2 in.	2 ounces	75c
5/8-2 in.	6 in.	4 ounces	79c

**P** CRAFTSMAN Flare Nut Wrenches. For use on oil burners, refrigerators, air conditioners, etc. 6-point openings. "Super-Tuff" steel. Offset heads.

**9 C 4432—3-piece set. One each of sizes listed below. Shipping weight 14 ounces. **\$3.55****

**9 C 4417—Individual Wrenches. State size wanted when ordering. 3/8-1 1/2 in. 6 inches long. Shipping weight 3 ounces. **\$1.05****

**1/2-1 3/4 in. 6 1/2 in. long. Shipping weight 4 ounces. **1.25****

**5/8-2 in. 8 1/2 in. long. Shipping weight 8 ounces. **1.39****





**OUR BEST**  
Adjustable-end  
Wrenches are

Drop forged  
Heat treated  
Chrome plated  
Precision milled

Knurled adjust-  
ing nut works  
perfectly.

**A** 6-piece Set **\$875** **B** Eight 12-point openings **\$298** **C** 6-inch size **95c** **D** 3-piece set **\$580** **E** 6-inch size **\$185**

## Wrenches for every need . . Combination, 8-in-1, Adjustable End

### Combination Wrench

**A** CRAFTSMAN Combination Open-end and Socket Wrenches. Swivel socket end has 12-point opening; reaches hard-to-get-at places. Chrome plated to resist rust and corrosion. Highly polished heads and panels. Made from drop-forged steel; heat-treated. Sizes:  $\frac{3}{8}$ ,  $\frac{7}{16}$ ,  $\frac{1}{2}$ ,  $\frac{9}{16}$ ,  $\frac{5}{8}$  and  $\frac{3}{4}$  in. In plastic case. Please be sure to state correct catalog number.

9 C 4255—6-piece set. Shipping weight 2 pounds 8 ounces. **\$8.75**

9 C 4254—Individual Wrenches.

Size, in.	Length, in.	Shpg. wt.	Each
$\frac{3}{8}$	$7\frac{1}{8}$	4 oz.	\$1.25
$\frac{7}{16}$	$7\frac{1}{2}$	5 oz.	1.25
$\frac{1}{2}$	$8\frac{1}{8}$	6 oz.	1.39
$\frac{9}{16}$	$8\frac{1}{2}$	7 oz.	1.49
$\frac{5}{8}$	$9\frac{1}{8}$	9 oz.	1.65
$\frac{3}{4}$	$10\frac{1}{8}$	13 oz.	1.79

### 8-in-1 Wrench

**B** CRAFTSMAN 8-in-1 Wrench. The convenience of an adjustable wrench . . the grip of a box-end wrench . . the range of a socket set—all in ONE tool! For handymen, mechanics, etc. Has 8 different 12-point openings, 4 on each swivel head.

Sizes:  $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{4}$ , and  $\frac{5}{16}$  in. (small head);  $\frac{5}{8}$ ,  $\frac{11}{16}$ ,  $\frac{3}{4}$ , and  $\frac{7}{8}$  inch (large head).

With these "extra" features: index springs on swivel heads keep work-openings in position. . . use handle at practically any angle. Openings accurately broached; grip hex nut firmly; won't slip off or round nut corners. 9 in. long. Entire tool drop forged . . heat-treated . . chrome plated.

9 C 4407—Shipping weight 1 pound 2 ounces. **\$2.98**

### Adjustable End

**C** Adjustable-end Wrenches. Imported from West Germany. Made of drop-forged steel. Carefully fitted. Face and outside edge of the handle are polished. Order by catalog number only.

9 C 3083—State size.

Size	Opens in.	Shpg. wt. lbs. oz.	Price
6	$\frac{3}{4}$	6	95c
8	$\frac{7}{8}$	10	98c
10	$1\frac{1}{8}$	1	\$1.45
12	$1\frac{1}{4}$	1	1.98

Use Sears Easy Terms to build up your workshop. See page 34 for complete details

### Individual Adjustable End

**D** CRAFTSMAN 3-piece Adjustable-end Wrench Set. Professional quality. Our Best. Includes 6, 8, and 10-inch sizes;  $\frac{3}{4}$ ,  $\frac{1}{2}$ , and  $1\frac{1}{2}$ -inch capacity. Comes in convenient metal clip.

Separate prices total \$6.38. Save 58c when you buy this popular set consisting of the three most used sizes. Shipping weight set, 1 lb. 12 oz.

9 C 4504 . . . . . Set **\$5.80**

Individual CRAFTSMAN Adjustable-end Wrenches. For garage, farm, home, etc. Forged alloy steel, heat-treated; chrome plated. Highly polished. Knurled adjusting nut works smoothly.

9 C 4470—Please state size wanted.


Size	Capacity	Shipping weight	Each
4 in.	$\frac{1}{2}$ in.	2 ounces	\$1.70
6 in.	$\frac{3}{4}$ in.	6 ounces	1.75
8 in.	$\frac{1}{2}$ in.	10 ounces	1.98
10 in.	$1\frac{1}{8}$ in.	1 lb.	2.65
12 in.	$1\frac{1}{4}$ in.	1 lb. 14 oz.	3.85
16 in.	$2\frac{1}{4}$ in.	4 lbs. 4 oz.	6.95

### Locking Wrench

**E** CRAFTSMAN Locking Adjustable Wrench. Sturdily constructed of drop-forged and heat-treated selected alloy steel. Chrome-plated finish for resistance to rust. Just a flick of the thumb or finger locks or unlocks the adjustment instantly at any opening you select. Positive lock with no obstructions. One hand operation . . no fumbling . . permits rapid adjustment with increased safety. Every mechanic and home handyman should own one of these quality wrenches. Order today!

9 C 4375—Please state size wanted. Order by correct catalog number.

Size	Capacity	Shpg. wt.	Each
6 in.	$\frac{3}{4}$ in.	6 ounces	\$1.85
8 in.	$1\frac{1}{8}$ in.	10 ounces	1.98
10 in.	$1\frac{1}{2}$ in.	1 lb.	2.65
12 in.	$1\frac{3}{4}$ in.	1 lb. 14 oz.	3.85
15 in.	$1\frac{1}{2}$ in.	3 lbs. 10 oz.	5.95



**F** CRAFTSMAN 4-piece Midget Box-end Wrench Set. For ignition work, self-tapping sheet metal screws and many other small, intricate jobs. "Super-Tuff" drop-forged steel; 6-point openings for hex nuts. Sizes:  $\frac{3}{16}$ ,  $\frac{1}{8}$ ,  $\frac{7}{32}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$  inch. Lengths from  $2\frac{1}{8}$  to  $3\frac{3}{4}$  inch. Chrome plated to resist rust. Order by catalog number. In plastic pouch.

9 C 4379—4-piece Set. Shpg. wt. 10 oz. **\$2.09**

**G** DUNLAP 8-piece Open-end Ignition Wrench Set. Open-end wrenches, 15° and 80°-angle heads; for work on timers, generators, etc. Same size openings on both ends. High carbon steel; nickel plated. Sizes:  $\frac{7}{32}$ ,  $\frac{1}{8}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $\frac{3}{8}$ , and  $\frac{7}{16}$  inch. Lengths  $3\frac{1}{8}$  to  $4\frac{1}{8}$  inches. Comes in plastic pouch.

9 C 4475—8-piece Set. Shpg. wt. 8 oz. **\$1.69**

**H** DUNLAP 8-piece Combination Ignition Wrench Set. 12-point box wrench on one end; offset open end on the other. High carbon steel. Nickel plated. Set with sizes:  $\frac{13}{64}$ ,  $\frac{1}{32}$ ,  $\frac{7}{32}$ ,  $\frac{1}{8}$ ,  $\frac{15}{64}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $1\frac{1}{32}$ ,  $\frac{3}{8}$ , and  $\frac{7}{16}$  inch. Lengths 3 to  $3\frac{3}{4}$  inches. Comes in handy plastic pouch for convenience in carrying, to keep the entire set together. Please be sure to order by correct catalog number.

9 C 4484—8-piece Set. Shpg. wt. 8 oz. **\$1.69**

**J** CRAFTSMAN 8-piece Combination Midget Ignition Wrench Set. Drop-forged "Super-Tuff" steel. Heat-treated; chrome plated. One 12-pt. box end, one offset open end; highly polished. Set has the following sizes:  $\frac{13}{64}$ ,  $\frac{1}{32}$ ,  $\frac{7}{32}$ ,  $\frac{1}{8}$ ,  $\frac{15}{64}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $1\frac{1}{32}$ ,  $\frac{3}{8}$ , and  $\frac{7}{16}$  inch. Lengths  $2\frac{1}{16}$  to  $3\frac{3}{4}$  inches. In attractive plastic pouch.

9 C 4344—8-pc. Set. Shpg. wt. 6 oz. **\$3.89**

**K** DUNLAP 14-piece Ignition Set. All parts nickel-plated steel; rust resistant. Includes 8 combination box and open-end midget ignition wrenches ( $\frac{13}{64}$  to  $\frac{7}{16}$ -in. openings);  $4\frac{1}{2}$ -in. ignition plier; midget screwdriver; 6-leaf thickness gauge; ignition file; center punch; pin punch. In plastic carrying pouch. Shipping weight 1 pound 6 ounces.

9 C 4467—14-piece Set. **\$3.50**

CRAFTSMAN Ignition File. (Not shown.) Double cut; fine teeth. 5 inches long. Shipping weight each 4 ounces.

9 C 6740 . . . . . Each **17c**

**L** CRAFTSMAN 8-piece Open-end Midget Ignition Wrench Set. Drop-forged "Super-Tuff" steel. Heat-treated; chrome plated, 15° and 80°-angle heads. Set comes in following sizes:  $\frac{7}{32}$ ,  $\frac{1}{8}$ ,  $\frac{1}{4}$ ,  $\frac{9}{32}$ ,  $\frac{5}{16}$ ,  $\frac{11}{32}$ ,  $\frac{3}{8}$  and  $\frac{7}{16}$  in. Lengths  $2\frac{1}{16}$  to  $3\frac{3}{4}$  in. In plastic pouch.

9 C 4306—8-pc. Set. Shipping wt. 7 oz. **\$3.89**



**M** Spark Plug Gap Gauge. Check spark plug gaps; save gasoline. Provides eight different wire gauges and electrode wrench.

9 C 4075—Shpg. wt. 4 oz. **49c**

**N** CRAFTSMAN Spark Plug Testing Screwdriver. Touch blade against cap; neon testing bulb built into shockproof, transparent plastic handle lights up if your plug is good. 5-in. tempered steel bit. 9 in. long overall.

9 C 4124—Shpg. wt. 6 oz. **98c**

**P** Spark Plug Wrench. Fits all plugs with  $\frac{13}{16}$  hex. Fits 14-mm. and late type 10-mm. plugs. Slide bar handle.

9 C 4593—Shpg. wt. 7 oz. **25c**

**R** CRAFTSMAN General-duty Adjustable Wrench. Ideal for general utility work by plumbers, farmers and homeowners. Smooth jaws help prevent marring. "Super-Tuff" steel; gray enamel finish. Polished edges. Easy working adjusting nut.

\*Civil Defense recommends you have an item of this type in case of an emergency.

9 C 4449—Please state size wanted when ordering.

Length	Capacity	Shpg. wt.	Each
9 in.	$2\frac{1}{2}$ in.	14 oz.	\$1.15
11 in.	$2\frac{1}{4}$ in.	1 lb. 8 oz.	1.79

Order by correct catalog number

**S** CRAFTSMAN Heavy-duty Wrenches . . Our Best! Professional quality. 1-piece frame, housing and handle. Replaceable tempered and forged steel jaws.

Machine-cut teeth are milled deep, grip pipe firmly; pitched to force work into jaws, not out. Free-working adjusting nut.

Be sure to buy the proper size for the job you have to do. Buy one of each size to be prepared for your plumbing repair work.

Please be sure to state catalog number and size wanted when ordering.

Size.....	8 in.	10 in.	14 in.	18 in.	24 in.
Takes pipe....	$\frac{3}{4}$ in.	1 in.	$1\frac{1}{2}$ in.	2 in.	$2\frac{1}{2}$ in.
Shpg. wt....	14	2 lbs.	3 lbs.	5 lbs.	9 lbs.
	oz.	2 oz.	10 oz.	10 oz.	13 oz.
9 C 5567.....	\$2.35	\$3.10	\$4.25	\$6.29	\$9.95

**T** DUNLAP Pipe Wrenches. Standard Stillson Pattern. Imported from West Germany. Good, dependable quality . . low priced.

Alloy steel jaws; milled teeth. Free-working adjusting nut. Please be sure to state size and quantity wanted. Order by correct catalog number.

Size	Capacity	Shpg. wt.	Each
8 in.	$\frac{1}{2}$ in.	14 in.	18 in.
Takes pipe	$\frac{3}{4}$ in.	1 in.	$1\frac{1}{2}$ in.
	12	1 lb.	3 lbs.
Shpg. wt.	oz.	11 oz.	8 oz.
9 C 3082	98c	\$1.39	\$2.15

Use Sears Easy Terms . . see page 34 for complete details.

Zone 3 PAGE 11 . . MECHANICS' TOOLS





## CRAFTSMAN Locking Plier Wrenches

### One-Ton Bulldog Grip

- Hold small pieces against a grinding wheel... won't slip.
- For close-quarter work where a pipe wrench won't fit.
- Powerful clamp for gluing and jointing... locks tightly.

Straight Jaw type

**A \$198**

10-inch

Curved Jaw type

**\$198 B**

10-inch

## Now with greater leverage, holding power

*New... Improved Design.* Now has greater leverage and greater holding power. Over one-ton bulldog grip! Pressure applied to handle produces over one-ton thrust at jaws. Tested far beyond U.S. Government Specifications GGG-P-471a.

Many tools in one! Use as adjustable wrench, pipe wrench, clamp, locking wrench, multi-leverage plier, and portable vise. Also use it for removing cotter pins, broken or rusted studs, stubborn or rounded nuts. As a portable vise it holds work tightly for welding, drilling, soldering, grinding, etc.


Narrow, forged steel jaws get into tight places. Positive gripping, precision milled teeth... hold any shape securely within jaw capacity. Has spun rivet assembly to increase life of tool. Jaws can be locked into position; or tool can be used as regular pliers. Pressure on bottom lever releases lock. Rust-resistant chrome-plated finish. Available in two jaw shapes—straight jaws or double-curved jaws, as listed below.

### A Locking Plier Wrench with Straight Jaws.

9 C 4440—Please state size wanted when ordering.  
7-inch size. (Jaw capacity 1 1/2 inches.) Shipping weight 13 oz. .... \$1.79  
10-inch size. (Jaw capacity 1 1/2 inches.) Shpg. wt. 1 lb. 8 oz. .... 1.98

### B Locking Plier Wrench with Double-curved Jaws. Holds round stock. 10-inch size. Jaw capacity 1 3/4 inches.

9 C 4479—Shipping weight 1 pound 8 ounces. .... \$1.98



## Our Best CRAFTSMAN Pliers..

REG. U.S. PAT. OFF.

### C CRAFTSMAN Slip-joint Pliers. *New!*

See plier features at top of opposite page. Forged alloy steel. Two adjustments. Chrome-plated for resistance to rust. Precision milled teeth. Polished face and sides. Knurled handles for comfortable grip. 6 3/4 inches long.

9 C 4536—Shpg. wt. 8 oz. .... \$1.29

### D CRAFTSMAN Thin-nose Slip-joint Pliers.

*New design!* Gets into tighter places, because bolt is recessed. See plier features at top of opposite page. Two adjustments. Forged alloy steel. Rust-resisting chrome-plated. Precision milled teeth. Polished face and sides. 5 3/4 in. long. Knurled handles.

9 C 4537—Shpg. wt. 6 oz. .... \$1.09

### E CRAFTSMAN Long Chain-nose Pliers.

Half-round jaws... used for forming wire loops, etc. Ideal for delicate work. See plier features described at top of opposite page. Honed side cutters. Jaws machine milled. Fully polished.

9 C 4499—State length wanted.  
6 inches long. Shpg. wt. 6 oz. .... \$2.59  
7 1/2 inches long. Shpg. wt. 8 oz. .... 3.10

### F CRAFTSMAN Diagonal-cutting Pliers. For switchboards, auto ignition systems, etc. See plier features at top of opposite page. Honed cutters. Cut close to flat surfaces. Fully polished.

9 C 4506—State length wanted.  
5 inches long. Shipping weight 5 ounces. .... \$2.45  
6 inches long. Shipping weight 6 ounces. .... 2.65  
7 inches long. Shipping weight 8 ounces. .... 2.98

### G CRAFTSMAN Wide-jaw Diagonal-cutting Pliers.

Extra heavy duty. Can be used to cut BX armored cable. See plier features at top of opposite page. Honed cutters. 7 in. long. Fully polished.

9 C 4508—Shipping weight 8 ounces. .... \$2.45

### H CRAFTSMAN End-cutting Nippers. For heavy cuttings, especially flush with the work, or for twisting. Keen edges. Fully polished. Forged special alloy steel. 6 inches long.

9 C 4502—Shipping weight 8 ounces. .... \$2.59


### J Plastic Plier Grips. Insulate handles of pliers against electric shock, and provide non-slip grip.

Amber colored plastic. Available in two sizes, as listed in table below.

9 C 4516—Please state length wanted.

9 C 4516—Please state length wanted.

Length	Fit Pliers	Shpg. wt.	Pair
4 1/2 inches. ....	6 and 7-in. ....	3 ounces. ....	39c
5 inches. ....	8-in. ....	3 ounces. ....	39c



## DUNLAP Pliers.. Dependable quality at low prices

### K DUNLAP Slip-joint Pliers. For general purpose use. Two adjustments. Forged steel. Chrome-plated for rust resistance. Polished face and sides; knurled handles.

9 C 4491—State length wanted.  
5 in. long. Shpg. wt. 6 oz. .... 89c  
6 in. long. Shpg. wt. 8 oz. .... 95c  
8 in. long. Shpg. wt. 12 oz. .... \$1.05

### L DUNLAP Radio and Ignition Tip-cutting Pliers. Long reach for tight places. Cutter at tip for fine wires. Forged steel. Hand-honed cutters. 7 1/2 in. long.

9 C 4538—Shpg. wt. 9 oz. .... \$2.69

### M DUNLAP Utility (Water Pump) Pliers. For general use. Seven adjustments. Forged steel. Chrome-plated for resistance to rust. 9 inches long overall.

9 C 4482—Shpg. wt. 14 oz. .... \$1.29

### N DUNLAP Thin-nose Slip-joint Pliers. Forged steel. Chrome-plated for resistance to rust. Polished face and sides; knurled handles. 6 inches long.

9 C 4493—Shpg. wt. 12 oz. .... 90c

### P DUNLAP Bent Needle-nose Pliers. For switchboards, electrical work, etc. Forged steel. Blued handles. 6 inches long.

9 C 4529—Shpg. wt. 6 oz. .... \$1.89

### R DUNLAP Needle-nose Pliers. Made in West Germany to Sears rigid specifications. Fully guaranteed by Sears. Forged steel. Knurled handles. Milled teeth. 5 3/4 inches long overall.

9 C 3080—Shpg. wt. 6 oz. .... 98c

### S DUNLAP Linemen's Pliers. Forged steel. Honed side cutters. Smooth blued handles.

9 C 4512—State length wanted.  
6 in. long. Shpg. wt. 9 oz. .... \$1.98  
8 1/2 in. long. Shpg. wt. 1 lb. .... 2.59

### DUNLAP Linemen's Pliers. (Not shown.) Made in West Germany. Forged steel. Honed cutters. Bevel nose. 7 1/4 inches long.

9 C 3181—Shpg. wt. 9 oz. .... \$1.19

### T DUNLAP Diagonal-cutting Pliers. Forged steel. For all electrical work. Polished head. Blued handles.

9 C 4510—State length wanted.  
4 1/2 in. long. Shpg. wt. 5 oz. .... \$1.79  
7 1/2 in. long. Shpg. wt. 12 oz. .... 2.39

### DUNLAP Diagonal-cutting Pliers. (Not shown.) Made in West Germany. Forged steel. Honed cutters. Knurled handles. 5 3/4 in. long.

9 C 3081—Shpg. wt. 6 oz. .... 98c

## Nippers.. Cutters.. Stripper

### U DUNLAP Cutting Nippers. Forged tempered steel. Ideal for concrete form builders, carpenters, farmers, etc. Polished jaws. Long handles for great leverage. Hand-honed cutters for smooth, easy cutting. 14-in. size will cut a 16-penny spike. Order by catalog number.

9 C 4524—10 in. long. Shpg. wt. 2 lbs. 2 oz. .... \$2.15

9 C 4523—14 in. long. Shpg. wt. 2 lbs. 8 oz. .... 2.55

### V Bolt Cutters. Center cutting. High carbon alloy tool steel jaws... perfectly aligned and precision ground. Malleable iron handle. Compound leverage gives tremendous cutting power with minimum effort. Rod cutting capacity is 1/4 inch less than bolt cutting capacity shown below.

9 C 6567—18 in. long. Cuts 3/8-in. bolt in thread. Shpg. wt. 3 lbs. 14 oz. .... \$10.75

9 C 6568—24 in. long. Cuts 3/8-in. bolt in thread. Shipping weight 6 lbs. .... \$11.75

### W Wire and Cable Stripper. Strips 10-gauge to 22-gauge wire. Won't crush fine stranded wire. Interchangeable steel blades.

9 C 4598—Shipping weight 14 ounces. .... \$4.95

Build your order up to \$20 or more and buy on Sears Easy Terms. See page 34 for complete information.



## ALL CRAFTSMAN

### Pliers have these features


1 Forged from special alloy steel for long service. Jaws are accurately machine-milled and cutters are hand honed.

2 Extra-large rivet, hardened and tempered to assure extra-long wear. Carefully-fitted precision joints open and close freely.

3 Non-slip, sure-grip comfortable knurled handles. Entire tool has a highly polished finish for resistance to rust.

### EASY TERMS

See page 34 for complete details



A \$2.98  
7 in.

B \$3.69

C \$2.45

D \$2.39

E \$1.39

F 98c

## are Superb Professional Quality

**A CRAFTSMAN Linemen's Pliers.** Heavy duty. Hand honed side-cutting jaws; perfectly aligned. Beveled nose. Milled throat; tempered jaws. Fully polished. Available in two sizes, 7 inch or 8½ inch, as listed below.

9 C 4518—Please state length wanted.  
7 inches long. Shpg. wt. 12 oz. \$2.98  
8½ inches long. Shpg. wt. 1 lb. 2 oz. 3.79

**B CRAFTSMAN Linemen's Pliers.** Heavy duty. Round nose. Side-cutting jaws; hand honed; perfectly aligned. Milled throat; tempered jaws. Fully polished. 8½ in. long.

9 C 4525—Shpg. wt. 10 oz. \$3.69

**C CRAFTSMAN Long-reach Pointed-nose Pliers.** Extra-long handles. Pointed jaws; fine serrations; grip wire tightly. 7¾ inches long overall. Fully polished.

9 C 4517—Shpg. wt. 10 oz. \$2.45

**CRAFTSMAN Long-reach Duckbill Pliers.** (Not shown.) Thin, flat, duckbill nose. Long jaws taper to about ¼ in. Serrated for sure grip. 7½ inches long. Fully polished.

9 C 4520—Shpg. wt. 10 oz. \$2.45

**D CRAFTSMAN Slip-joint Side-cutting Pliers.** Incorporates the best features of a regular side cutter, yet provides slip-joint action. Two adjustments. Accurately honed cutter. 7¾ in. long overall. Fully polished.

9 C 4507—Shipping weight 12 oz. \$2.39

**E CRAFTSMAN Battery Pliers.** 40-degree angle head and tapered nose for working in close places. Angle head makes battery nuts easily accessible, no matter where battery is located. 7¾ in. long. Chrome plated to resist rust.

9 C 4476—Shipping weight 8 oz. \$1.39

**F CRAFTSMAN Ignition Pliers.** Chrome plated for resistance to rust. Jaws are thin, permitting you to reach in and turn the small nuts found in distributors, voltage regulators, etc. 40-degree angle jaws; 0 to ¾ in. capacity. Easy-action joint has three adjustments. Lightly serrated jaws. 5 inches long overall.

9 C 4513—Shipping weight 2 oz. 98c



**CRAFTSMAN**  
King-size  
Heavy-duty  
Plier Wrench  
H \$1.98

G \$2.49  
9½ in.

**CRAFTSMAN**  
Arc-joint  
Pliers

**G** Ideal all-purpose pliers. Forged alloy steel construction with machine-milled curved joint track to take load off bolt.

Has 5 closely spaced, non-slip adjustments; won't slip out of position. Milled teeth grip like pipe wrench... force work back into jaws instead of pushing out.

Heat-treated, hardened steel bolt. Knurled handles for a firm grip. 9½ inches overall. Chrome plated for rust resistance. Shipping weight 1 lb.

9 C 4527—9½ in. \$2.49

9 C 4545—6 in. size. (Not shown.) Similar to 9C4527 arc-joint pliers above, but has 3 positions. 6 inches long overall. Shpg. wt. 7 oz. \$1.85

**H** Angle-nose design. Ideal for garage mechanics, plumbers, electricians, farmers, homeowners. Actually a 3-jaw tool. Pipe-wrench style teeth pitched to force work back into jaws—not out. Jaws open parallel to full 2 in. Teeth milled entire jaw length; milled finer at tips to hold small objects.


Forged from special alloy steel for greatest strength; heat-treated, hardened. Chrome plated to resist rust. ¾ in. wide angle nose gets into close places.

7 positive positions. Guide-stop holds jaw setting... keeps plier position from slipping... increases bolt life. Special alloy steel bolt, heat-treated and hardened... short fulcrum distance gives greater gripping power.

Long handles for extra leverage... ¼ in. wide grips have no sharp edges... grip easily at any opening. Overall length 10¾ in. closed; 12 in. open.

9 C 4471—Shpg. wt. 1 lb. 3 oz. \$1.98

**GUARANTEE:** CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.



### CRAFTSMAN forged steel Snips

**J CRAFTSMAN Duckbill Snips.** Cut straight, circular or irregular shapes. Crown-shaped blades; forged high carbon steel. Polished blades; gunmetal handles, blued finish. Meet Federal Specifications GG-S.

9 C 4546—Please state length wanted.  
7 in. long. 1¼ in. cut. Shipping weight 12 oz. \$1.69  
10 in. long. 2½ in. cut. Shpg. wt. 1 lb. 8 oz. 2.39  
12 in. long. 3 in. cut. Shipping weight 2 lbs. 3.10

**K CRAFTSMAN Combination Snips.** Drop forged, high carbon steel. Polished jaws, beveled to make straight or scroll cuts. Meet Federal Specifications GG-S.


9 C 4547—Please state length wanted.  
10 in. long. 2¼ in. cut. Shpg. wt. 1 lb. 8 oz. \$2.39  
12 in. long. 3¼ in. cut. Shpg. wt. 2 lbs. 2 oz. 3.10

**L CRAFTSMAN Compound Leverage Snips.** Polished, chrome plated, hot drop forged, high carbon steel blades with serrated edges. Gray Plastisol handles. Patented latch. 10 in. long; 1¼ in. cut. Meet Federal Specifications GG-S. Shpg. wt. each 1 lb.

9 C 4275—Cuts left or right. \$4.10

9 C 4274—Left-hand cut. 4.10

9 C 4273—Right-hand cut. 4.10



### Strong C Clamps... Spring Clamp

**M Malleable Iron C Clamps.** Heavy duty. Steel screw. Self-adjusting swivel head.

9 C 6667—State size and quantity.

Opens to	Shpg. wt. each	Each
1 inch...	2 ounces...	27c
2 inches...	5 ounces...	35c
3 inches...	1 lb. 8 oz....	89c
4 inches...	2 lbs. 2 oz....	\$1.59
5 inches...	2 lbs. 8 oz....	1.79
6 inches...	3 lbs. 2 oz....	2.09
8 inches...	4 lbs. 8 oz....	3.35

**N Aluminum Alloy C Clamps.** Strong, yet light. Won't rust or warp.

Opens to	1 in.	2 in.	3 in.	4 in.
Shpg. wt. each	2 oz.	3 oz.	8 oz.	13 oz.
Each	39c	55c	98c	\$1.45

**P Spring Clamp.** Heavy-gauge steel; tempered spring will not weaken.

9 C 6669—State size and quantity.

Opens to	1 in.	2 in.	3 in.
Length	4 in.	6 in.	9 in.
Shpg. wt. each	3 oz.	10 oz.	1 lb.
Each	30c	49c	79c

### Pick-up Tools... Horseshoe Magnet... Tweezers

**R CRAFTSMAN Magnetic Pick-up Tool.** Picks up, recovers small metal objects, etc., from tight places. Permanent magnetic tip; lifts steel objects up to 8 oz. 360° all-angle ball joint. Telescoping handle extends to 25 in.

9 C 4132—Shpg. wt. 1 lb. \$1.98

**S Flexible Magnetic Pick-up Tool.** Nickel-plated coiled spring shaft. Permanent Alnico magnetic head. 3¼ in. plastic handle. 16¾ inches long.

9 C 4178—Shpg. wt. 5 oz. \$1.39

**T CRAFTSMAN 3-in. Horseshoe Magnet.** Red plastic frame, with permanent Alnico magnets. Lifts up to 2½ pounds.

9 C 4177—Shpg. wt. 3 oz. 59c

**U CRAFTSMAN Magnetic Pocket Tool.** Use as a stud finder or as a pick-up tool. Pencil size, with Alnico magnet at end. Aluminum body. Handy pocket clip.

9 C 4001—Shpg. wt. 2 oz. 79c

**V W CRAFTSMAN Tweezers.** Ideal for the jeweler, machinist, tool and die maker, hobbyist, photographer, etc. Tempered spring steel; nickel-plated finish to resist rust. Choice of straight or bent points. Shipping weight each 4 oz.

9 C 4459—Straight-point type. 6 in. long. 69c


9 C 4460—Bent-point type. 6½ inches long. 69c

**X Pick-up Tool.** Picks up objects in tight places. Flexible; claws grab nuts, bolts, and even hairpins. Press thumb button to open claws; release to close. Plated to resist rust.

9 C 4133—State size wanted. 12 inches long. Shipping weight 6 ounces. 89c

24 inches long. Shipping weight 8 ounces. 98c





## Screwdrivers with Shockproof Plastic Handles . . CRAFTSMAN and DUNLAP

REG.-U.S. PAT. OFF.

REG.-U.S. PAT. OFF.

### CRAFTSMAN Professional Quality Screwdrivers

**A CRAFTSMAN Heavy-duty Screwdrivers.** Shockproof crystal-clear plastic handle; raised flutes. Square stock blade forged from chrome-vanadium steel. Standard bit.

9 C 4148—Please state size.

Blade, in.	For Screw	Shpg. wt.	Each
1 3/4 x 3/16	Large	7 oz.	98c
4 x 1/8	Medium	5 oz.	98c
4 1/2 x 1/8	Small	4 oz.	89c
6 x 1/8	Medium	6 oz.	98c
8 x 3/16	Large	12 oz.	\$1.25
9 x 3/16	Small	10 oz.	98c
12 x 1/2	Medium	10 oz.	1.25
12 x 3/4	Ex. Large	1 lb.	1.75


**B CRAFTSMAN Pocket Clip Screwdriver.** 1/2x2-inch chrome-vanadium steel blade; heat-treated. Shockproof plastic handle. Standard bit.

9 C 4142—Shpg. wt. 4 oz. . . . . 39c

**C CRAFTSMAN Genuine Phillips Screwdrivers.** Tempered alloy steel blades. Round domes on handles. Flutes are precision milled (not forged).

9 C 4129—State size wanted.

Size	For screw	Blade	Shpg. wt.	Each
1	No. 4 or smaller	3-in.	4 oz.	69c
2	No. 4 to No. 10	4-in.	5 oz.	98c
3	No. 10 and up	6-in.	6 oz.	\$1.19



CRAFTSMAN  
4-pc. set  
\$2.55

**N CRAFTSMAN 4-pc. Screwdriver Set.** Chrome-vanadium hammer forged steel blades. Plastic handles. Sizes: pocket size, 3x1/8 in., 4 1/2x3/16 in., and 6x1/4 in. Handles stand up to 10,000 volts. Rounded dome on two larger sizes.

9 C 4150—Shipping wt. 1 lb. . . . . \$2.55

**P DUNLAP 6-pc. Screwdriver Set.** Interchangeable plastic handle; 5 high carbon steel blades plus offset screwdriver with 2 slot-type bits. Positive lock—blades stay in. Plastic case with pockets. Standard bits 3/8x2 3/8 in.; 1/2x4 in.; and 1/2x4 1/2 in.; Phillips-type No. 1 and No. 2 included.

9 C 4181—Shipping weight 8 oz. . . . . Set \$1.35

14 . . SEARS, ROEBUCK AND CO., Zone 3

**D CRAFTSMAN Stub Screwdriver.** For working in close spaces. Has 1 1/4-inch chrome-vanadium steel blade; heat-treated to stand rugged usage. Attractive clear plastic handle is practically unbreakable in normal use. 3 3/4 inches long over all.

9 C 4131—Shipping weight 5 ounces . . . 59c


**E CRAFTSMAN Phillips-type Stub Screwdriver.** For close quarter work with Phillips-type screws. 1 1/4-inch chrome-vanadium hammer forged steel blade. No. 2 Phillips-type bit. Clear plastic handle practically unbreakable in normal use. 3 3/4 inches long over all.

9 C 4118—Shipping weight 4 ounces . . . 65c

**F CRAFTSMAN Screwholding Screwdrivers.** Special alloy steel blades. Spring steel clips hold screw. Strong crystal-clear plastic handle has round dome for minimizing hand blistering. Handle is shockproof. Be sure to include proper ordering information.

9 C 4112—Please state size wanted.

Blade, inches	Shpg. wt.	Each
2 1/2 x 3/8	4 ounces	65c
4 x 1/2	5 ounces	69c
5 x 3/16	6 ounces	98c
7 x 3/16	8 ounces	\$1.09



**R DUNLAP Slot-type Offset Screwdriver.** For work on slot-type screws in hard-to-get-at places. Nickel-plated finish 2 regular slot-type bits. 4 inches long over all. Tempered tool steel. Please be sure to use correct catalog number.

9 C 4120—Shipping weight 4 oz. . . . . 19c

**S DUNLAP Phillips-type Offset Screwdriver.** For work in close quarters. Size No. 1 at one end, size No. 2 on the other. High carbon steel. Nickel plated to resist rust. 4 in. long over all. Please be sure to order by correct catalog number.

9 C 4126—Shipping weight 2 oz. . . . . 29c

GUARANTEE: Every tool on this page as well as every tool Sears sells is backed by our famous money-back guarantee. If for any reason you are not satisfied with any tool purchased from us, simply return it for your money back.

**DUNLAP Screwdrivers**  
High carbon steel blades . .  
Shockproof plastic handles

**DUNLAP 7-piece  
Screwdriver Set \$2.89**

**G DUNLAP 7-pc. Set.** High carbon steel blades. Shockproof plastic handles. Includes 4 1/2-in. scratch awl, five standard drivers, 1/8x3 3/8-in., 1/16x6-in., 3/4x4-in., 1/2x6-in., stubby 1 1/2-inch blade, one No. 2 Phillips-type.

9 C 4127—Shpg. wt. 1 lb. 6 oz. . . . . \$2.89

**Individual DUNLAP Screwdrivers.**

9 C 4149—Standard Screwdrivers. Please state correct size and catalog number when ordering.

1/4x4 inch. Shipping wt. 4 oz. . . . . 49c

1/4x5 inch. Shipping wt. 5 oz. . . . . 49c

3/8x6 inch. Shipping wt. 6 oz. . . . . 69c

3/8x8 inch. Shipping wt. 8 oz. . . . . 89c

9 C 4151—Cabinet Screwdrivers. State size.

3/8x4 inch. Shipping wt. 3 oz. . . . . 39c

3/8x6 inch. Shipping wt. 4 oz. . . . . 45c

9 C 4152—Stubby Screwdriver. For close places. 1 1/2 in. long. Shpg. wt. 3 oz. . . . 39c

9 C 4154—Pocket Screwdriver. With pocket clip. 3 3/8 in. long. Shpg. wt. 2 oz. . . . . 19c

**H DUNLAP Phillips-type Screwdrivers.** High carbon steel blades. Shockproof plastic handles.

9 C 4166—Please state size.

Size No. 1, 3 1/2-in. blade; 6 in. over all.


Shipping weight 3 ounces . . . . . 59c

Size No. 2, 4-in. blade; 7 1/4 in. over all.

Shipping weight 4 oz. . . . . 65c

Size No. 3, 6-in. blade; 10 in. over all.

Shipping weight 5 oz. . . . . 69c



DUNLAP  
4-pc. set  
\$1.25

**J DUNLAP Stubby Phillips-type Screwdriver.** Size 2. Same features as 9 C 4166 at left. 1 1/2-inch blade; 3 1/4 inches long.

9 C 4167—Shipping weight 3 oz. . . . . 55c

**K DUNLAP Recessed Head Screwdriver.** Fits all sizes of Reed and Prince screws: flat, round, or oval head. Plastic handle has round dome. 4 3/8x1/4-in. high carbon steel blade. Length over all, 7 1/2 in. Size No. 2.

9 C 4170—Shipping weight 3 oz. . . . . 69c

**L DUNLAP Television Screwdriver.** Extra-thin, insulated blade screwdriver fits most TV adjusting slugs. 3/4-in. hex socket in plastic handle removes small metal tapping screws. Shockproof handle.

9 C 4190—State size wanted.

6 in. Shipping weight 3 oz. . . . . 75c


10 in. Shipping weight 5 oz. . . . . 85c

**M Television Tuner Alignment Tool.** To adjust TV receivers. Plastic blade and handle. Non-inductive tip can be reground.

9 C 4169—State size wanted.

1/2x7 inches. Shipping weight 1 oz. . . . 49c

1/2x12 inches. Shipping weight 2 oz. . . . 59c



### Finest Quality CRAFTSMAN and DUNLAP Screwdrivers and Screwdriver Sets

**N CRAFTSMAN 4-pc. Screwdriver Set.** Chrome-vanadium hammer forged steel blades. Plastic handles. Sizes: pocket size, 3x1/8 in., 4 1/2x3/16 in., and 6x1/4 in. Handles stand up to 10,000 volts. Rounded dome on two larger sizes.

9 C 4150—Shipping wt. 1 lb. . . . . \$2.55

**P DUNLAP 6-pc. Screwdriver Set.** Interchangeable plastic handle; 5 high carbon steel blades plus offset screwdriver with 2 slot-type bits. Positive lock—blades stay in. Plastic case with pockets. Standard bits 3/8x2 3/8 in.; 1/2x4 in.; and 1/2x4 1/2 in.; Phillips-type No. 1 and No. 2 included.

9 C 4181—Shipping weight 8 oz. . . . . Set \$1.35

14 . . SEARS, ROEBUCK AND CO., Zone 3

**R DUNLAP Slot-type Offset Screwdriver.** For work on slot-type screws in hard-to-get-at places. Nickel-plated finish 2 regular slot-type bits. 4 inches long over all. Tempered tool steel. Please be sure to use correct catalog number.

9 C 4120—Shipping weight 4 oz. . . . . 19c

**S DUNLAP Phillips-type Offset Screwdriver.** For work in close quarters. Size No. 1 at one end, size No. 2 on the other. High carbon steel. Nickel plated to resist rust. 4 in. long over all. Please be sure to order by correct catalog number.

9 C 4126—Shipping weight 2 oz. . . . . 29c

GUARANTEE: Every tool on this page as well as every tool Sears sells is backed by our famous money-back guarantee. If for any reason you are not satisfied with any tool purchased from us, simply return it for your money back.

**T CRAFTSMAN Offset Screwdriver.** 4-way offset—4 blades, 2 at one end set at right angles, and pair at one end set at 45° from the pair at other end. Provides 8 different blade positions. Tool steel, hardened and tempered. 5 1/2 in. long. Please be sure to order by correct catalog number.

9 C 4110—Shipping weight 3 oz. . . . . 75c

**U DUNLAP 4-piece Screwdriver Set.** 3 drivers have nickel-plated standard blades, 3/8x2 3/8 inches, 1/2x4 inches, 1/2x5 inches, respectively. 4th is offset with Nos. 1 and 2 Phillips-type bits.


9 C 4144—Shipping weight 11 oz. . . . . \$1.25

ROSE TOOLS, INC.


**V CRAFTSMAN 6-pc. Precision Set.** Nickel-plated knurled body has swivel head. Removable blade held by threaded chuck. 3-in. body is 1/2-in. diam. Five blades: No. 0-100; No. 2-070; No. 3-055; No. 4-040, and a Phillips-type blade. 3 3/4 inches long over all. Set comes in handy plastic stand.

9 C 4107—Shipping weight 3 ounces. Set \$1.35





7-cut set  
\$4225  
CASH  
\$450  
DOWN



40-piece set  
\$2525  
CASH  
\$300  
DOWN

## CRAFTSMAN Screwplate Sets . . Tap and Die Sets

REG. U.S. PAT. OFF.

### Heat-treated High Carbon Steel Taps and Dies

*Piñest professional quality . . meet rigid U.S. Govt. Specifications GGG-T-581. A "must" for rethreading rusted or damaged bolts or rods, or for cutting new threads in emergencies.*

Heat-treated high carbon steel taps and dies . . resist distortion and breakage. Cut right-hand threads. Two-piece dies adjust for deep or shallow threads. Individual guide rings. Sets come in convenient hardwood box for carrying.

**NC Coarse Bolt Threads (USS).** For carriage, machine and stove bolts. Threads per inch for sizes given:  $\frac{1}{4}$ -20,  $\frac{3}{16}$ -18,  $\frac{1}{2}$ -16,  $\frac{5}{8}$ -14,  $\frac{3}{4}$ -13,  $\frac{7}{8}$ -11 and  $\frac{1}{2}$ -10.

**NF Fine Threads (SAE).** For auto and tractor bolts. Threads per inch for sizes given:  $\frac{1}{4}$ -28,  $\frac{3}{16}$ -24,  $\frac{1}{2}$ -20,  $\frac{5}{8}$ -18,  $\frac{3}{4}$ -18 and  $\frac{1}{2}$ -16.

*Please be sure to use correct catalog number when ordering.*

Catalog No.	Cuts	Size of Cuts	Shpg. wt.	Set
99 C 05499	7	NC $\frac{1}{4}$ , $\frac{3}{16}$ , $\frac{1}{2}$ , $\frac{5}{8}$ , $\frac{3}{4}$ , $\frac{1}{2}$ -in. sizes.	13 lbs.	\$42.25
99 C 05505	16	1 each NC & NF $\frac{1}{4}$ , $\frac{3}{16}$ , $\frac{1}{2}$ , $\frac{5}{8}$ , $\frac{3}{4}$ , $\frac{1}{2}$ -in. sizes.	18 lbs.	69.50


### Professional Quality . . all Dies are Adjustable!

Amazingly easy to carry and store . . because light but rugged, compact plastic case eliminates excess weight and bulk. Complete 40-piece set is 5 pounds lighter, takes up 50% less room than same tools in wooden case; yet it's many times more durable! Professional quality throughout. *All dies are adjustable.*

Taps and dies are made from strong special alloy steel; hardened and tempered for greater strength and durability, longer wear. Taps and 1-inch round adjustable dies cut NC (USS) coarse ( $\frac{1}{4}$ -20,  $\frac{3}{16}$ -18,  $\frac{1}{2}$ -16,  $\frac{5}{8}$ -14,  $\frac{3}{4}$ -13 thread sizes); NF (SAE) fine ( $\frac{1}{4}$ -28,  $\frac{3}{16}$ -24,  $\frac{1}{2}$ -20,  $\frac{5}{8}$ -18,  $\frac{3}{4}$ -18 thread sizes); and  $\frac{1}{2}$ -inch standard pipe (4-36, 6-32, 8-32, 10-24, 10-32, 12-24 thread sizes); and  $\frac{1}{2}$ -inch standard pipe. Set comes complete with die stock, screw pitch gauge, screwdriver, tap-and-reamer wrench, "T" tap wrench, and 10  $\frac{1}{2}$ x5  $\frac{1}{2}$ x1  $\frac{1}{4}$ -inches attractive gray plastic case. *Please order by correct catalog number.* Shipping weight 4 pounds.

9 C 5452—40-piece Tap and Die Set. . . . . Cash \$25.25

You can use this set, or any other listed on the page, to increase the size and effectiveness of your home workshop . . simply use Sears convenient Easy Terms Plan . . See page 34 for complete information.



### Die Stocks, Tap and Reamer Wrench, Taps, Dies, Reamers

**A CRAFTSMAN Adjustable Guide Die Stock.** Quick-action guide; range  $\frac{1}{4}$  to  $\frac{3}{8}$  in. Hardened guide pins lock positively to cam plate. 9 C 5475—For 1-in. round dies. Shpg. wt. 12 oz. \$1.59

**B CRAFTSMAN Tap and Reamer Wrench.** Hardened steel jaws. Quick acting . . . sure gripping. Takes tap sizes from 4-36 to  $\frac{1}{2}$ -inch. 9 C 5491—Length 9  $\frac{1}{2}$  in. Shpg. wt. 13 oz. \$1.59

**CRAFTSMAN Taps and Dies.** Professional quality. NC (USS) Coarse Thread Taps. Shipping weight each 2 oz. *State size wanted.*

**C** Size, inch. . . . .  $\frac{1}{4}$   $\frac{3}{16}$   $\frac{1}{2}$   $\frac{5}{8}$   $\frac{3}{4}$   $\frac{1}{2}$   
Threads per inch. . . . . 20 18 16 14 13 12  
9 C 5461—Each. . . . . 39c 45c 49c 55c 65c

**D** Size, inch. . . . .  $\frac{1}{4}$   $\frac{3}{16}$   $\frac{1}{2}$   $\frac{5}{8}$   $\frac{3}{4}$   $\frac{1}{2}$   
Threads per inch. . . . . 28 24 20 18 16 14  
9 C 5462—Each. . . . . 39c 45c 49c 55c 65c

**E** Size, inch. . . . .  $\frac{1}{4}$   $\frac{3}{16}$   $\frac{1}{2}$   $\frac{5}{8}$   $\frac{3}{4}$   $\frac{1}{2}$   
Threads per inch. . . . . 36 32 28 24 20 18  
9 C 5463—Each. . . . . 35c 39c 45c 51c 57c 63c

**F** Size, inch. . . . .  $\frac{1}{4}$   $\frac{3}{16}$   $\frac{1}{2}$   $\frac{5}{8}$   $\frac{3}{4}$   $\frac{1}{2}$   
Threads per inch. . . . . 20 18 16 14 13 12  
9 C 5464—Each. . . . . 59c 59c 59c 59c 59c 59c

**G** Size, inch. . . . .  $\frac{1}{4}$   $\frac{3}{16}$   $\frac{1}{2}$   $\frac{5}{8}$   $\frac{3}{4}$   $\frac{1}{2}$   
Threads per inch. . . . . 28 24 20 18 16 14  
9 C 5465—Each. . . . . 59c 59c 59c 59c 59c 59c

**H** 1-inch Machine Screw Dies. Shipping weight each 4 ounces. *Please be sure to state size wanted and give correct catalog number when ordering.*

Screw gauge No. . . . . 4 6 8 10 10  
Threads per inch. . . . . 36 32 32 24 32  
9 C 5469—Each. . . . . 59c 59c 59c 59c 59c

**I** 1-inch Round Pipe Die. Threads  $\frac{1}{2}$ -inch pipe. 27 threads per inch. Shipping weight 4 ounces. . . . . Each 59c

**J** CRAFTSMAN Hand Reamer. For soft metals, plastic, wood, etc. Plastic handle; steel reamer. Reams  $\frac{1}{4}$  to  $\frac{3}{4}$ -inch hole. 9 C 5492—Shipping weight 5 ounces. . . . . \$1.19

**K** CRAFTSMAN Taper Reamers. Forged special alloy steel. For wood or metal. Spiral fluted. Tapered square shank fits standard bit brace. *Please be sure to state size wanted and order by correct catalog number.*

**L** 1-inch Round Dies NF (SAE) Fine Threads. Shipping weight each 4 ounces. *State size.*

**L** Size, inch. . . . .  $\frac{1}{4}$   $\frac{3}{16}$   $\frac{1}{2}$   $\frac{5}{8}$   $\frac{3}{4}$   $\frac{1}{2}$   
Threads per inch. . . . . 28 24 20 18 16 14  
9 C 5466—Each. . . . . 59c 59c 59c 59c 59c 59c

**M** 1-inch Machine Screw Dies. Shipping weight each 4 ounces. *Please be sure to state size wanted and give correct catalog number when ordering.*

Screw gauge No. . . . . 4 6 8 10 10  
Threads per inch. . . . . 36 32 32 24 32  
9 C 5469—Each. . . . . 59c 59c 59c 59c 59c

**N** CRAFTSMAN Taper Reamer. For metal, plastic, wood, etc. Steel; heat-treated. Reams  $\frac{1}{4}$  to  $\frac{3}{4}$ -inch holes. "T" handle. 5  $\frac{1}{2}$  inches long. 9 C 5479—Shpg. wt. 4 oz. . . . . \$1.49

### Adjustable Tap Wrenches . . 26-pc. Tap and Die Set

**M CRAFTSMAN Adjustable Ratchet Tap Wrench.** For holding taps, drills, reamers, etc. Hardened; centerless ground; fully polished. Up to  $\frac{3}{16}$ -inch capacity. Self-equalizing jaws. Deep-seating ratchet teeth are heat-treated; positive acting. Knurled chuck. 5-inch slide bar. "T" handle. *Please state size wanted and be sure to include correct catalog number when you order.* Shipping weight 12 ounces. . . . . \$3.45

**N** CRAFTSMAN Tap Wrenches. Self-equalizing jaws. Free turning chuck. Sliding "T" handle permits easy operation in close quarters. *Please state size wanted.*

**O** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**P** DUNLAP 26-piece Tap and Die Set. A precision made tap and die set of good, dependable quality . . . offered at a very modest price. Taps and dies are made of high grade tool steel, heat-treated and hardened to give you years of dependable service. One-inch solid round dies. Threads cleanly and accurately. Cuts the following threads (number after each size refers to threads per inch): NC (USS) coarse threads,  $\frac{1}{4}$ -20,  $\frac{3}{16}$ -18,  $\frac{1}{2}$ -16,  $\frac{5}{8}$ -14,  $\frac{3}{4}$ -13; NF (SAE) fine threads,  $\frac{1}{4}$ -28,  $\frac{3}{16}$ -24,  $\frac{1}{2}$ -20,  $\frac{5}{8}$ -18,  $\frac{3}{4}$ -18. Also cuts  $\frac{1}{2}$ -inch standard pipe threads.

**Q** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**R** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**S** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**T** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**U** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**V** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**P** DUNLAP 26-piece Tap and Die Set. A precision made tap and die set of good, dependable quality . . . offered at a very modest price. Taps and dies are made of high grade tool steel, heat-treated and hardened to give you years of dependable service. One-inch solid round dies. Threads cleanly and accurately. Cuts the following threads (number after each size refers to threads per inch): NC (USS) coarse threads,  $\frac{1}{4}$ -20,  $\frac{3}{16}$ -18,  $\frac{1}{2}$ -16,  $\frac{5}{8}$ -14,  $\frac{3}{4}$ -13; NF (SAE) fine threads,  $\frac{1}{4}$ -28,  $\frac{3}{16}$ -24,  $\frac{1}{2}$ -20,  $\frac{5}{8}$ -18,  $\frac{3}{4}$ -18. Also cuts  $\frac{1}{2}$ -inch standard pipe threads.

**Q** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**R** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**S** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**T** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**U** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**V** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**W** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**X** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75

**Y** CRAFTSMAN Tap Wrench. Like above, but  $\frac{3}{16}$  to  $\frac{1}{2}$ -inch capacity. Shipping weight 1 pound. . . . . \$4.75





**A \$1.35**



**B \$1.95**



**C \$1.95**



**D \$2.59**



**E**

1 CRAFTSMAN professional quality famous all over America

2 Extra-heavy duty! Stand severe blows and side pull

3 Hammer forged Chrome-Vanadium steel; tough, durable

4 Scientifically hardened, tempered to hold keen edge

5 Heads are designed to provide a solid drive

6 Safer, because chamfered butt ends will not chip

## All CRAFTSMAN Punches and Chisels have the

REG. U.S. PAT. OFF.

### 3-pc. Cold Chisel Set

**A** CRAFTSMAN. Set consists of the three most popular and most used sizes:  $\frac{1}{4}$ -inch,  $\frac{3}{8}$ -inch, and  $\frac{1}{2}$ -inch cold chisels. Set comes in convenient plastic carrying case. Chrome plated to resist rust. Check the CRAFTSMAN features on these two pages. Shipping wt. 12 oz. 9 C 4309.....3-piece Set \$1.35

### 5-piece Pin Punch Set

**B** CRAFTSMAN. Set includes four most used pin punches ( $\frac{1}{16}$ ,  $\frac{5}{64}$ ,  $\frac{3}{32}$ , and  $\frac{1}{8}$ -inch sizes), and one  $\frac{3}{32}$ -inch drift punch. Set comes packed in convenient plastic case. Check the CRAFTSMAN quality features listed on these two pages. Chrome plated to resist rust. Order yours now. Shipping weight 12 ounces. 9 C 4285.....5-piece Set \$1.95


### 4-piece Pin Punch Set

**C** CRAFTSMAN. Set consists of four pin punches ( $\frac{1}{8}$ -inch,  $\frac{5}{32}$ -inch,  $\frac{3}{16}$ -inch, and  $\frac{1}{4}$ -inch sizes). Chrome plated to resist rust. Professional quality. Set comes packed in convenient and attractive plastic carrying case. Check the CRAFTSMAN quality features listed on these two pages. Shipping weight 1 pound 4 ounces. 9 C 4311.....4-piece Set \$1.95

### 5-piece Punch and Chisel Set

**D E** CRAFTSMAN. Consists of five of the most commonly used sizes:  $\frac{1}{2}$  and  $\frac{5}{8}$ -inch cold chisels,  $\frac{3}{8}$ -in. center punch,  $\frac{5}{32}$ -in. pin punch, and  $\frac{1}{2}$ -in. solid punch. Comes packed in attractive plastic or genuine leather carrying case. Chrome plated to resist rust. Check the CRAFTSMAN quality features listed on these two pages. Shipping weight 1 lb. 12 oz. (D) 9 C 4302—In plastic case.....\$2.59 (E) 9 C 4293—In leather case.....3.35

**GUARANTEE:** CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.



**F** CRAFTSMAN standard length Cold Chisels. Please state size wanted.

Length, inches.	4 3/8	4 1/2	6	6 1/2	7	7 1/2
Stock, inches.	1/4	5/16	3/8	1/2	5/8	3/4
Edge, inches.	1/4	5/8	3/8	5/8	3/4	5/8
Shpg. wt.	4 oz.	4 oz.	5 oz.	7 oz.	14 oz.	1 lb.
9 C 4297	45c	50c	59c	75c	85c	\$1.10

**G** CRAFTSMAN extra-long Cold Chisels. Same high quality as above. State size.  
9 C 4299— $\frac{3}{4}$ x12 in. Shpg. wt. 1 lb.....98c  
 $\frac{3}{4}$ x12 in. Shpg. wt. 1 lb. 4 oz.....\$1.15  
 $\frac{3}{4}$ x18 in. Shpg. wt. 1 lb. 4 oz.....1.19

**H** CRAFTSMAN Pry Bar. Also a jimmy. 16 in. long;  $\frac{1}{2}$ -in. square stock.  
9 C 4283—Shpg. wt. 1 lb. 10 oz.....\$1.09

**J** CRAFTSMAN Rolling Wedge Bar. Rolling head gives greater leverage. Other end pointed. 15 in. long;  $\frac{5}{16}$ -in. stock.  
9 C 4289—Shpg. wt. 1 lb. 4 oz.....\$2.49


**K** CRAFTSMAN Cotter Pin Puller.  
9 C 4324—7 1/2 in. Shpg. wt. 5 oz.....49c

**L** CRAFTSMAN Round Nose Cape Chisel.  $\frac{5}{16}$ -in. edge. For cutting semi-circular grooves. Length 4 3/4 in.  
9 C 4316—Shpg. wt. 5 oz.....49c

**M** CRAFTSMAN Cape Chisel. To cut keyways, narrow grooves and square corners. State size wanted.  
9 C 4312— $\frac{1}{4}$ x4 1/2 in. Shpg. wt. 4 oz.....50c  
 $\frac{3}{8}$ x6 in. Shpg. wt. 5 oz.....59c

**N** CRAFTSMAN Diamond Point Chisel.  $\frac{3}{8}$ -in. edge. For V-shaped grooves and squaring up slot corners.  
9 C 4320—Length 4 1/2 in. Shpg. wt. 5 oz.....49c

**P** CRAFTSMAN Center Punches. To mark point where hole is to be drilled.  
9 C 4286—State size wanted.  
 $\frac{3}{8}$ x4 1/2 in. Shpg. wt. 3 oz.....50c  
 $\frac{1}{2}$ x6 in. Shpg. wt. 6 oz.....60c



**R** CRAFTSMAN 8-pc. Gasket Punch Set. To cut holes in gaskets, rubber hose, etc. (Not for metal.) One handle fits all 7 punches:  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{1}{2}$ -in. Use wood or lead base when cutting holes.  
9 C 3635—Shpg. wt. 1 lb. 12 oz.....\$5.25


**S** CRAFTSMAN Circle Cutter. With combination square and  $\frac{1}{4}$ -in. round shank. Cuts  $\frac{3}{8}$  to 4-in. holes. Removable cutting bit. Hollow set screw.  
9 C 3644—Shpg. wt. 8 oz.....\$1.89

**T** CRAFTSMAN Heavy-duty Circle Cutter.  $\frac{1}{2}$ -in. shank for drill presses or electric drills. Cuts holes 2 to 8-in. diameter, 1 inch deep, in sheet steel, brass, wood, etc. Removable high speed steel bit. With set screw wrench.  
9 C 3641—Shpg. wt. 10 oz.....\$4.89

**U** CRAFTSMAN 4-way Heavy-duty Compass Saw. With 12-in. wood cutting blade. Also 9-in. metal cutting blade. Hard rubber handle adjusts to 4 positions.  
9 C 3549—Shpg. wt. 1 lb. 5 oz.....\$2.85

**V** DUNLAP Keyhole-type Hack Saw with extra blade. Saws metal, wood, bone or plastic. Non-shattering flexo-back blade has flame-hardened teeth. Molded shock-proof handle. 7 1/2 inches long.  
9 C 3548—Shpg. wt. 10 oz.....85c

**W** CRAFTSMAN Hack-Coping Saw. Sturdy steel frame; hardwood handle. 12 inches long overall. 3-in. throat. With 6 1/2-inch hack saw blade and 6 1/2-inch coping saw blade.  
9 C 3556—Shpg. wt. 12 oz.....\$1.19



**X** CRAFTSMAN Pin Punches.  
9 C 4288—State size wanted.

Point size	Length	Shpg. wt.	Each
1/32 in.	4 1/4 in.	3 oz.	50c
1/16 in.	4 1/2 in.	3 oz.	50c
1/32 in.	4 3/4 in.	4 oz.	50c
1/16 in.	5 1/4 in.	5 oz.	59c
1/8 in.	5 3/4 in.	6 oz.	60c

**Y** CRAFTSMAN Prick Punches.  
9 C 4284—State size wanted.  
 $\frac{3}{8}$ x4 1/2 in. Shpg. wt. 3 oz.....50c  
 $\frac{1}{2}$ x6 in. Shpg. wt. 6 oz.....60c

**Z** CRAFTSMAN Solid Machine Punches.  
9 C 4314—State size wanted.  
 $\frac{3}{8}$ x4 1/2 in. Point size  $\frac{1}{16}$  in. Shipping weight 5 ounces.....45c  
 $\frac{1}{2}$ x6 in. Point size  $\frac{1}{8}$  in. Shipping weight 9 ounces.....60c  
 $\frac{3}{8}$ x7 in. Point size  $\frac{1}{16}$  in. Shipping weight 12 ounces.....75c

**AA** CRAFTSMAN Line-up Punches.  
9 C 4290—State size wanted.  
 $\frac{1}{2}$ x3 1/2 in. Shpg. wt. 6 oz.....65c  
 $\frac{3}{8}$ x4 1/2 in. Shpg. wt. 7 oz.....80c  
 $\frac{1}{2}$ x6 in. Shpg. wt. 9 oz.....90c  
 $\frac{3}{4}$ x8 1/2 in. Shpg. wt. 1 lb. 2 oz.....\$1.00


**BB** CRAFTSMAN Star Drills. Chrome plated. For drilling through cement or brick.  
9 C 4305—Length 12 inches. State size.  
Size.....1/4 in. 5/16 in. 3/8 in. 1/2 in. 5/8 in. 3/4 in.  
Shpg. wt.....9 oz. 9 oz. 10 oz. 12 oz. 1 lb. 1 lb. 6 oz.  
Each.....55c 59c 59c 75c 95c \$1.05

**CC** CRAFTSMAN Cotter Key Extractor. For brakes, connecting rods, etc. Easy to use. Removes rubber seats of replaceable sleeves on International trucks, tractors; also many types of snap lock rings. Forged steel hook; plastic handle. 7 inches long overall.  
9 C 4319—Shipping weight 8 ounces.....98c

**DD** CRAFTSMAN Adjustable File and Tool Holder. Holds any tang-handled tool up to 3/4 in. thick...hack saw blades, knife blades, files, reamers, taps, drills, etc. Self-equalizing jaws. Holds along entire length. Hardwood handle; all other parts steel.  
9 C 6775—Shpg. wt. 5 oz.....79c

**EE** Wire File Cleaning Brush. Set in wood block. 3 3/4x1 1/2-in. wire brush; 8 1/2 in. overall.  
9 C 6782—Shpg. wt. 2 oz.....19c





Our Finest Set **\$565**

7 Square shaped stock; rounded corners; won't roll

8 Chrome plated for great rust-resisting qualities

9 Accurately made bits and tapers are highly polished

## Above 9 Great Features!

### CRAFTSMAN 12-piece Punch and Chisel Set


CRAFTSMAN heavy duty professional quality... has all nine important features shown at the top of these two pages. Each piece is forged from "Super-Tuff" steel, scientifically tempered and hardened to stand severe strain and long, hard usage. All pieces chrome plated to resist rust. A well-balanced assortment selected to cover all the needs of mechanics, etc.

Complete 12-piece set includes: one 1/4-in. cape chisel; one 1/8-in. round nose chisel; one 3/8-in. diamond point chisel; three cold chisels (1/4-in., 1/2-in. and 3/4-in. sizes); one 3/4-in. center punch; one 3/4-in. solid punch; one 3/4x7-in. drift punch; three pin punches (3/32-in., 1/8-in., and 3/16-in. sizes). Plastic carrying case.

9 C 4303—Shpg. wt. 2 lbs. 8 oz. .... \$5.65

Satisfaction guaranteed or your money back

**\$895**




Easy-rolling angle casters

### Work in Extra Comfort with a CRAFTSMAN Creeper

Mechanics, farmers, maintenance men! Tired of wriggling and crawling under cars, trucks, tractors, and other machinery to do your repair work? Why not just ROLL under... lying on a CRAFTSMAN creeper? Save your back and clothes while doing auto and machinery repairs! No need to get clothes dirty lying on ground or greasy floors! It's a "must" for all garages, service stations, etc. Padded leatherette full-width headrest keeps head in normal position; resists oil, grease. And it's easy to keep clean, too.

Rolls easily; pivots in any direction... even on rough, uneven floors... because it has four plate-type angle rollers; sturdy 2 1/2-in. wheels. Select hardwood body, smoothly finished. Lacquered for easy cleaning and resistance to weather. Creeper bolted throughout with smooth-head carriage bolts. Measures 36 inches long by 16 inches wide. Satisfaction guaranteed or your money back.

99 C 04548—Shipping weight 13 pounds. .... \$8.95



**A CRAFTSMAN Close-quarters Hack Saw.** For tight places. Ideal for cutting bushings, etc. Center of steel frame in line with blade to avoid binding. Shaped aluminum handle. With one 10-inch blade.

9 C 3555—Shpg. wt. 1 lb. .... \$1.59

**B CRAFTSMAN Hack Saw.** Polished rust-resistant finish. Electrically welded steel frame. Locking feature—holds blade tight. Reinforced back; plastic-grip handle. Blade adjusts; cuts at 4 angles. For 10 or 12-in. blades. With 10-in. blade.

9 C 3562—Shpg. wt. 1 lb. 14 oz. .... \$2.09

**C CRAFTSMAN Safety-grip Hack Saw.** Plastic handle is set at 45-degree angle away from saw for easier grip, better control. Blade adjusts; cuts in 4 directions. Locking feature—holds blade tight. Electrically welded frame; reinforced back. For 10 or 12-in. blades. With 10-in. blade.

9 C 3557—Shpg. wt. 3 lbs. .... \$2.59

**D CRAFTSMAN Tubular Hack Saw.** Chrome-plated tubular frame. Red plastic safety-grip. Locking feature holds blade tight. Blade adjusts; cuts at 4 angles. Holds 10 or 12-in. blade. Chrome-plated thumb rest, studs, wing nuts, adjusting screw. With 10-in. blade.

9 C 3558—Shpg. wt. 2 lbs. 3 oz. .... \$2.75

**E CRAFTSMAN Flex-rigid 2-in-1 Hack Saw Blades.** Made of special alloy steel, hardened and tempered, yet extremely flexible. Tooth edge is hard; guaranteed not to strip. State length wanted.


Shpg. wt.	(E) 9 C 6584	(F) 9 C 6585	(G) 9 C 6586
9 oz.	18 teeth per inch	24 teeth per inch	32 teeth per inch
length..	10 inch	12 inch	10 inch
5 for...	79c	89c	79c

**F CRAFTSMAN Molybdenum steel Hack Saw Blades.** (Not shown.) For high speed cutting. 18 teeth per inch. State length wanted.

10 in. long. Shpg. wt. 2 oz. .... 2 for 98c  
12 in. long. Shpg. wt. 2 oz. .... 2 for \$1.19

**G CRAFTSMAN High-speed power Hack Saw Blades.** (Not shown.) Made of alloy steel. 12 in. long. 3/8 in. wide. 14 or 18 teeth to the inch. State choice of teeth.

9 C 6582—Shipping weight 3 ounces. .... 2 for \$1.65



**H CRAFTSMAN Ball-Pain Hammers.** Professional quality. Forged alloy steel heads. White hickory handles, steel wedged for tight fit.

9 C 3846—State size wanted.

Size	Head wt.	Shpg. wt.	Each
5-0	1/4 lb.	12 oz.	\$1.85
3-0	1/2 lb.	1 lb. 6 oz.	1.98
2-0	3/4 lb.	1 lb. 12 oz.	2.09
0	1 lb.	2 lbs.	2.35
2	1 1/2 lbs.	2 lbs. 11 oz.	2.75

**J CRAFTSMAN Heavy Duty Hammers.** Professional quality. Highly polished, forged alloy steel heads. White hickory handles; securely double steel wedged to assure tight fit.

9 C 3826—State size wanted.

Size	Head wt.	Shpg. wt.	Each
1	2 lbs.	3 lbs. 12 oz.	\$3.95
2	2 1/2 lbs.	4 lbs. 2 oz.	4.29
3	3 lbs.	5 lbs.	4.75

**K CRAFTSMAN Riveting Hammer.** Highly polished, forged alloy steel. 7-oz. head. White hickory handle. Steel wedged.

9 C 3820—Shipping weight

1 pound 3 ounces. .... \$2.69

**L CRAFTSMAN Plastic Tip Hammers.** One tip blue vinyl, the other amber plastic. Drop forged steel core. Tips are replaceable. White hickory handle.

9 C 3828—State size wanted.

8-oz. head. Shpg. wt. 12 oz. .... \$1.79

24-oz. head. Shpg. wt. 1 lb. 4 oz. .... 2.35

**M DUNLAP Rubber Mallets**

Our Finest. Heavier, more compact. Select hardwood handle.


9 C 4581—State size wanted.

16-oz. head Shpg. wt. 1 lb. 8 oz. .... \$1.55

24-oz. head. Shpg. wt. 2 lbs. 8 oz. .... 2.05

**N Low-priced. 16-oz. head.** Won't flare or chip. 10 1/4-in. hickory handle vulcanized in head.

9 C 4579—Shpg. wt. 1 lb. 4 oz. .... 98c



### High Quality Imported Files from One of West Germany's Best Makers

**P Mill Files.** For sharpening machine knives, mill saws, shears, axes, etc. Tapered.

9 C 3129—State size and quantity.

Size	Shpg. wt.	Each
6 in. ....	3 oz.	35c
8 in. ....	5 oz.	39c
10 in. ....	10 oz.	49c
12 in. ....	1 lb. 2 oz.	65c

**9 C 3128—Mill File.** 2 round edges. Shpg. wt. ea. 4 oz.

9 C 3128—State quantity. .... Each 49c

Build your order up to \$20.00 and use Sears Easy Payment Terms. See page 34 for information

Made to Sears rigid specifications... fully guaranteed by Sears. Quality files imported from West Germany's best tool factories. State size and quantity wanted.

**R Flat Bastard Files.**

9 C 3125—State size.

Size	Shpg. wt.	Each
6 in. ....	3 oz.	35c
8 in. ....	4 oz.	39c
10 in. ....	11 oz.	55c
12 in. ....	14 oz.	75c

**S Half-round Bastard Files.**

9 C 3123—State size and quantity.

Size	Shpg. wt.	Each
8 in. ....	5 oz.	49c
10 in. ....	9 oz.	65c
12 in. ....	15 oz.	85c

**T Knife File.** 6-in. medium coarse. State quantity.

Shpg. wt. ea. 3 oz.

9 C 3131—Each 59c

**U Warding File.** 4 in. Bastard cut. Shpg. wt.

ea. 3 oz. State quantity.

9 C 3132—Each 35c

**V Round Bastard Files.**

9 C 3124—State size.

Size	Shpg. wt. ea.	Each
4 in. ....	1 oz.	25c
6 in. ....	2 oz.	35c
8 in. ....	3 oz.	39c
10 in. ....	6 oz.	45c

**W Double extra-slim Taper Files.** State quantity.

9 C 3133—State size.

Size	Head wt.	Shpg. wt.	Each
6 in. ....	6 in.	7 in.	8 in.
2 oz. ....	2 oz.	3 oz.	3 oz.
Each ....	29c	35c	39c

**X Extra-slim Taper Files.** State size, quantity.

9 C 3126—Shpg. wt. ea. 2 oz.

4 in. .... Each 23c

6 in. .... Each 29c

7 in. .... Each 35c

**Y 9 C 3127—Slim Taper Files.** State size. Shpg.

wt. each 3 oz.

5 in. .... Each 25c

6 in. .... Each 29c

7 in. .... Each 35c

### CRAFTSMAN Ignition File

**Z** Exceptionally thin and flexible. Double-cut, fine, keen teeth. 5 inches long. Finest professional quality for light, delicate work.

9 C 6740—Shpg. wt. 4 oz. .... Each 17c

### Die Makers' File Set

**AA** Swiss pattern needlepoint files for close, fine work... made by German file makers. For tool and die makers, jewelers, hobbyists. Made of forged steel. Each file is 5 1/2 inches long. Round handles. Set of 12 includes the following: round, half-round, flat, oval, knife, square, three-square, equaling, barrette, joint (cut on 2 round edges only), slitting, marking (cut on half round side only) files. Shipping weight 10 ounces. State number 2 or No. 0 when ordering.

9 C 6759—No. 2; Fine. .... Set \$2.98


9 C 6779—No. 0; Medium. .... Set 2.98

Please be sure to give correct catalog numbers when ordering

Page 3 PAGE 17. MECHANICS' TOOLS







## High Quality CRAFTSMAN and DUNLAP Automotive Tools . .

**A CRAFTSMAN Cylinder Grinder.** Reconditions  $2\frac{1}{16}$  to  $4\frac{1}{2}$ -in. diam. cylinders. Removes metal at uniformly high speed, puts mirror-like finish on cylinder walls. Cuts continuously without frequent adjustment, but may be removed at any time to check work. Use on trucks, buses, all automobiles except Austin. Self-lubricating—stones, buffing guides impregnated with dry lubricant. Outfit includes set of coarse and set of fine stones (2 stones, 2 lubricated pads per set), 2 sets of stone carriers, drive collar, shank, extension. Use with  $\frac{1}{2}$ -in. electric drill, drill press.

9 C 4681—With instructions. Shpg. wt. 7 lbs. . . . . \$54.95

**Replacement Stones and Pads.** Shpg. wt. per set 14 oz.

9 C 4684—Set; 2 coarse stones, 2 lubricated pads. . . . . \$5.50

9 C 4685—Set; 2 fine stones, 2 lubricated pads. . . . . 5.50

**B CRAFTSMAN Expansion Hone.** Hones steel, cast iron, brass, bronze, alloys, etc. For piston pin fitting, honing brake cylinders or any internal cylinder bore  $\frac{1}{16}$  to  $1\frac{1}{2}$  in. honing spindle bolt, water pump or steering sector bushings. With 2 sets each of fine and coarse abrasive pads and carriers. Use in vise or  $\frac{1}{4}$  or  $\frac{1}{2}$ -in. electric drill or drill press.

9 C 4688—Shipping weight 1 pound 5 ounces. . . . . \$12.95

**9 C 4689—Replacement Abrasive Pads for above.** Set of 12

16 coarse and 6 fine pads. Shipping weight 4 oz. . . . . \$1.98

**C CRAFTSMAN Burnishing Hone.** Removes glaze—not the metal. Resurfaces cylinder walls for expander-type rings. Fits any  $2\frac{1}{16}$  to  $4\frac{1}{2}$ -in. diam. cylinder. Will not oversize. Centers automatically. Outfit includes drive shank, extension, 2 extra-fine stones, 2 lubricated pads.

9 C 4679—With instructions. Shpg. wt. 2 lbs. 4 oz. . . . . \$10.50

**9 C 4680—Replacement Set of 2 extra-fine stones and 2 pads**

for above. Shipping weight 8 ounces. . . . . \$5.50

**D Piston Groove Cleaner.** For all size pistons up to  $5\frac{1}{2}$  inch. Five hardened tool steel cutters:  $\frac{3}{32}$ ,  $\frac{1}{8}$ ,  $\frac{5}{32}$ ,  $\frac{3}{16}$ , and  $\frac{1}{4}$  inch. Arms are so positioned that cutter is at correct angle on all sizes of piston. Cutter position quickly changed with knurled screw; no wrench needed.

9 C 4710—Shipping weight 4 ounces. . . . . \$1.65

**E Piston Groove Cutter and Cleaner.** Ground steel cutter. Steel frame. Depth of cut changed by turning knurled screw extending through blade holder. Five points for grooving, one for chamfering, one for trimming lands; all in one blade.

9 C 4720—Shipping weight 1 pound . . . . . \$3.98

**F DUNLAP Flexible Carbon Scraper.** For cleaning cylinder heads, valve parts, etc. Ten oil-tempered blades of fine spring steel. Flexibility of blades controlled by sliding steel band. Strong steel handle. Overall length 9 in.

9 C 4703—Shipping weight 8 ounces. . . . . 39c

**G Valve Seat Reamers.** For cars and trucks with regular cast iron valve seats. For almost all GM cars except Chevrolet. For Ford, Chrysler, Studebaker, Packard and Nash products use 9C4639 (at right). Outfit includes 2-inch  $45^\circ$  cutter, handle and 4 pilots ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{3}{16}$ , and  $\frac{1}{2}$ -in.)

9 C 4637—Shipping weight 1 pound 7 ounces. . . . . \$1.65

**Valve Seat Reamer with  $30^\circ$  Head.** For all 1935–49 Chevrolet cars since these are in port, requiring special reseater set.

9 C 4641—Shipping weight 9 ounces. . . . . \$2.29

**H Valve Guide Cleaner.** For any make motor. Expands from  $\frac{5}{16}$  to  $\frac{9}{16}$  in. Tempered steel. Reversible cutting edge.

9 C 4718—Overall length  $7\frac{1}{2}$  in. Shpg. wt. 6 oz. . . . . 98c

**J Valve Seat Refacer Set.** For refacing hard valve seats. Use with speeder handle or electric drill. Replaceable abrasive discs. Reseats most valves up to  $2\frac{1}{2}$  in., except Chevrolet "6". (For Chevrolet, see 9C4641 at left.) Set consists of one  $30^\circ$  head, one  $45^\circ$  head, seven pilots ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ , and  $\frac{3}{4}$  in.), pilot bushings for Ford V8, crossbar and supply of fine grit abrasive discs.

9 C 4639—Shpg. wt. 3 lbs. 5 oz. . . . . \$3.59


**9 C 4640—Replacement Abrasive Discs for Set above.** 6 fine, 6 coarse grit. Shpg. wt. 3 oz. Package of 12. . . . . 79c

**K Valve Refacing Tool.** Base can be held in vise or screwed to work bench. Formed washer provided for use with Chevrolet valves. High speed tool steel blades. Rigidly set and held against fixed stops. Blade angle is adjustable for both  $30^\circ$  and  $45^\circ$  faces.

9 C 4709—Shpg. wt. 1 lb. 12 oz. . . . . \$2.69

**L DUNLAP Reciprocating-type Valve Grinder.** Delivers quick, unbalanced back-and-forth progressive movement. Ball-thrust bearing on spindle. Heavy steel. With long and short self-locking stems, bit (fits all makes of valves), vacuum cup, grinding spring. Length 7 in.

9 C 4704—Shpg. wt. 1 lb. 8 oz. . . . . \$2.59



## Ridge Reamers . . Ring Expander and Compressors . . Spring Compressor . . Valve Lifter and Others

**M Cylinder Wall Ridge Reamer.** Professional type for service shops and garages. Will work in new short-stroke motors with piston in cylinder. Removes ridges in cylinders caused by ring wear—does it easily, quickly and accurately. Automatically locks in position. Strong die casting; cold-drawn steel side plates. Adjustable diameter screw. For  $2\frac{3}{4}$  to 4-inch diameter chamfered or straight cylinders.

9 C 4712—Shipping weight 1 lb. 12 oz. . . . . \$10.95

**N Super Range Cylinder Ridge Reamer.** Cuts and removes all ridges on all cylinders within cutting range of  $2\frac{1}{2}$  to  $4\frac{1}{4}$  inches (practically all passenger cars). Also removes ridges on 60-HP Ford and Fordson tractors. Finest adjustment possible. Only screwdriver and wrench needed to turn tool.

9 C 4721—Shipping weight 2 lbs. 6 oz. . . . . \$4.98

**P Piston Ring Expander.** All-steel construction. Remove or install piston rings easily without ring damage. Handles all rings from  $2\frac{3}{4}$  to  $4\frac{1}{4}$ -inch diameter—no adjustments to make. Jaws grasp sides of ring, hooks engage points and ring expands front, back and sidewise.

9 C 4661—Shipping weight 14 oz. . . . . \$1.59

**R CRAFTSMAN Ratchet-type Piston Ring Compressor.** Professional quality. Heavy duty. Self-locking ratchet pawl is oil-tempered spring steel. For all cars, small trucks. Takes 4 rings at a time;  $2\frac{1}{2}$  to 5-in. diameter,  $\frac{3}{16}$  in. deep for late model cars. Spring-steel band. 2 tension bands. With key wrench.

9 C 4716—Shpg. wt. 14 oz. . . . . \$2.19

**S DUNLAP Piston Ring Compressor.** Fits rings  $2\frac{1}{2}$  to 5-in. diameter,  $\frac{1}{16}$  in. deep. Takes 4 rings at a time. Automatic tension brake. Tempered steel compression band.

9 C 4701—Shpg. wt. 8 oz. . . . . 59c

**T Magnetic Key Inserter.** For replacing all split valve keys. Permanent magnets hold keys in jaws of spring controlled levers of non-magnetic stainless steel. You open the jaws, put keys against magnets, line up keepers and release the handle—simple as that. Strong grip of jaws supports the tool, leaves hands free for other work.

9 C 4671—Shpg. wt. 6 oz. . . . . \$1.98

**U CRAFTSMAN Valve Spring Compressor.** Vertical lift-type valve spring compressor. Strong 9x11-inch steel frame with  $10\frac{1}{2}$ -inch opening capacity; clears exhaust manifold and other obstructions without removing them. No. 1 straight spring-steel jaws fit 90% of all size valve springs and washers; won't slip off springs.

Automatic lock holds spring in any position, leaving both hands free. Has pull-out ratchet crank to clear obstructions.

9 C 4695—Shipping

weight 5 lbs. 8 oz. . . . . \$6.50

**Offset Replacement Jaws for Valve Spring Compressor above.** Shpg. wt. per pair 4 oz.

**V No. 5 Special Offset Jaws.**

For Plymouth, Dodge, Chrysler and Waukesha motors.

9 C 4699—Pair. . . . . \$1.35

**W No. 2 Special Offset Jaws.**

For all General Motors cars and Continental Motors.

9 C 4697—Pair. . . . . \$1.00

**X "Little Shorty" Screw-type Valve Lifter.** Hi-offset for under-the-fender use on late model L-head cars, trucks (with manifold on). Spring-steel jaws; cast malleable iron handle. Parallel lift  $2\frac{1}{4}$  in. Upper jaws adjust for any size valve spring. Lifter locks in position at any height. Overall length  $8\frac{1}{2}$  in.

9 C 4559—Shpg. wt. 1 lb. 8 oz. . . . . \$2.79

**Y Valve Lifter.** For nearly all makes of auto engines, including Ford models A and B. Full, comfortable grip. Self-locking catch held by spring. Steel; rust-resisting finish. 10 inches long

9 C 4650—Shipping weight 14 ounces. . . . . 98c



**Z Overhead Valve Lifter.** Designed for valve-in-head motors. Heavy-gauge steel; heat-treated hooks. Offset pivot pin prevents hooks slipping. Overall length 14 inches.

9 C 4558—Shipping weight 1 pound. . . . . \$1.65


**AA Tappet Adjusting Tool.** Has flat wrench with 12-point openings ( $\frac{1}{16}$ – $\frac{5}{8}$  in.) on each end for engaging the lock nut, swivel-supported screwdriver for actuating adjusting screw. Use for overhead valve tappets on Buick, Chevrolet, Ford V8, Lincoln, Mercury and Nash cars.

9 C 4557—Shipping weight 12 ounces. . . . . \$1.55









## All Sears Precision Tools are Guaranteed Accurate

**A CRAFTSMAN 4-piece Small Hole Gauge Set.** Measure holes under  $\frac{1}{2}$  inch. Reaches hard-to-get-at holes and recesses. Tool steel; oil hardened. 4 gauges:  $\frac{1}{8}$  to  $\frac{2}{10}$ ,  $\frac{2}{10}$  to  $\frac{3}{10}$ ,  $\frac{3}{10}$  to  $\frac{4}{10}$ , and  $\frac{4}{10}$  to  $\frac{1}{2}$ -inch range. Adjust with knurled end and measure ball end with micrometer. Complete set comes in attractive leatherette case.

9 C 4056—Shipping weight 5 ounces.....\$11.50

**CRAFTSMAN 4-piece Hole Gauge Set with Flat Bottoms.** Measures bottom of blind holes. Tool steel. 4 gauges:  $\frac{1}{8}$  to  $\frac{2}{10}$ ,  $\frac{2}{10}$  to  $\frac{3}{10}$ ,  $\frac{3}{10}$  to  $\frac{4}{10}$ , and  $\frac{4}{10}$  to  $\frac{1}{2}$ -inch range. Set comes complete in plastic pouch.

9 C 3870—Shipping weight 5 ounces.....\$11.95

**Individual Gauges, as 9C3870 above.** Shpg. wt. 2 oz.  
 9 C 38701— $\frac{1}{8}$  to  $\frac{2}{10}$  inch.....\$3.25  
 9 C 38702— $\frac{2}{10}$  to  $\frac{3}{10}$  inch.....3.25  
 9 C 38703— $\frac{3}{10}$  to  $\frac{4}{10}$  inch.....3.25  
 9 C 38704— $\frac{4}{10}$  to  $\frac{1}{2}$  inch.....3.25

**B CRAFTSMAN 3-piece Telescoping Gauge Set.** Determines inside size of slots or holes. One plunger telescopes; locks with knurled screw. End of heads heat-treated. 3 gauges:  $\frac{1}{2}$  to  $\frac{3}{4}$ ,  $\frac{3}{4}$  to  $1\frac{1}{4}$ , and  $1\frac{1}{4}$  to  $2\frac{1}{2}$ -inch range. With plastic case.

9 C 4020—Shipping weight 6 ounces.....\$6.89

**C CRAFTSMAN 6-piece Telescoping Gauge Set.** Like gauge set 9 C 4020 at left, but with 6 gauges in the following ranges:  $\frac{1}{8}$  to  $\frac{1}{4}$ ,  $\frac{1}{4}$  to  $\frac{3}{8}$ ,  $\frac{3}{8}$  to  $1\frac{1}{4}$ ,  $1\frac{1}{4}$  to  $2\frac{1}{2}$ ,  $2\frac{1}{2}$  to  $3\frac{1}{2}$ , and  $3\frac{1}{2}$  to 6 inches. Set comes complete with convenient plastic case. Shipping weight 10 ounces.

9 C 4027—On orders of \$20 or more use Easy Terms \$17.25

**Individual Telescoping Gauges.** One plunger telescopes; locks with knurled screw. End of heads are heat-treated and hardened to help eliminate wear.

9 C 40271— $\frac{1}{8}$  to  $\frac{1}{4}$ -in. range, Shpg. wt. 2 oz.....\$2.10  
 9 C 40272— $\frac{1}{4}$  to  $\frac{3}{8}$ -in. range, Shpg. wt. 2 oz.....2.10  
 9 C 40273— $\frac{3}{8}$  to  $1\frac{1}{4}$ -in. range, Shpg. wt. 2 oz.....2.10  
 9 C 40274— $1\frac{1}{4}$  to  $2\frac{1}{2}$ -in. range, Shpg. wt. 3 oz.....2.25  
 9 C 40275— $2\frac{1}{2}$  to  $3\frac{1}{2}$ -in. range, Shpg. wt. 3 oz.....3.10  
 9 C 40276— $3\frac{1}{2}$  to 6-in. range, Shpg. wt. 3 oz.....3.40

**D CRAFTSMAN Micrometer Depth Gauge.** Take depth measurements of holes, slots, shoulders, etc. 1-inch movements graduated in 1/1000ths. 3 measuring rods give 0 to 3-inch capacity. Base measures  $2\frac{1}{2}$  inches long,  $1\frac{1}{4}$  inches wide; hand-lapped at right angles to rod. Chrome plated to resist rust. In cotton-lined fitted case.

9 C 4046—Shipping weight 14 ounces.....\$16.95

**E CRAFTSMAN Inside Micrometer.** Designed for close internal linear measurements by 1/1000ths of an inch from 2 to  $12\frac{1}{2}$  inches. 7 measuring rods with long handle. Comes complete with cotton-lined fitted case. Shipping weight 1 pound 8 ounces.

9 C 4073.....\$17.25

**F CRAFTSMAN Surface Gauge.** Base measures  $3\frac{1}{2}$  x  $3\frac{1}{2}$  inches. 9 and 12-inch spindles can be used as depth gauge. The base is ground for work on surface plates. 6-inch scriber.

9 C 4055—Shipping weight 2 pounds.....\$6.10

**G Magnetic Indicator Holder.** Lifetime magnets with 50-pound pull. Ball-and-socket action. Positions indicators in hard-to-reach places.

9 C 3872—Shipping weight 9 ounces.....\$4.95


**H CRAFTSMAN Dial Test Indicator Set.** Precision accuracy determines if round object is true. Jeweled movement. Reads 0 to +15 or 0 to -15. Graduated in 1/1000ths of an inch. Reversing lever, 1-inch dial. Includes dial indicator, body clamp, universal shank with flexible arm, contact point. In leatherette-covered case. Please give correct ordering information.

9 C 4076—Shipping weight 8 ounces.....\$23.50

Build your order to \$20 or more and use Easy Terms

### GUARANTEE:

CRAFTSMAN tools are unconditionally guaranteed to be free from defects in materials or workmanship. Any tool that fails to give complete satisfaction will be replaced free of charge.



**DUNLAP Steel Rules.** Stainless steel. Shpg. wt. each 4 oz.

J	Catalog Number	Size Inches	Graduations		Price Each
			Front	Back	
9 C 4040	6x25/32	1/2	mm.		39c
9 C 4038	6x25/32	1/2	mm.		49c
9 C 4030	6x15/32	1/2	mm.		39c
9 C 4012	6x15/32	1/2	mm.		75c
9 C 4002	12x1	1/2	mm.		\$1.89
9 C 4015	6x15/32	1/2	mm.		75c
9 C 4016	12x15/32	1/2	mm.		1.29
9 C 4005	6x15/32	1/2	mm.		45c
9 C 4004	12x3/8	1/2	mm.		89c
9 C 4006	6x3/8	1/2	mm.		45c

**K CRAFTSMAN Steel Rules.** Crucible steel; polished edges. 9C4031 is flexible; 9C4032 is stiff.

K	Catalog Number	Size Inches	Graduations		Shpg. wt.	Price Each
			Front	Back		
9 C 4031	6x1/2	1/2	mm.		1 oz.	\$1.39
9 C 4032	6x3/4	1/2	mm.		2 oz.	1.39

**L CRAFTSMAN Depth Gauge.** Also angle gauge. 6x  $7\frac{1}{2}$ -in. spring steel rule; marked in 32nds on one end; 64ths on other.  $2\frac{1}{4}$ -in. head.

9 C 4044—Shipping weight 4 ounces.....\$2.69

**M 6-in. CRAFTSMAN Machinists' Hook Rule.** Tempered steel.  $\frac{3}{8}$  in. wide. Graduated in 64ths, 32nds.

9 C 4035—Shipping weight 4 oz.....\$2.25

**N CRAFTSMAN 6-in. Reference Table Rule.** Fractions, decimals, and graduations in 32nds, 64ths of an inch. Table for tap and drill data.

9 C 4011—Shipping weight 4 ounces.....69c

**P CRAFTSMAN Center Gauge.** Checks lathe centers. U.S. Standard 60° gauge. Graduated in 14ths, 20ths, 32nds.

9 C 4064—Tempered steel, Shipping weight 4 ounces.....85c

**R CRAFTSMAN Drill Gauges.** Polished steel.

9 C 4049—29 sizes,  $\frac{1}{8}$  to  $\frac{1}{2}$  in. Shpg. wt. 4 oz.....\$1.29

**S CRAFTSMAN 4047—Drill and wire gauge.** Sizes 1 to 60. With index for machine screw taps. Shpg. wt. 7 oz.....\$1.29

**T CRAFTSMAN Thread Gauge.** Give screw pitch on V-thread.

9 C 4048—22 pitches, 9 to 40. Shpg. wt. 2 oz.....\$1.95

**U DUNLAP Combination rule.** Stainless steel. Square bevel protractor, circle finder, divider, drill gauge. In 32nds, 64ths, millimeters.

9 C 4026—In leatherette case. Shpg. wt. 4 oz.....\$1.35

**V CRAFTSMAN Protractor.** Rectangular head. 4 faces.

9 C 4029—0 to 180 degrees. Shpg. wt. 4 oz.....1.29

**W CRAFTSMAN 25-pc. Radius or Fillet Gauges.** Measure radii of inside or outside corners, concave or convex shapes, etc. Each stainless steel blade is separate. 16 gauges  $\frac{1}{32}$  to  $1\frac{1}{4}$  in. by 64ths; 8 gauges  $\frac{1}{32}$  to  $\frac{1}{2}$  in. by 32nds. Set includes 9C3871 Holder (below). In fitted leather case.

9 C 40952—Shpg. wt. 1 lb. 1 oz.....\$9.50

9 C 3871—Holder for Radius Gauges above. 4 in. long.

Shipping weight 1 ounce.....1.10

**X CRAFTSMAN Circular Wire Gauge.** American standard for non-ferrous metals. Made of finest steel.

9 C 4023—Sizes 0 to 36. Shpg. wt. 6 oz.....\$3.49

**Y DUNLAP 15-leaf Thickness (Feeler) Gauge.** 3 1/2-in. steel blades; .003 to .018 in. thick. Thicknesses from .003 to .151 in. (combining blades).

9 C 4058—Shipping weight 6 ounces.....69c

**Z DUNLAP 25-leaf Thickness (Feeler) Gauge.** 3 1/2-in. blades; .0015 to .035 in. Shpg. wt. 7 oz.....\$1.49

**AA CRAFTSMAN Thickness (Feeler) Gauges.** 3-in. steel leaf, tapered for measuring in hard-to-get-at places. Taper to 1/4-in. width. Holds one or more blades locked in any position.

9 C 4085—9 leaves. .0015 to .015 in. Shipping weight 3 ounces.....\$2.35

**BB CRAFTSMAN Thickness (Feeler) Gauges.** 3-in. steel leaf, tapered for measuring in hard-to-get-at places. Taper to 1/4-in. width. Holds one or more blades locked in any position.

9 C 4094—26 leaves. .0015 to .025 in. Shipping weight 4 ounces.....4.35

**CC CRAFTSMAN 26-leaf Thickness (Feeler) Gauge.** 3 1/2-in. steel blades; .0015 to .025 in. thick. Thicknesses from .0015 to .3280 in. (combining blades).

9 C 4057—Spring steel blades. Shpg. wt. 7 oz.....\$3.25











**\$300  
DOWN  
\$29.95  
CASH**



**\$450  
DOWN  
\$41.95  
CASH**



**\$400  
DOWN  
\$37.95  
CASH**

## CRAFTSMAN Electric Drills guaranteed\* one full year!

REG. U.S. PAT. OFF.

**CRAFTSMAN Medium-duty 1/4-inch Electric Drills.** Develop 1/2 HP. Double reduction nickel-chrome-molybdenum steel gears. Case-hardened, cold-rolled steel spindle gear. Full ball bearings on chuck spindle and front end of motor; precision needle bearing at rear of spindle; and self-aligning sleeve bearing at rear of motor. 2-amp universal motor for 110-120-volt, 25 to 60-cycle AC-DC. No-load chuck speed 1900 RPM; full-load speed about 1200 RPM. Locking trigger switch with safety-release. Precision-gear key chuck. Minimum chuck offset for easier close-quarter work. Die-cast aluminum alloy frame. With 10-foot 3-wire cord, plug and adapter plug. *Entire drill U.L. approved* (Industrial Standards). Shipping weight 4 pounds 6 ounces.

(A) 9 C 770—Pistol-grip Drill, 7 3/4 in. long. . . . . Cash \$29.95  
(B) 9 C 771—Saw-grip Drill, 10 1/2 in. long. . . . . Cash 29.95

**CRAFTSMAN Heavy-duty 1/4-inch Electric Drills.** Develop 1/2-HP, combining ideal weight, power and size. All ball and needle-bearing construction. Double reduction nickel-chrome-molybdenum steel gears. 2.7-amp universal motor for 110-120-volt, 25 to 60-cycle AC-DC. No-load chuck speed 2000 RPM; full-load speed about 1300 RPM. Locking trigger switch with safety-release. Precision-gear key chuck. Die-cast aluminum alloy frame. With 10-ft. 3-wire cord, plug and adapter plug. *Entire drill U.L. approved* (Industrial Standards). (See carrying case below.)

(C) 9 C 778—Pistol-grip Drill, Overall length 7 1/2 inches. Shipping weight 6 lbs. 8 oz. . . . . Cash \$41.95  
(D) 9 C 779—Saw-grip Drill, Overall length 10 1/2 inches. Shipping weight 6 lbs. 8 oz. . . . . Cash 41.95  
9 C 1830—Steel Case for drills above, 7x8x13 1/2 inches; has room for accessories. Shpg. wt. 4 lbs. . . . . \$4.50

**CRAFTSMAN 1/2-inch Electric Drill.** For all-around use on the farm, in the garage and shop. Delivers extra power for tough jobs. Triple reduction gears of stress-proof alloy steel. Self-lubricating bronze bearings; ball thrust bearing on chuck spindle. 3-amp universal motor for 110-120-volt, 25 to 60-cycle AC-DC. No-load chuck speed 425 RPM; full-load speed about 360 RPM. Locking trigger switch with safety-release. Precision-gear key chuck. 1-inch offset between chuck and top of drill body for close-quarter work. Removable top handle. Die-cast aluminum alloy frame. Drill is 14 inches long overall. With 7-foot 3-wire rubber-covered cord, unbreakable plug and adapter plug. *Entire drill U.L. approved* (Industrial Standards).

9 C 25831—Shipping weight 10 pounds. . . . . Cash \$37.95



**\$550  
DOWN  
\$51.95  
CASH**




**\$800  
DOWN  
\$79.95  
CASH  
99 C 02585**

**CRAFTSMAN 1/2-inch Electric Drill.** For continuous heavy-duty service. Triple reduction hardened steel gears. All ball and needle-bearing construction. 4.5-amp universal motor for 110-120-volt, 25 to 60-cycle AC-DC. No-load chuck speed 550 RPM; full-load speed about 375 RPM. Locking trigger switch with safety-release. Precision-gear key chuck. Minimum chuck offset for close quarter work. Removable top handle. Die-cast aluminum frame. Overall length 13 inches.

With 7-ft. 3-wire cord, unbreakable plug, adapter plug. *Entire drill U.L. approved* (Industrial Standards).  
9 C 2580—Shpg. wt. 10 lbs. . . . . Cash \$51.95

**CRAFTSMAN Heavy-duty Electric Drills.** For heaviest industrial service. Triple reduction heat-treated chrome-nickel steel gears. All ball-bearing construction. Universal motor for 110-120-volt, 25 to 60-cycle AC-DC. Locking trigger switch with safety-release. Precision-gear key chuck. Die-cast aluminum alloy frame. Top and rear handles removable. Overall length about 18 1/2 inches. With 10-foot 3-wire cord, unbreakable plug and adapter plug. *Entire drill U.L. approved* (Industrial Standards). Meets Dept. of Commerce commercial standards.

Catalog No.	Size	Rating	RPM	Shpg. wt.	Price
99 C 02585	1/2-in.	6-amp.	500	20 lbs.	\$79.95
99 C 02586K	3/4-in.	6-amp.	375	22 lbs.	81.00
99 C 02587K	1-in.	7.5-amp.	300	22 lbs.	85.00




(E) **CRAFTSMAN Power Wood Boring Bits.** Set of 6. Flat design permits easy drilling of large holes with 1/4 or 1/2 in. power drills or drill press. Bore smooth, accurate holes (1/4 to 1-inch diam., up to 5 in. deep) in hard or soft wood in ANY direction—even through knots. Hardened and tempered alloy steel bits designed to develop minimum friction. Won't bind, won't overload drill. Chips clear automatically. Sizes: 3/8, 1/2, 3/4, 1, 1 1/4 and 1 1/2 in. long.  
9 C 2092—Shpg. wt. 12 oz. Set 6 for \$4.29

(F) **CRAFTSMAN Countersink Bit.** High-speed steel. For metal or wood. Use in electric drill, drill press, flexible shaft or any hand drill. Bit has 5 flutes, 82° head, 1/4-inch round shank.  
9 C 6716—Shpg. wt. 4 oz. . . . . \$1.45

(G) **Power Bit Extension.** 12 in. long. Fits all bits 9 C 2092 listed at left and 9 C 2082 below. Perfect for drilling into hard-to-get-at places. Positive grip keeps bits from wobbling. With set-screw wrench.  
9 C 2090—Shpg. wt. 12 oz. . . . . \$1.55

(H) **CRAFTSMAN 10-piece Interchangeable Wood Bit Set.** Interchangeable cutters with a single shank. Develop minimum friction. Bore easily in all woods, hard or soft, with or against the grain. Bore plastics, pressboard, plywood, Masonite, Presdwood, etc. For use in 1/4-in. electric drills and drill presses. Sizes: 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2 in. In plastic case.  
9 C 2082—Shpg. wt. 11 oz. Set \$3.29

\***GUARANTEE**—If any electric drill on this page shows any defects in materials or workmanship, we will repair or replace it at no charge to you if returned within one year from purchase date.



(J) **DUNLAP Screwdriver Attachment.** Drive screws with power. Fits all 1/4-inch bit and one No. 2 Phillips-type bit.  
9 C 2595—Shpg. wt. 1 lb. . . . . \$4.95

(K) **Reversible Screwdriver and Speed Reducer Attachment.** To drive or remove screws and do nut running. Slower drill speeds give better control, increase torque to 7 times.

Fits any 1/4-inch or larger electric drill and any drill press. Complete instructions. Planetary gear train reduces drill speed 7 to 1 in forward motion, 6 to 1 in reverse.

Aluminum and steel construction. With medium-duty standard screwdriver bit; No. 2 Phillips-type screwdriver bit; 1/4-inch square drive adapter for socket attachments; wrench pin; chuck-held adapter.  
9 C 2565—Shpg. wt. 1 lb. 4 oz. . . . . \$14.95

9 C 2143—1/2 in. Key Chuck. Use with (K) for heavy-duty drilling, tapping, etc. Shpg. wt. 2 lbs. 8 oz. . . . . \$9.05

(L) **CRAFTSMAN Wood Screw Pilot Bits.** Drill better-holding pilot holes. For countersinking or counterboring wood screws. Screws go in more freely.

9 C 4204—13-piece Set. One each of sizes listed under 9C4201 below. With automatic stop. In plastic pouch. Shipping weight 1 pound. . . . . \$3.95

9 C 4203—5-piece Set. Sizes: 4-5x 1/2 in.; 6-7x 3/8 in.; 8-9x 1/4 in.; 10-12x 1/8 in. With stop. Shpg. wt. 8 oz. . . . . \$1.59

9 C 4201—Individual CRAFTSMAN Wood Screw Pilot Bits. State length, screw size.

Screw Size	Length	Shpg. wt.	Each
4 and 5	1/2 in.	2 oz.	30c
4 and 5	3/4 in.	2 oz.	30c
4 and 5	1 in.	2 oz.	30c
6 and 7	3/8 in.	2 oz.	30c
6 and 7	1/2 in.	2 oz.	30c
6 and 7	3/4 in.	2 oz.	30c
8 and 9	1/4 in.	2 oz.	30c
8 and 9	1/2 in.	2 oz.	30c
8 and 9	3/4 in.	2 oz.	30c
10 and 12	1/8 in.	2 oz.	30c
10 and 12	1/4 in.	2 oz.	30c
10 and 12	3/8 in.	2 oz.	30c

(M) **CRAFTSMAN 5-piece Screw Extractor Set.** Tool steel; tempered and hardened. Square shanks. Sizes: 1, 2, 3, 4 and 5. In plastic pouch.

9 C 6732—Shipping weight 12 ounces. . . . . \$2.25

9 C 6736—Individual CRAFTSMAN Screw Extractors. Same quality as set above. State size wanted.

No.	For Screw	Drill Size	Shpg. wt.	Each
1	No. 8, No. 10.	3/16 in.	4 oz.	35c
2	No. 12, 1/4 in.	3/8 in.	4 oz.	42c
3	3/8 in.	1/2 in.	4 oz.	45c
4	1/2 in.	5/8 in.	4 oz.	49c
5	3/4 in.	3/4 in.	4 oz.	59c

(N) **CRAFTSMAN Tungsten Carbide-tipped Masonry Drills.** Round shanks. Screw-type flutes clean out holes better. Accurate sizes. Faster than star drills.  
9 C 6730—Be sure to state size wanted.


Drill Size	Shank	Length	Shpg. wt.	Each
3/8 in.	3/8 in.	3 in.	2 oz.	\$1.19
1/2 in.	1/2 in.	4 in.	4 oz.	1.29
3/4 in.	3/4 in.	4 in.	4 oz.	1.39
1 in.	1 in.	4 in.	6 oz.	1.49
1 1/4 in.	1 1/4 in.	6 in.	8 oz.	2.25
1 1/2 in.	1 1/2 in.	6 in.	10 oz.	2.75
1 3/4 in.	1 3/4 in.	6 in.	12 oz.	3.75

(P) **Set of 6 Masonry Drills.** One each 1/4 to 3/4 in., under 9 C 6730 above. In fabric case.  
9 C 6731—Shpg. wt. 2 lbs. . . . . \$12.95

(R) **CRAFTSMAN Tungsten Carbide-tipped Masonry Drill Set.** Drill holes up to 3 inches deep in concrete, brick, slate, stone, marble, wallboard, etc. Much faster than using a star drill. Stay sharp much longer. Round shanks fit all 1/4-in. or larger electric drills or hand and breast drills. Spiral flutes for faster, cleaner cutting. Sizes: 1/4, 3/8, 1/2, 3/4, 1, 1 1/4, 1 1/2 in. In plastic pouch. Shipping weight 6 ounces.  
9 C 6747—4-piece Set. . . . . \$4.49

(S) **CRAFTSMAN Drill Grinding Stand.** Now you can repoint your drills with factory accuracy! Drill manufacturers recommend use of attachments like this and advise against hand grinding. Precision built. Die-cast aluminum frame. Exceptionally accurate. Adjusts for all popular drill point angles, including countersinks. Handles twist drills of the following sizes: 1/8-in. to 3/4-in.; No. 1 to No. 30; A to Z; 3.0 to 19.0 millimeters. Instructions.  
9 C 6677—Shpg. wt. 2 lbs. 8 oz. . . . . \$6.25





A \$1.19

B \$2.95

C \$4.79

D \$5.39

E High Speed Set \$3.79

F 21-pc. Set \$13.95

G 29-pc. Set \$26.50 cash \$3 down

## CRAFTSMAN and DUNLAP precision-ground Drill Sets

REG. U. S. PAT. OFF.

REG. U. S. PAT. OFF.

**A** DUNLAP 7-piece Carbon Steel Drill Set. With sizes  $\frac{1}{16}$ ,  $\frac{3}{32}$ ,  $\frac{1}{8}$ ,  $\frac{5}{32}$ ,  $\frac{3}{16}$ ,  $\frac{7}{32}$  and  $\frac{1}{2}$ -in. In handy plastic pouch. Ideal for home workshop or professional use.

9 C 6671—Shipping weight 3 oz. . . . . Set \$1.19

**B** CRAFTSMAN 7-piece High Speed Drill Set. Production tools that can be used in cast iron, steel and steel forgings.  $\frac{1}{16}$ ,  $\frac{3}{32}$ ,  $\frac{1}{8}$ ,  $\frac{5}{32}$ ,  $\frac{3}{16}$ ,  $\frac{7}{32}$  and  $\frac{1}{2}$ -in. Use with any electric drill, drill press or power-driven tool. Lengths  $1\frac{1}{2}$  to 4 in. In clear plastic case.

9 C 6637—Shipping weight 7 oz. . . . . Set \$2.95

**C** CRAFTSMAN 4-piece High Speed Drill Set. For drilling shallow holes in metal or wood. Sizes  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$  and  $\frac{5}{8}$ -in.  $\frac{1}{4}$ -inch round shanks. Use with any electric drill, drill press or power-driven tool. Lengths  $2\frac{1}{2}$  to  $3\frac{3}{4}$  inches. In clear plastic case.

9 C 6636—Shipping weight 8 oz. . . . . Set \$4.79.

**D** CRAFTSMAN 13-piece High Speed Drill Set. Sizes:  $\frac{1}{16}$ ,  $\frac{5}{64}$ ,  $\frac{3}{32}$ ,  $\frac{1}{8}$ ,  $\frac{5}{32}$ ,  $\frac{3}{16}$ ,  $\frac{7}{32}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$  and  $1\frac{1}{2}$ -in. Use with any electric drill, drill press or power-driven tool. Clear plastic case may be used for stand.

9 C 6639—Shipping wt. 12 oz. . . . . Set \$5.39

**E** CRAFTSMAN 10-piece Drill Sets. Sizes:  $\frac{1}{16}$ ,  $\frac{5}{64}$ ,  $\frac{3}{32}$ ,  $\frac{1}{8}$ ,  $\frac{5}{32}$ ,  $\frac{3}{16}$ ,  $\frac{7}{32}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$  and  $1\frac{1}{2}$ -in.

9 C 6638—High Speed Steel. In attractive plastic case. Shipping wt. 8 oz. . . . . Set \$3.79

9 C 6672—Carbon Steel. (Not shown.) In plastic pouch. Shpg. wt. 4 oz. . . . . Set \$2.19

**F** CRAFTSMAN High Speed Twist Drill Sets in handy metal folding cases. For home, shop, industrial use. High speed steel, hardened and tempered. Precision ground. For use in electric drills, drill presses or power-driven tools. In compact metal cases. Each case contains two drill panels which fold into box like pages of a book. Compartments marked with proper drill sizes for quick, easy selection.

Please be sure to state correct catalog number when ordering.

9 C 6719—21-piece Drill Set. Sizes  $\frac{1}{16}$  to  $\frac{1}{2}$ -in. by 64ths of an inch. Shipping weight 2 lbs. . . . . \$13.95

9 C 6720—15-piece Drill Set. (Not shown.) Sizes  $\frac{1}{16}$  to  $\frac{1}{2}$ -in. x 32nds of an inch. Shipping weight 2 lbs. 6 oz. . . . . \$14.95

**G** CRAFTSMAN High Speed Drill Sets in Drill Stand. Each drill fits into hole plainly marked with its size.

Please be sure to order by correct catalog number.

Set of 29 Fractional Drills.  $\frac{1}{16}$  to  $\frac{1}{2}$ -inch by 64ths of an inch. High speed steel.

9 C 6704—Shpg. wt. 4 lbs. 2 oz. . . . . Cash \$26.50

Set of 60 Wire-gauge Drills. (Not shown.) Sizes 1 to 60. High speed steel.

9 C 6707—Shipping wt. 2 lbs. 12 oz. . . . . \$18.50

NOTE: We recommend CARBON STEEL drills for use with hand or breast drills only. Use HIGH SPEED drills for power-driven tools.

### Drill Cases and Stands

These low-priced cases and stands protect your drills and keep them all in easy-to-find order.

**H** CRAFTSMAN All-metal Drill Cases. Fold compactly . . . lift cover and drills come up into position (illustration shows 9 C 6678). Hole sizes and decimal equivalents clearly marked (hole sizes only on 9 C 6679). Handy tap drill table inside 9 C 6678.

9 C 6678—For 29-piece set (sizes  $\frac{1}{16}$  to  $\frac{1}{2}$  in. by 64ths). Shpg. wt. 4 lbs. 4 oz. . . . \$4.29

9 C 6675—For 13-piece set (sizes  $\frac{1}{16}$  to  $\frac{1}{2}$  in. by 64ths). Shpg. wt. 12 oz. . . . . \$1.25

9 C 6679—For 60-piece wire-gauge drill set (sizes 1 to 60). Shpg. wt. 1 lb. 8 oz. . . . \$2.79

**J** Aluminum Drill Stands. Made of 3 heavy-gauge aluminum plates, each 6x2  $\frac{1}{4}$  in.; 5 supporting rivets and spacers. Fractional hole sizes clearly marked on stand.

9 C 6693—Holds up to 29 drills, sizes  $\frac{1}{16}$  to  $\frac{1}{2}$  in. by 64ths. Shpg. wt. 6 oz. . . . 79c

9 C 6694—Holds up to 60 wire-gauge drills, sizes 1 to 60. Shpg. wt. 6 oz. . . . . 79c



### CRAFTSMAN Twist Drills in fractional sizes

Professional quality. Jobbers length . . . the most practical length. Choice of carbon steel or high speed steel. Carbon for slow speeds in hand or breast drills, high speed for electric drills, power-driven drill presses, etc. All drills perfectly hardened and tempered; precision ground. Flute length varies with drill diameter.

Please order by catalog number and be sure to state correct size and quantity wanted on your order. See Drill Stands at left to protect your drills and keep them in easy-to-find order.

Diameter in.	Length in.	Shpg. wt. each	9 C 6698 Carbon Steel Each	9 C 6699 High Speed Each	Diameter in.	Length in.	Shpg. wt. each	9 C 6698 Carbon Steel Each	9 C 6699 High Speed Each
$\frac{1}{16}$ -.2	$\frac{1}{2}$ -.1	1 oz.	19c	23c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.1	1 oz.	32c	65c
$\frac{3}{32}$ -.3	$\frac{1}{2}$ -.2	1 oz.	20c	23c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.2	2 oz.	35c	69c
$\frac{1}{4}$ -.5	$\frac{1}{2}$ -.3	1 oz.	21c	27c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.3	2 oz.	37c	75c
$\frac{5}{16}$ -.6	$\frac{1}{2}$ -.4	1 oz.	21c	28c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.4	2 oz.	39c	79c
$\frac{3}{8}$ -.75	$\frac{1}{2}$ -.5	1 oz.	21c	30c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.5	2 oz.	40c	85c
$\frac{7}{16}$ -.875	$\frac{1}{2}$ -.6	1 oz.	21c	35c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.6	3 oz.	49c	1.05
$\frac{1}{2}$ -.9375	$\frac{1}{2}$ -.7	1 oz.	23c	39c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.7	3 oz.	59c	1.35
$\frac{5}{8}$ -.625	$\frac{1}{2}$ -.8	1 oz.	23c	40c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.8	3 oz.	69c	1.65
$\frac{3}{4}$ -.75	$\frac{1}{2}$ -.9	1 oz.	25c	49c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.9	4 oz.	85c	1.75
$\frac{7}{8}$ -.875	$\frac{1}{2}$ -.1	1 oz.	27c	55c	$\frac{1}{8}$ -.4	$\frac{3}{4}$ -.1	5 oz.	1.15	2.29
$1\frac{1}{2}$ -.125	$\frac{1}{2}$ -.1	1 oz.	29c	59c					

Carbon Steel as low as

19c each

High Speed Steel as low as

23c each

### Tap Drill Sizes for 75% Depth of Thread

FRACTIONAL			MACH. SCREW		
Tap Size	Threads Per Inch	Use Drill	Tap Size	Threads Per Inch	Use Drill
$\frac{1}{16}$	40 N.S.	.38	0	80 N.F.	$\frac{3}{64}$
$\frac{1}{8}$	24 N.S.	.26	1	64 N.F.	.53
$\frac{1}{4}$	20 N.C.	.7	1	72 N.C.	.53
$\frac{1}{4}$	28 N.F.	.3	2	56 N.C.	.50
$\frac{3}{8}$	18 N.C.	.17	2	64 N.F.	.50
$\frac{3}{8}$	24 N.F.	.17	3	48 N.C.	.47
$\frac{1}{2}$	16 N.C.	.13	3	56 N.F.	.45
$\frac{1}{2}$	24 N.F.	.21	4	36 N.C.	.44
$\frac{3}{4}$	14 N.C.	.10	4	40 N.C.	.43
$\frac{3}{4}$	20 N.F.	.25	4	48 N.F.	.42
$\frac{1}{2}$	13 N.C.	.27	5	40 N.C.	.38
$\frac{1}{2}$	20 N.F.	.26	5	44 N.F.	.37
$\frac{1}{2}$	12 N.C.	.31	6	32 N.C.	.36
$\frac{1}{2}$	18 N.F.	.33	6	40 N.F.	.33
$\frac{1}{2}$	11 N.C.	.37	8	32 N.C.	.29
$\frac{1}{2}$	18 N.F.	.37	8	36 N.F.	.25
$\frac{1}{2}$	11 N.S.	.39	10	24 N.C.	.29
$\frac{1}{2}$	16 N.S.	.40	12	32 N.F.	.21
$\frac{3}{4}$	10 N.C.	.21	12	24 N.C.	.16
$\frac{3}{4}$	16 N.F.	.11	12	28 N.F.	.14
$\frac{3}{4}$	10 N.S.	.23	14	20 N.S.	.10
$\frac{3}{4}$	9 N.C.	.49	14	24 N.S.	.7
$\frac{3}{4}$	14 N.F.	.11			
$\frac{3}{4}$	18 N.S.	.51			
$\frac{3}{4}$	9 N.S.	.51			
$\frac{1}{2}$	8 N.C.	.7			
$\frac{1}{2}$	14 N.F.	.18			
$\frac{1}{2}$	7 N.C.	.63			
$\frac{1}{2}$	12 N.F.	.14			
$\frac{1}{2}$	7 N.C.	.74			
$\frac{1}{2}$	12 N.F.	.11			
$\frac{1}{2}$	6 N.C.	.72			
$\frac{1}{2}$	12 N.F.	.19			
$\frac{1}{2}$	6 N.C.	.11			
$\frac{1}{2}$	12 N.F.	.27			
$\frac{1}{2}$	5 N.S.	.29			
$\frac{1}{2}$	3 N.C.	.91			
$\frac{1}{2}$	3 N.S.	.11			
$\frac{1}{2}$	4 N.C.	.12			

CRAFTSMAN and DUNLAP are registered trade-marks of Sears, Roebuck and Co. They are your assurance of quality. Look for them when you buy.

### Spark Plug Wrench Sizes

Plug Size	Hex or Wrench Size	1405 Allstate Plug	1404 Allstate Plug
$\frac{3}{8}$ in.	$\frac{13}{16}$ in.	33	H-7
$\frac{7}{16}$ in.	$\frac{13}{16}$ in.	34	N-7
$\frac{1}{2}$ in.	$\frac{13}{16}$ in.	36	C-7
$\frac{1}{2}$ in.	$\frac{13}{16}$ in.	39	EC-7
$\frac{1}{2}$ in.	$\frac{13}{16}$ in.	CT	
18 MM	$\frac{3}{8}$ in.	41	VH-8
18 MM	$\frac{3}{8}$ in.	438	H-8
18 MM	$\frac{3}{8}$ in.	44	N-8
18 MM	$\frac{3}{8}$ in.	45	C-8
18 MM	$\frac{3}{8}$ in.	46	EC-8
10 MM	$\frac{3}{8}$ in.	C-11A	N-10A
10 MM	$\frac{3}{8}$ in.	C-11	N-10
10 MM	$\frac{3}{8}$ in.	C-10A	C-10
14 MM	$\frac{13}{16}$ in.	C-12A	EC-4
14 MM	$\frac{13}{16}$ in.	C-13	C-4
14 MM	$\frac{13}{16}$ in.	C-14	N-4
14 MM	$\frac{13}{16}$ in.	C-15	H-4

H—hot N—normal C—cold VH—very hot VC—very cold EC—extremely cold


### Decimal Equivalent Chart

$\frac{1}{4}$ -.015625	$\frac{1}{32}$ -.03125	$\frac{1}{16}$ -.0625	$\frac{1}{8}$ -.125	$\frac{3}{16}$ -.1875	$\frac{1}{4}$ -.25	$\frac{5}{16}$ -.3125	$\frac{3}{8}$ -.375	$\frac{1}{2}$ -.5	$\frac{5}{8}$ -.625	$\frac{3}{4}$ -.75	$\frac{7}{8}$ -.875	$1\frac{1}{8}$ -.125	$1\frac{1}{4}$ -.1875	$1\frac{1}{2}$ -.25	$1\frac{3}{4}$ -.375	$2$ -.5	$2\frac{1}{4}$ -.625	$2\frac{1}{2}$ -.75	$2\frac{3}{4}$ -.875	$3$ -.1	$3\frac{1}{4}$ -.125	$3\frac{1}{2}$ -.15625	$3\frac{3}{4}$ -.1875	$4$ -.2	$4\frac{1}{4}$ -.21875	$4\frac{1}{2}$ -.25	$4\frac{3}{4}$ -.28125	$5$ -.3125	$5\frac{1}{4}$ -.34375	$5\frac{1}{2}$ -.375	$5\frac{3}{4}$ -.40625	$6$ -.4375	$6\frac{1}{4}$ -.46875	$6\frac{1}{2}$ -.5	$6\frac{3}{4}$ -.53125	$7$ -.5625	$7\frac{1}{4}$ -.59375	$7\frac{1}{2}$ -.625	$7\frac{3}{4}$ -.65625	$8$ -.6875	$8\frac{1}{4}$ -.71875	$8\frac{1}{2}$ -.75	$8\frac{3}{4}$ -.78125	$9$ -.8125	$9\frac{1}{4}$ -.84375	$9\frac{1}{2}$ -.875	$9\frac{3}{4}$ -.90625	$10$ -.9375	$10\frac{1}{4}$ -.96875	$10\frac{1}{2}$ -.1	$10\frac{3}{4}$ -.103125	$11$ -.10625	$11\frac{1}{4}$ -.109375	$11\frac{1}{2}$ -.1125	$11\frac{3}{4}$ -.115625	$12$ -.11875	$12\frac{1}{4}$ -.121875	$12\frac{1}{2}$ -.125	$12\frac{3}{4}$ -.128125	$13$ -.13125	$13\frac{1}{4}$ -.134375	$13\frac{1}{2}$ -.1375	$13\frac{3}{4}$ -.140625	$14$ -.14375	$14\frac{1}{4}$ -.146875	$14\frac{1}{2}$ -.15	$14\frac{3}{4}$ -.153125	$15$ -.15625	$15\frac{1}{4}$ -.159375	$15\frac{1}{2}$ -.1625	$15\frac{3}{4}$ -.165625	$16$ -.16875	$16\frac{1}{4}$ -.171875	$16\frac{1}{2}$ -.175	$16\frac{3}{4}$ -.178125	$17$ -.18125	$17\frac{1}{4}$ -.184375	$17\frac{1}{2}$ -.1875	$17\frac{3}{4}$ -.190625	$18$ -.19375	$18\frac{1}{4}$ -.196875	$18\frac{1}{2}$ -.2	$18\frac{3}{4}$ -.203125	$19$ -.20625	$19\frac{1}{4}$ -.209375	$19\frac{1}{2}$ -.2125	$19\frac{3}{4}$ -.215625	$20$ -.21875	$20\frac{1}{4}$ -.221875	$20\frac{1}{2}$ -.225	$20\frac{3}{4}$ -.228125	$21$ -.23125	$21\frac{1}{4}$ -.234375	$21\frac{1}{2}$ -.2375	$21\frac{3}{4}$ -.240625	$22$ -.24375	$22\frac{1}{4}$ -.246875	$22\frac{1}{2}$ -.25	$22\frac{3}{4}$ -.253125	$23$ -.25625	$23\frac{1}{4}$ -.259375	$23\frac{1}{2}$ -.2625	$23\frac{3}{4}$ -.265625	$24$ -.26875	$24\frac{1}{4}$ -.271875	$24\frac{1}{2}$ -.275	$24\frac{3}{4}$ -.278125	$25$ -.28125	$25\frac{1}{4}$ -.284375	$25\frac{1}{2}$ -.2875	$25\frac{3}{4}$ -.290625	$26$ -.29375	$26\frac{1}{4}$ -.296875	$26\frac{1}{2}$ -.3	$26\frac{3}{4}$ -.303125	$27$ -.30625	$27\frac{1}{4}$ -.309375	$27\frac{1}{2}$ -.3125	$27\frac{3}{4}$ -.315625	$28$ -.31875	$28\frac{1}{4}$ -.321875	$28\frac{1}{2}$ -.325	$28\frac{3}{4}$ -.328125	$29$ -.33125	$29\frac{1}{4}$ -.334375	$29\frac{1}{2}$ -.3375	$29\frac{3}{4}$ -.340625	$30$ -.34375	$30\frac{1}{4}$ -.346875	$30\frac{1}{2}$ -.35	$30\frac{3}{4}$ -.353125	$31$ -.35625	$31\frac{1}{4}$ -.359375	$31\frac{1}{2}$ -.3625	$31\frac{3}{4}$ -.365625	$32$ -.36875	$32\frac{1}{4}$ -.371875	$32\frac{1}{2}$ -.375	$32\frac{3}{4}$ -.378125	$33$ -.38125	$33\frac{1}{4}$ -.384375	$33\frac{1}{2}$ -.3875	$33\frac{3}{4}$ -.390625	$34$ -.39375	$34\frac{1}{4}$ -.396875	$34\frac{1}{2}$ -.4	$34\frac{3}{4}$ -.403125	$35$ -.40625	$35\frac{1}{4}$ -.409375	$35\frac{1}{2}$ -.4125	$35\frac{3}{4}$ -.415625	$36$ -.41875	$36\frac{1}{4}$ -.421875	$36\frac{1}{2}$ -.425	$36\frac{3}{4}$ -.428125	$37$ -.43125	$37\frac{1}{4}$ -.434375	$37\frac{1}{2}$ -.4375	$37\frac{3}{4}$ -.440625	$38$ -.44375	$38\frac{1}{4}$ -.446875	$38\frac{1}{2}$ -.45	$38\frac{3}{4}$ -.453125	$39</$
------------------------	------------------------	-----------------------	---------------------	-----------------------	--------------------	-----------------------	---------------------	-------------------	---------------------	--------------------	---------------------	----------------------	-----------------------	---------------------	----------------------	---------	----------------------	---------------------	----------------------	---------	----------------------	------------------------	-----------------------	---------	------------------------	---------------------	------------------------	------------	------------------------	----------------------	------------------------	------------	------------------------	--------------------	------------------------	------------	------------------------	----------------------	------------------------	------------	------------------------	---------------------	------------------------	------------	------------------------	----------------------	------------------------	-------------	-------------------------	---------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	---------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	---------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	---------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	-----------------------	--------------------------	--------------	--------------------------	------------------------	--------------------------	--------------	--------------------------	----------------------	--------------------------	--------





12-piece Body and Fender Tool Set  
\$400 DOWN \$3750 CASH



## CRAFTSMAN Automotive Body and Fender Tools . . 12-piece Professional Set

CRAFTSMAN body and fender tools are top professional quality—made in a factory devoted to making body and fender tools exclusively for more than 30 years! Each tool designed for perfect balance. Not cast or malleable iron like many tools of this type, but drop forged steel. Heat-treated and hardened for super-toughness and super-strength. All hammers have 12-inch straight grained hardwood handles. For large body and fender shops. Set has 1 each of tools shown above. In tool box shown above.

**Light Bumping Hammer.** Has square face  $\frac{3}{8}$  inch; and round face  $1\frac{3}{16}$  inch. Head  $5\frac{1}{2}$  inches long.

**General Purpose Bumping Hammer.** Has wider faces. Square face  $1\frac{1}{2}$  inches; round face  $1\frac{3}{8}$  inches. Head 5 inches long. For closing seams, etc.

**Cross Pein Hammer.** To bring out narrow bead surfaces. Cross pein 3 inches long;  $\frac{3}{4}$  inch wide. Finishing face  $1\frac{1}{2}$  inches. Head 5 inches long.

**Pick and Finishing Hammer.**  $1\frac{1}{2}$ -inch face. Pick  $2\frac{3}{4}$  inches long; head  $5\frac{1}{2}$  inches long.

**Blunt Pick Hammer.**  $1\frac{1}{2}$ -inch finishing face;  $2\frac{3}{4}$ -inch blunt point. Head  $5\frac{1}{2}$  inches long.

**Short Double-blade Spoon.** For working on caved-in spots; between body posts, brackets, frames, etc. 11 inches long.

**Slight curve Spoon.** For caved-in spots; between body posts, brackets, tight places dolly won't reach.  $11\frac{1}{2}$  inches long.

**All-purpose Dolly.** 8 molding and bead working surfaces. 3 inches high.

**Combination Dolly and Spoon.** For roof rails, behind posts, etc.

**Universal Dolly.** Compact. Has 2 bead working surfaces; bullet end and straight oval top; beveled flat bottom.

**Heel Dolly.** Ideal for shrinking.  
**CRAFTSMAN Mechanics' Tool Box.** Electrically welded 22-gauge steel construction for greater strength.  $20\frac{1}{2} \times 8\frac{1}{2} \times 9\frac{1}{2}$  in. Partitioned lift-out "tote" tray. All edges rounded for double strength; protect body and clothes from injury. Reinforced corner braces. Full length piano-type hinge; much stronger than ordinary hinges. 2 lever-type latches and hasp with padlock eye (padlock not included). Large solid aluminum top handle. Machinery gray finish.  
99 C 04588K—Shipping weight 34 lbs. . . . . Set \$37.50

Build your order to \$20.00 or more and use Sears Easy Terms . . see page 34 for complete ordering information



### DUNLAP Fender Repair Set . . CRAFTSMAN Body Hammers and Individual Body and Fender Tools . . Accessories

**A DUNLAP Three-piece Fender Repair Set.** Consists of hammer, dolly and spoon. Each tool is made of drop forged steel, expertly heat-treated and hardened for extra strength. Hammer has  $4\frac{1}{4}$ -inch head with  $1\frac{1}{16}$ -inch round face and  $1\frac{1}{4}$ -inch square face, and hickory handle. 24-ounce dolly with hand hold to protect hand when working with hot lead. Spoon is 12 inches long with  $1\frac{1}{2} \times 5$ -inch blade. Also acts as a pry bar.  
9 C 4583—Shipping weight 5 lbs. . . . . \$6.25

**B CRAFTSMAN Combination Pick and Finishing Hammer.** Finishing face has  $1\frac{1}{2}$ -inch diameter. Pick  $2\frac{3}{4}$  inches long. Length of head  $5\frac{1}{2}$  inches. Head made of drop forged steel for super toughness and strength. 12-inch straight grained hardwood handle.  
9 C 4556—Shipping weight 1 lb. . . . . \$2.98

**C CRAFTSMAN Blunt Pick Hammer.** Finishing face  $1\frac{1}{2}$ -inch diameter;  $2\frac{3}{4}$ -inch blunt point. Head made of drop forged steel, is  $5\frac{1}{2}$  inches long. 12-inch straight grained hardwood handle. For rusted or thin metal.  
9 C 4553—Shipping weight 1 lb. . . . . \$2.98

**D CRAFTSMAN Light Bumping Hammer.** Diameter, square face  $\frac{3}{8}$  inch; round face  $1\frac{3}{16}$  inch. Drop forged steel head is  $3\frac{1}{2}$  inches long. Perfectly balanced straight grained hardwood handle is 12 inches long.  
9 C 4550—Shipping weight 9 ounces . . . . . \$2.29

**E CRAFTSMAN General Purpose Bumping Hammer.** Diameter, square face  $1\frac{1}{2}$  inches; round face  $1\frac{3}{8}$  inches. Length of head, 5 inches. Head made of drop forged steel for super toughness and strength. 12-inch straight grained hardwood handle.  
9 C 4551—Shipping weight 1 lb. 4 oz. . . . . \$2.98

**F CRAFTSMAN Cross Pein Hammer.** Cross pein length 3 inches; width of pein  $\frac{3}{4}$  inch. Diameter of finishing face,  $1\frac{1}{2}$  inches. Length of head, 5 inches. Forged steel head. 12-inch straight grained hardwood handle.  
9 C 4552—Shipping weight 14 ounces . . . . . \$3.10

**G CRAFTSMAN Short double-blade Spoon.** For working on caved-in spots, when inserted between body posts, brackets, frames.  
9 C 4571—Shipping weight 2 lbs. 4 ounces . . . . . \$4.59

**H CRAFTSMAN Slight-curve Spoon.** For caved-in spots between body posts, brackets, tight places dolly won't reach.  $11\frac{1}{2}$  inches long.  
9 C 4568—Shipping weight 1 lb. 12 ounces . . . . . \$2.98

**J CRAFTSMAN Heel Dolly.** Ideal for shrinking.  
9 C 4562—Shipping weight 2 lbs. 8 ounces . . . . . \$2.09

**K CRAFTSMAN All-purpose Dolly.** Has 8 molding and bead surfaces.  
9 C 4565—3 inches high. Shipping weight 2 lbs. 8 ounces . . . . . \$3.75

**L CRAFTSMAN Combination Dolly and Spoon.** For roof rails.  
9 C 4563—Shipping weight 3 lbs. 8 ounces . . . . . \$3.50

**M CRAFTSMAN Universal Dolly.** Compact. 2 bead working surfaces; bullet end and straight oval top; beveled flat bottom.  
9 C 4561—Shipping weight 3 lbs. . . . . \$3.69

**N CRAFTSMAN 14-in. Body File.** Fits file holder 9C4572. Machine milled teeth. Curved tooth design eliminates clogging . . no need to clean teeth between cuts . . keeps sharp edges.  
9 C 4576—Shipping weight 1 lb. . . . . \$4.29

**P CRAFTSMAN Adjustable File Holder.** Professional quality. Die cast aluminum. Rigidly constructed for heavy work. Lightweight, rust resistant. Adjusts for concave, convex or straight filing.  
9 C 4572—With screws. Shipping weight 3 lbs. . . . . \$4.85

**R CRAFTSMAN Metal-Mend.** Plastic compound. Excellent auto body solder, crack filler, window putty, etc. Easy to apply. Requires no heat. Dries hard as metal . . can be filed or sanded. Please state size when ordering.  
9 C 4574—8-oz. can. Shipping weight 12 oz. . . . . 59c  
2-lb. can. Shipping weight 2 lbs. 3 oz. . . . . \$1.45

### CRAFTSMAN Leakproof Oilers . . Professional Quality

Oilers S, T, U, and V are nickel plated and have one-piece domes, seamless bottoms, and detachable tubular steel spouts; reinforced to prevent breakage. Deterioration-resistant washers assure oil-tight, leakproof connection. Pump oiler is force-fed; operates at any angle. Trigger oilers have plunger handle like gun trigger. All parts replaceable . . easy to clean. Interchangeable flexible spouts listed below:

**S 9 C 5580—4-oz. Trigger Oiler.**  $\frac{4}{8}$ -in. spout. Household size. Shipping weight 7 oz. . . . . \$1.25  
**T 9 C 5581—6-oz. Trigger Oiler.** 6-in. spout. All-purpose oiler. Shpg. wt. 10 oz. . . . . \$1.39  
**U 9 C 5582— $\frac{7}{8}$ -pint Pump Oiler.** 7-in. spout set at  $15^\circ$  angle. Shpg. wt. 14 oz. . . . . \$1.59  
**V 9 C 5583—1-pint Trigger Oiler.**  $\frac{5}{8}$ -in. spout. Easy grip operates at any angle. Shipping weight 12 ounces . . . . . \$2.49

**W Flexible Spouts.** Fit all oilers listed at left. Please order by correct catalog number.

9 C 5584— $\frac{6}{8}$ -in. long. Shpg. wt. 2 oz. . . . . 40c  
9 C 5585—13-in. long. Shpg. wt. 3 oz. . . . . 55c  
**X 9 C 5575—Appliance Oiler.**  $\frac{4}{8}$ -in. spout; bent tip. 1-oz. capacity. Shpg. wt. 3 oz. . . . . 19c  
**Y 9 C 5578—Spring Bottom Oiler.** 4-in. straight spout. 10-oz. capacity. For farm or home use. Shipping weight 8 ounces . . . . . 39c





# CRAFTSMAN Flat-Face Grinders

REG. U.S. PAT. OFF.

## Our Best Seller

### CRAFTSMAN 1/4-HP Grinder

CRAFTSMAN 1/4-HP Electric Grinder. Flat-face design for 2-wheel grinding. 1 1/2-in. clearance between the two projecting wheels. Removable wheel guards. Adjustable eye shields. 2x 1 1/8-in. tool rests; 2 3/4-in. wheel flanges. Wheel guards and motor housing have 2 3/4-in. clearance.

Rugged cast iron construction. Strong 3/4-in. steel motor shaft, turned down to 1/2 in. at wheel ends. 1/2-in. x 20 threads. *UL* approved. For 110-120-volt, 60-cycle AC. Fully enclosed 1/4-HP split-phase motor has nylon-insulated windings; no-load speed 3450 RPM. Base 7 1/2 in. deep; 8 1/2 in. wide; built-in on-off toggle switch; 8-ft. cord; plug. Height 9 in., width 14 3/4 in. Vitrified aluminum oxide grinding wheels. Wheels project 1/2 inch beyond front of motor housing . . . allowing you to grind across wheels.

*Guaranteed one year\** (see at right). Pedestal not included (see below).

99 C 01950L—Shpg. wt. 44 lbs. . . . . Cash \$37.95

CRAFTSMAN Grinder Pedestal. For 99C01950L, 99C01951L, right. About 34 in. high. 12x 12 1/4x4 5/8-in. cast iron base has 4 cast holes for bolting to floor. Cast iron bracket has mounting holes. 2 3/4-in. steel column.

99 C 02964K—Shpg. wt. 32 lbs. . . . . \$17.50

## Heavy-duty Production Tool

### CRAFTSMAN 1/2-HP Grinder

CRAFTSMAN 1/2-HP Electric Grinder. Larger, with greater power and adjustment than grinder at left but has its features PLUS: Larger 1/2-HP ball-bearing capacitor motor; no-load speed 3450 RPM; wheels enclosed by guards at sides; dust chute at rear of each. Full 1-in. wheel projection beyond front of motor housing; wheel guards and motor housing have 2 1/2-inch clearance. 5 1/2x4 1/2-inch eye shields; 3x2 1/4-inch adjustable tool rests. *UL* approved.

Cast iron frame. Rubber mounted. 3/4-in. steel motor shaft, turned down to 1/2 in. at wheel ends. Height 10 inches; width 17 1/2 inches. Base 9 inches wide, 7 3/8 inches deep. On-off toggle switch. For 110-120-volt, 60-cycle AC. With 8-foot 3-wire cord; plug. With two 7x3 1/2-inch (1 fine and 1 coarse) CRAFTSMAN vitrified aluminum oxide grinding wheels. *Guaranteed 1 year\** (see below). Pedestal not included (see 99C02964K at left).


99 C 01951L—Shpg. wt. 58 lbs. . . . . Cash \$53.95

## \*GUARANTEED 1 YEAR

We will repair any electric grinder on this page found defective in materials and workmanship at no charge, if returned within 1 year of date of purchase.





ONLY  
\$400  
DOWN  
\$37.95  
CASH  
without  
pedestal



ONLY  
\$550  
DOWN  
\$53.95  
CASH  
without  
pedestal



Only 10% down on Sears Easy Terms Plan . . . see page 34



## CRAFTSMAN Machinists' Vises

**A** Precision built for heavy-duty, industrial machine shop work . . . and *guaranteed 20 years against defects*. Meet U. S. Government Specifications GGG-436A. Cast semi-steel; reinforced at all points of strain. Replaceable alloy steel jaw facings; deep knurled. Heavy milled beam slides smoothly in double broached rectangular hole. Cold rolled steel screw and handle with tapered ball ends. Internal spring prevents handle dropping. Machined base; jaws always parallel to work bench. Four anchor holes. Swivel base model turns full 360 degrees. Cog swivel base and base track lock in any position. Polished anvil surface for flat work. 2 oil holes.

**A** 99 C 05191L—Solid Base Machinists' Vise. 4-inch jaws open to 7 inches. Shipping weight 52 lbs. . . . . \$32.25

NOTE: Shipping weights over 70 pounds are shipped by freight, truck or express.

**B** Swivel Base Machinists' Vise.

Catalog Number	Jaws, in.	Open, in.	Shpg. wt.	Each
99 C 05195L	3 1/2	5 3/4	50 lbs.	\$33.25
99 C 05196L	4	7	64 lbs.	38.50
99 C M5197	4 1/2	8	77 lbs.	50.50
99 C M5198	5	8 3/4	107 lbs.	69.95

## CRAFTSMAN Bench Vises

**C** Newly designed "U" beam has ridged sides and rectangular shape—gives more precise fit . . . less jaw wobble . . . added strength. Vises are safer and easier to operate, quicker to adjust. Oval end stops on handle help prevent pinched fingers. Easy-locking lever. Superb modern design. Extra-heavy duty body is strongly reinforced at all points of strain. Hardened and tempered, deep-knurled replaceable jaw faces. "U" beam of cold rolled steel . . . covers screw. Acme-threaded steel screw has 6 threads per inch. Locking lever on swivel base eliminates nuisance of a sliding bar. Swivel base turns 360° . . . locks at any angle. Gray enameled.

99 C 05170K—3 1/2-inch jaws; open 5 inches. Mailable.

Shipping weight 29 pounds. . . . . \$18.50

99 C 05171K—4-inch jaws; open 5 inches. Mailable.

Shipping weight 35 pounds. . . . . 23.25

**D** Pipe Jaws only. Semi-cast steel. For bench vises 99C05170K and 99C05171K above.

9 C 5172—Shipping weight 1 lb. 2 oz. . . . . Pair \$1.05

## CRAFTSMAN 1/2 or 1-Ton Chain Hoist

1/2-ton capacity  
\$300  
DOWN  
\$28.50  
CASH



Torrington needle bearings in lower sheaves reduce friction



Timken roller bearings in lower load hook for easy turning



Over 100,000 satisfied users have saved time and money with these hoists. You too can save money and get a most efficient differential hoist.


Now! One man is able to do the work of many. Sears laboratory tests *proved* that the CRAFTSMAN 1/2-ton hoist required only 70 pounds pull to lift capacity loads; while other 1/2-ton hoists required 122 pounds. Ordinary 1-ton hoists tested required 216 pounds to lift capacity while CRAFTSMAN 1-ton hoist required only 170 pounds, a full 20% less effort.

The reasons for this superiority are: Torrington needle bearings in lower sheaves; Timken roller bearings in lower load hook . . . both eliminate friction. Improved heavy tensile aluminum alloy yokes for lightness and strength. Strong, electrically welded, bright galvanized steel chains . . . non-slipping . . . holds load at any point. Continuous slack chain on either side. Heavy drop-forged steel swivel hooks.

99 C 07886K—1/2-ton capacity. 7-ft. lift. Shpg. wt. 29 lbs. . . . . \$28.50

99 C 07887L—1-ton capacity. 8-ft. lift. Shpg. wt. 52 lbs. . . . . \$40.00

Zone 25 . . . MECHANICS' TOOLS



\$8.50  
DOWN  
\$82.50  
CASH

**E** CRAFTSMAN Cutting Attachment. Cuts steel to 6 in. thick with acetylene or LP-gas† and proper tips. Use with 99 C 05476K, right, or 9 C 5474, below. *UL* approved. New seat angle for leak-free attachment. With one B-3 (acetylene) tip, and instructions. For LP-gas† cutting tips see 9 C 5478 at right.

9 C 5477—Shipping weight 3 lbs. 8 oz. . . . \$18.40

**F** CRAFTSMAN Welding Torch. Same torch as in 99C05476K outfit at right. *UL* approved. Use right or left hand; can be turned off without disturbing setting of regulators. For welding, use oxy-acetylene only. Can be used with acetylene or LP-gas† for brazing, soldering, heating, bending, etc. Cuts steel with 9C5477 above.

9 C 5474—Shipping weight 3 lbs. 2 oz. . . . \$15.50

**G** CRAFTSMAN 12-in. Mixing Chamber. Goose-neck type. Replaces standard goose-neck and mixer on 99 C 05476K at right or 9 C 5474 above when used with AA-7 or AA-8 welding tips (9 C 5441 at right).

9 C 5488—Shpg. wt. 1 lb. 10 oz. . . . . \$7.95

**H** CRAFTSMAN Cutting Tips. For oxy-acetylene.

Size	Cuts steel	Size	Cuts Steel
B-1 . . . . .	Up to 1/4 in.	B-4 . . . . .	1 1/2 to 4 in.
B-2 . . . . .	1/4 to 1/2 in.	B-5 . . . . .	1/4 to 6 in.
B-3 . . . . .	1/2 to 1 1/2 in.		

9 C 5447—State size. Shpg. wt. 6 oz. Each. \$3.50

**J** CRAFTSMAN Cutting Tips. For oxy-LP-gas† only. Use with any CRAFTSMAN cutting attachment. Heavy pre-heat for quick starts. With instructions. Order from table below.

Size	Cuts steel	Size	Cuts steel
BL-1 . . . . .	Up to 1/4 in.	BL-4 . . . . .	1 1/2 to 4 in.
BL-2 . . . . .	1/4 to 1/2 in.	BL-5 . . . . .	1/4 to 6 in.
BL-3 . . . . .	1/2 to 1 1/2 in.		

9 C 5478—State size wanted. Shipping weight each 5 ounces. . . . . Each \$3.50

**K** CRAFTSMAN Welding Tips. Heavy, one-piece, swaged, solid drawn, pure copper. Highly polished bore. Use with any CRAFTSMAN welding torch.

For welding, use oxy-acetylene only. Can also be used with acetylene or LP-gas† for brazing, soldering, heating, bending, etc. Order from table below.

Size	Capacity, in.	Size	Capacity, in.
AA-0 . . . . .	Soldering	AA-5 . . . . .	% to 3/4
AA-1 . . . . .	1/4 to 1/2	AA-6 . . . . .	% to 3/4
AA-2 . . . . .	1/4 to 1/2	AA-7 . . . . .	% to 3/4
AA-3 . . . . .	1/2 to 3/4	AA-8 . . . . .	1 inch and up
AA-4 . . . . .	3/4 to %		

9 C 5441—State size wanted. Shipping weight each 4 oz. . . . . Each \$2.00

† Bottled propane, butane, or mixture.

## Oxy-Acetylene Welder

**L** CRAFTSMAN. Four times tested; (1) *UL* tested and approved for your safety, (2) Tested and approved by Associated Factory Mutual Insurance Companies, (3) Tested and approved by Sears own merchandise testing laboratories, (4) N.Y.F.D. Certificate of Approval No. 906.

Made especially for Sears for over 25 years by leading manufacturer of welding equipment, SAFE—Exclusive non-flash mixer beyond torch head—can't flash back. Rugged—Forged Naval bronze gooseneck will not bend. Modern—Improved handle . . . fluted for sure grip. Handy—"Siamese" hose (25 ft. included) . . . twin hoses vulcanized together for easy handling.

Besides these PLUS features, outfit has ground, hand-fitted parts of solid brass, bronze, copper or monel metal; bronze-bodied regulators with on-off features; safety relief valves, brass-cased oxygen gauge with readings from 0 to 80 and 0 to 4000 lbs.; brass-cased acetylene gauge with readings from 0 to 30 and 0 to 500 lbs. 17 1/2-in. torch. Non-flashback welding tips (AA-1 to AA-5 at left) of 1-pc. swaged solid drawn copper; 25-ft. hose; assorted rods; flux; lighter; 2 wrenches, goggles, Welders' Handbook. Use oxygen and acetylene for welding . . . oxygen and LP-gas† for brazing, soldering, etc.

99 C 05476K—Shpg. wt. 31 lbs. . . . . Cash \$82.50





## CRAFTSMAN Forged Steel Hammers .. Choice of 3 Handle Styles

REG. U.S. PAT. OFF.

**A B** CRAFTSMAN "Headliner" Hammer. Perfect balance assures right "feel" and easy swing. Steel band reinforces neck to increase handle's strength by 25%. Compression fit of handle to head keeps them tight... handle end sealed with plastic to keep moisture out. Head of drop forged special analysis steel, heat treated; hardened. Head absolutely round, uniform bevel, properly crowned face reduces mushrooming or chipping. Finest grade white hickory handle, with flared rubber tip on end.

**A** 9 C 3814—Curved Claw Carpenter's Hammer. Shpg. wt. each 1 lb. 10 oz. *State size wanted.*  
Size 2, 13-ounce head..... **\$3.55**  
Size 1½, 16-ounce head..... **3.55**

**B** 9 C 3816—Straight Claw (Rip) Hammer. Shipping weight 1 pound 10 ounces.  
Size 1½, 16-ounce head..... **3.55**

**9 C 3809**—Straight Claw Tradesman's Hammer. Shipping weight 1 pound 14 ounces.  
Size 1, 20-ounce head..... **3.75**

**C D** CRAFTSMAN Tubular Steel-handle Hammer. Recommended for all-round use, has (1) extra strength for driving and pulling—tested up to 700-lb. pull; (2) chrome-plated tubular steel handle, same light weight and shape as wood; (3) handle and head compression fitted, firmly wedged for safety.

Tubular handle formed from special steel, heat treated and hardened for strength and "give"; neck allows "choking up" on handle when doing accurate finishing work. Face and claws tempered separately for maximum strength. Fully polished head is machined absolutely round, with properly crowned face and uniform face bevel, reducing mushrooming or chipping. Head, face, bevel are precision machined. Claw curved to true radius for uniform nail pulling. Suede-like finish rubber grip will last life of hammer in normal use.

**(C)** 9 C 3836—16-oz. Curved Claw, Shipping weight 1 pound 10 ounces..... **\$3.98**

**9 C 3838**—13-oz. Curved Claw, Shpg. wt. 1 lb. 7 oz. **3.95**

**(D)** 9 C 3837—16-oz. Straight Claw, Shipping weight 1 pound 10 ounces..... **3.98**

**E F** CRAFTSMAN All-steel Hammer. Triple heat treated hammer for extra rugged use... building forms, laying floors, etc. One-piece, all steel construction eliminates nuisance of broken handles, and flying hammer heads. Built-in balance for non-tiring swing.


These hammers combine strength of steel with "give" usually found only in conventional wood-handle hammers. Tested up to 600-pound pull.

Triple heat treating process gives maximum strength and ductility; lessens any marring and chipping. Head absolutely round, with properly crowned face and uniform face bevel which reduces mushrooming or chipping. Polished head and neck. Head, face and bevel precision machined. Spring neck handles tempered to perfect strength level.

16-ounce steel head and steel handle form one compact piece for greater safety. Non-slip laminated leather grip shaped like conventional handle; will last life of hammer in ordinary use. Claws curved to true radius for uniform nail pulling. Shipping weight each 1 pound 14 ounces.

**(E)** 9 C 3817—16-oz. Curved Claw Style..... **\$3.95**

**(F)** 9 C 3818—16-oz. Straight Claw (Rip) Style..... **3.95**



**G** CRAFTSMAN Magnetic Upholsterer's Hammer. Finest professional quality. 7-oz. forged alloy steel head; 3¾ inches long; polished. One end has driving face, other end magnetized to hold tacks. White hickory handle; steel wedged to stay tight.

**9 C 3803**—Shipping weight 13 oz..... **\$2.95**

**H** DUNLAP Tack Hammer. 5-oz. forged steel head has driving face end and magnetized end. Black satin finish. Hickory handle.

**9 C 3802**—Shipping weight 10 oz..... **.65c**

**J** CRAFTSMAN Tack Claw. Forged steel blade and claws. Strong, light plastic handle. 7 inches long.

**9 C 38102**—Shipping weight 4 oz..... **.85c**

**K** CRAFTSMAN Self-centering Punch will automatically mark center point where hole is to be drilled. Plunger made of carefully hardened and tempered steel for strength and durability. Has return spring. Punch has knurled grip. Length 3 inches. Shpg. wt. 4 oz.

**9 C 4282**—Each..... **.35c**

**L** CRAFTSMAN Nail Set of tempered steel, for recessing nails. Hardened point. Has square head; knurled body. 1½, 2, 3, 4, or ½ inch size. *Please be sure to state size wanted.*

**9 C 3753**—Shpg. wt. 2 oz..... **Each 30c**

**M** CRAFTSMAN Butt Gauge. Simplifies door hanging, and mortising. Has 3 cutters, accurately ground. Marked in 16ths for first 2 inches.

Use also as rabbit gauge and marking gauge.

**9 C 3940**—Shpg. wt. 1 lb..... **\$1.95**

**N** CRAFTSMAN Ripping Bar. ¾x18 in. long; hexagonal stock. Curved claw offset 90° to side to permit close quarter work on flat surface; also permits pounding! Use as crow bar, nail puller, etc. Forged steel; 3 nail slots.

**9 C 6577**—Shpg. wt. 3 lbs..... **\$1.95**

**P R** CRAFTSMAN Wrecking Bars. Extra long chisel point; deeper bevel; longer nail claw. Forged 1-piece crucible steel; heat treated. Hexagonal stock. Gray finish. Polished ends. *Please order by correct catalog number.*

**P** 9 C 6594—18 in. long; ¾-in. stock. Shipping weight 2 lbs. 8 oz..... **\$1.59**

**R** 99C06597—24 in. long; ¾-in. stock. Shipping weight 4 pounds..... **1.95**

**S** Low-priced Wrecking Bars. For general use, such as ripping, pulling, etc. Slotted at one end; beveled at other. Forged one-piece hexagonal steel.

**9 C 6596**—12 in.; ½-in. stock. Shpg. wt. 1 lb. 6 oz. **.49c**

**99 C 06598**—24 in.; ¾-in. stock. Shpg. wt. 4 lbs. **\$1.25**

**99 C 06599**—30 in.; ¾-in. stock. Shpg. wt. 5 lbs. **1.59**



**T** CRAFTSMAN Bow Saw. Blade cuts faster, stays sharper longer because it is made of special alloy steel. The easy to change blades are made possible by adjustable wing-nut tension. Saw is easy to handle because the oval-shaped tubular steel frame is strong, yet light.

Handle is designed extra-long for firm, comfortable grip. Red enameled to resist rust. Saws on forward and back strokes; deep gullets rake out sawdust faster.

30-in. size for cutting firewood and fence posts, pruning larger limbs, clearing brush. 36-in. size for bucking, felling, and cordwood. 42-in. size replaces one-man crosscut saws for heavy use and pulp-wood cutting. Complete with one blade.

Catalog No.	Saw	Shipping wt.	Each
99 C 04923	30 inch.....	3 pounds.....	<b>\$3.35</b>
99 C 04924	36 inch.....	3 pounds.....	<b>3.69</b>
99 C 04909L	42 inch.....	4 pounds.....	<b>4.69</b>

**U** CRAFTSMAN Broad Hatchet, designed for rough and heavy cutting. Head is forged from special axe steel, heat treated and hardened, with right side of bit beveled for a clean cut, and easy release. Smooth gun-metal finish is rust resistant. Finest grade, smooth finish hickory handle is wedge-locked, has comfortable grip. Width of cut is 4½ inches. *Size Number 2.*

**9 C 4814**—Shpg. wt. 3 lbs. 14 oz..... **\$4.45**

**V** CRAFTSMAN Half Hatchet for fast, easy cutting. Head is forged from special axe steel, with extra-thin blade, carefully ground and honed. Has handy nail slot. Rust resistant, gun-metal finish. Polished head. Smooth, finest grade hickory handle is wedge-locked for safety, has comfortable grip. Width of cut is 3½ inches.

**9 C 4805**—Shpg. wt. 2 lbs. 6 oz..... **\$4.25**

**W** CRAFTSMAN Half Hatchet. Haines pattern. Has extra-thin, keen cutting blade, with useful nail slot in head. *Number 1 size.* Gives 3¼-inch clean cut. Smooth finish wedge-locked hickory handle for comfortable grip.

**9 C 4806**—Shpg. wt. 2 lbs..... **\$4.95**

**X** CRAFTSMAN Lathing Hatchet. Popular Underhill pattern. Extra-thin, keen edged blade. Has deep milled 12-row crowned face. Steel wedge locks head securely to smooth finish, hard hickory handle. 2½-inch clean cut.

**9 C 4827**—Shpg. wt. 2 lbs. 6 oz..... **\$5.45**

**Y Z** CRAFTSMAN Axes. Michigan pattern. 3½-lb. head. Special axe steel; hardened and tempered. Perfectly balanced. Keen-edged bit. Wedge-locked hickory handle, 36 inches long. Will stand over 650-pound strain.

**99 C 05037**—Single bit axe, Mailable. Shipping weight 6 pounds..... **\$6.15**

**99 C 05041**—Double bit axe, Mailable. Shipping weight 6 pounds..... **6.65**

**AA** CRAFTSMAN All-steel Campers' Axe. Fully polished head and neck. Forged steel. Built-in balance.

Non-slip, shaped, molded rubber hand grip... won't pull off... lasts life of tool with normal use. Honed, polished bit; convenient nail slot. 2¾-inch cut. 13¾ in. long overall.

Can be used as hatchet or camp axe. Perfect for hunting, fishing, camping trips. With or without sheath.

**9 C 4807**—Without sheath. Shpg. wt. 2 lbs..... **\$3.85**

**9 C 4810**—With sheath. Shpg. wt. 2 lbs. 4 oz. **\$4.25**



## CRAFTSMAN Forged Steel Auger Bits



6-pc. Set  
\$575

**CRAFTSMAN Auger Bits.** Self-starting screw point. Forged steel; polished finish. Tapered square shank fits any standard bit brace. Factory tested. Protective plastic tip; almost unbreakable.

9 C 4156—Set of 6 CRAFTSMAN Bits. Sizes:  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ , and 1 inch. With protective plastic tips. Shpg. wt. 1 lb. 6 oz. . . . . Set \$5.75

9 C 4175—Individual Auger Bits. State size.

Size, in.	Shpg. wt.	Each
$\frac{1}{4}$	2 oz.	.79c
$\frac{3}{8}$	2 oz.	.85c
$\frac{1}{2}$	3 oz.	.89c
$\frac{5}{8}$	4 oz.	.95c
$\frac{3}{4}$	4 oz.	.98c
$\frac{1}{2}$	4 oz.	\$1.05
$\frac{1}{4}$	5 oz.	1.15
$\frac{1}{8}$	6 oz.	1.19
$\frac{1}{16}$	6 oz.	1.25
$\frac{1}{32}$	7 oz.	1.35
$\frac{1}{64}$	7 oz.	1.45
$\frac{1}{128}$	8 oz.	1.49
$\frac{1}{256}$	8 oz.	1.79
$\frac{1}{512}$	9 oz.	1.95



14-pc. set  
\$15.95

**A CRAFTSMAN 14-piece Auger Bit Set.** Sizes  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $\frac{5}{8}$ ,  $\frac{3}{4}$ ,  $\frac{1}{2}$ ,  $\frac{1}{4}$ ,  $\frac{1}{8}$ ,  $\frac{1}{16}$ ,  $\frac{1}{32}$ ,  $\frac{1}{64}$ ,  $\frac{1}{128}$ ,  $\frac{1}{256}$ ,  $\frac{1}{512}$ , 1 in. Plastic box. Plastic tips not included.


9 C 4172—Shpg. wt. 4 lbs. 3 oz. . . . . Set \$15.95  
Plastic Box only. For up to 13 auger bits, sizes from  $\frac{1}{4}$  to 1 in., as in 9C4172 above. Strong hinges. Metal hasp.  $10\frac{1}{2} \times 6 \times 2\frac{3}{4}$  in. deep.

9 C 4174—Shipping weight 1 lb. 12 oz. . . . . \$2.98

**B CRAFTSMAN Micrometric Expansive Bits.** Micrometric adjusting screw assures greater accuracy. Hold-down plate bears directly on cutter bar, holds cut. Adjusts to hole sizes specified below. Hexagon-head hold-down screw is raised; tighten with screwdriver or wrench. Tool steel, carefully tempered. 2 interchangeable steel cutters. Tapered square shank fits any standard bit brace. With screwdriver-wrench; plastic case.

9 C 4194—Cuts holes from  $\frac{3}{8}$  to  $1\frac{1}{4}$  inches in diameter. Shipping weight 6 ounces. . . . . \$3.19

9 C 4195—Cuts holes from  $\frac{3}{8}$  to 3 inches in diameter. Shipping weight 14 ounces. . . . . \$3.89



C \$775

D Our best brace \$995

## CRAFTSMAN Bits . . Reversible-ratchet Bit Braces

REG. U.S. PAT. OFF.

**C** Our most popular CRAFTSMAN Brace. Polished heavy  $\frac{3}{4}$ -inch steel frame; 10-inch sweep . . . exposed parts nickel plated. Enclosed box-type ratchet; reversible for close-quarter work. Machine-cut teeth.

Plastic head reinforced with steel plate; turns smoothly on ball bearings. Plastic center grip; metal ferrules.

Heavy-duty steel chuck; special alloy universal jaws are self-opening.

Takes all sizes of tapered square shank bits; also  $\frac{1}{4}$ -inch to  $\frac{3}{4}$ -inch round shank bits. Use CRAFTSMAN auger bits and expansive bits at left.

9 C 4251—Shipping weight 4 pounds 2 ounces. . . . . \$7.75

**D** CRAFTSMAN Heavy-duty Brace. The finest brace we have ever sold. Designed with close tolerances for the toughest jobs. Easily worth the difference in price because of its stronger, more precise construction.

Highly polished heavy  $\frac{3}{4}$ -in. steel frame has 10-in. sweep; all exposed metal parts nickel plated.

Genuine tropical hardwood head and center grip; head reinforced with steel plate for extra strength; rotates smoothly on ball bearings. Reversible ratchet; fully enclosed for protection . . . knurled ring shift; teeth machine-cut to close tolerances for firm smoothness; eliminates ratchet backlash.

Heavy-duty ball-bearing chuck holds regular tapered square shank bits; also No. 1 Morse taper and round shanks  $\frac{1}{4}$  to  $\frac{1}{2}$  in. Universal self-centering, self-opening alligator-type jaws.

9 C 4252—Shipping weight 4 lbs. 4 oz. . . . \$9.95



**E CRAFTSMAN Countersink Bits.** For reaming out top of screw holes. Forged tool steel. Tapered square shank; use in any standard bit brace. State size.

9 C 4202— $\frac{1}{4}$  in. Shpg. wt. 4 oz. Each 40c  
 $\frac{3}{8}$  in. Shpg. wt. 4 oz. . . . . Each 45c

9 C 4205—As above, but  $\frac{1}{2}$ -in. straight shank for hand, electric and breast drills,  $\frac{1}{2}$  in. long. Shipping weight 4 oz. . . . . Each 40c

**F CRAFTSMAN Electricians' Drills.** Tempered tool steel holds keen edge. Use on wood or soft metal. Tapered square shank for use in any standard bit brace, 18 inches long overall.

9 C 6722—Please state size wanted.

Size, inch.	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$
Shpg. wt.	14 oz.	14 oz.	1 lb.
Each.	\$1.65	\$1.75	\$1.98
Size, inch.	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$
Shpg. wt.	1 lb. 2 oz.	1 lb. 4 oz.	1 lb. 6 oz.
Each.	\$2.45	\$2.95	\$3.50

**G CRAFTSMAN Auger Bit Extension.** For the professional carpenter or home workshop. Solid steel socket type for drilling in out-of-way places. Follows  $1\frac{1}{4}$  to  $\frac{3}{4}$ -inch auger bits into their bore. Socket forged on shank and pinned. Seamless chuck shell. Knurled collar adjustment. Tapered square shank; for use in any standard bit brace. 18 inches long overall.

9 C 4161—Shipping weight 1 lb. . . . \$3.55

**H CRAFTSMAN Screwdriver Bits.** Forged steel; heat-treated and hardened to give a tough edge for turning stubborn screws. Tapered square shank; for use in any standard bit brace. Overall length 5 inches. Bits:  $\frac{1}{4}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ , or  $\frac{3}{4}$  inch widths. State width wanted.

9 C 4100—Shipping weight 3 ounces. Each. . . . . 55c

**J DUNLAP Pencil Compass-Scriber.** For carpenter, draftsman, student. Quick, positive adjustment. Solid brass wing nut; rustproof, tempered steel points.

9 C 3767—Shipping weight 3 oz. . . . . 25c

**K DUNLAP Wing Dividers.** Hardened steel points. Thumb nut adjusts tension; holds setting during use.

9 C 3941—State size wanted.  
6 inch. Shipping weight 6 oz. . . . Each \$1.25  
8 inch. Shipping weight 8 oz. . . . Each 1.49

**L DUNLAP Marking Gauge.** Has sharp disc. Graduated in 16ths of an inch for 6 inches. Steel knob holds setting tight in use. Made of hardwood; 8 in. long.

9 C 3943—Shipping weight 8 oz. . . . . 49c

**M CRAFTSMAN Marking Gauge.** Single metal bar. Single face head. Knurled nut. Tempered points.  $6\frac{1}{2}$  in. long. Graduated in 16ths of an inch for 5 inches.

9 C 3946—Shipping weight 10 oz. . . . . 98c

**N CRAFTSMAN Scratch Awl.**  $3\frac{1}{4}$ -in. tool steel blade; tempered needle point. Comfortable, strong plastic handle.

9 C 36642—Shpg. wt. 4 oz. . . . . 75c

**P CRAFTSMAN Replacement Blade Utility Knife.**  $5\frac{1}{2}$ -in. aluminum handle. 5 finest cutlery steel blades; adjustable; replaceable. Blades store in handle.

9 C 9515—Knife with 5 blades. Shipping weight 6 oz. . . . . \$1.00

Extra Blades. For Utility Knife above.

9 C 9517—Package of 5 blades. Shipping weight 1 ounce. . . . . 50c

9 C 9516—Package of 50 blades. Shipping weight 10 ounces. . . . . \$3.40

**R Hook Blades.** For Utility Knife 9C9515 above. Cut roofing, asphalt tile, etc.

9 C 9548—Package of 5 blades. Shipping weight 1 ounce. . . . . 50c

9 C 9549—Package of 50 blades. Shipping weight 10 ounces. . . . . \$3.40



## Our Best Push Drill

Y With 8 drills in handle \$450

**S DUNLAP All-purpose Hand Drill.** Buffed steel frame and chuck nut; nickel plated for resistance to rust. 3-jaw chuck takes round shank drills to  $\frac{1}{4}$  inch; won't slip or jam. Non-rusting nylon double pinion gears mesh perfectly . . . give longer life. Solid hardwood handle.  $10\frac{3}{4}$  in. long. Shipping weight 1 pound 2 ounces.

9 C 4210 . . . . . \$1.95

**T DUNLAP Close-quarter Hand Drill.** Designed for overhead use and for hard-to-get-at places. Pistol-grip lightweight, die-cast aluminum construction. Steel chuck;  $\frac{1}{4}$ -in. capacity. Enclosed gears for quiet operation.  $7\frac{3}{4}$  in. long overall;  $3\frac{3}{4}$  in. wide.

9 C 4235—Shpg. wt. 1 lb. 4 oz. . . . \$2.89

**U CRAFTSMAN Hand Drill.** 3-jaw chuck for round shank drills up to  $\frac{1}{4}$  inch. Double pinion gears mesh perfectly.  $12\frac{1}{2}$  in. long. Hardwood handle stores bits.

9 C 4238—Shpg. wt. 2 lbs. 10 oz. . . . . \$5.35

**V CRAFTSMAN Hand or Breast Drill.** Extra-heavy duty. Handle flared. 3-jaw chuck for round shank drills to  $\frac{3}{8}$  in. Gears and pinions mesh perfectly. 8 drill bits ( $\frac{1}{16}$  to  $1\frac{1}{4}$  in. by 6ths) store in hardwood handle.  $14\frac{1}{2}$  in. long.

9 C 4246—Shpg. wt. 3 lbs \$7.35

**W DUNLAP Push Drill with 8 drill points.** Drills in wood or plastics. Polished steel finish; enameled handle. Internal bronze spirals. Hollow handle for storing drill points. Steel 4-jaw chuck. 8 fluted drill points ( $\frac{1}{16}$  to  $1\frac{1}{4}$  in.)  $9\frac{1}{2}$  in. long.

9 C 4217—Shpg. wt. 1 lb. \$3.29

**X Imported Push Drill.** Made in West Germany. Steel; polished finish. Comfortable, strong plastic handle. Ball-lock chuck. 8 notched drill points ( $\frac{1}{16}$  to  $1\frac{1}{4}$  in.) 10 inches long.

9 C 3377—Shpg. wt. 11 oz. \$1.98

**Y CRAFTSMAN Push Drill.** Has drill selector storage handle. Just dial to drill size wanted; drill point comes out of handle. Heavier, more compact than others . . . a balanced precision tool. Transparent clear-view handle stores drill points. Polished steel finish; internal bronze spirals. Ball-lock chuck holds notched drill points firmly.

With 8 notched drill points ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ , and  $1\frac{1}{4}$  in.)  $8\frac{3}{4}$  in. long.

9 C 4220—Shpg. wt. 1 pound. . . . . \$4.50

**Z CRAFTSMAN Push Drill Points.** Replacement steel drill points to fit all popular makes of push drills. In plastic tube. Two styles: fluted (style A) or notched (style B). State style wanted.


9 C 4223—Set of eight sizes ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{4}$ ,  $\frac{5}{16}$ ,  $\frac{3}{8}$ ,  $\frac{1}{2}$ ,  $1\frac{1}{4}$  in.). State style A or B when ordering. Shpg. wt. 4 oz. . . . . Set \$1.35

9 C 4218—Set of four sizes ( $\frac{1}{16}$ ,  $\frac{1}{8}$ ,  $\frac{3}{16}$ ,  $\frac{1}{4}$  in.). State style A or B when ordering. Shpg. wt. 1 oz. . . . . Set 59c

Build your order to \$20 and buy on Sears Easy Terms.

Zone 3 PAGE 27 . . MECHANICS' TOOLS





## Our Best CRAFTSMAN Planes

Honed steel blades, tough plastic handle and machined surfaces—all features of this fine tool!

We compared several leading planes with a CRAFTSMAN Smooth No. 4 Plane (shown above). Our comparison showed that this CRAFTSMAN plane gave smoother, faster, more accurate cutting and longer service . . . than others tested, regardless of price asked. All four sizes have the same features and the same built-in professional quality.

One-piece cutter is made of chrome-vanadium steel, heat treated and tempered. Each cutter blade honed to a razor edge . . . holds that edge under continual use and requires only occasional touch up to keep sharp. Adjustable cutter blade cuts shavings tissue-thin to coarse. Patented lever and screw device gives closest sidewise and depth adjustment. Sides and bottom machined perfectly true. Smooth bottom has 2-in. cutter; corrugated bottom (corrugated for less friction) has 2½-in. cutter. All these planes have the same features as the Smooth No. 4 (illustrated).

Style of Plane	Length	Cutter	Shpg. wt.	Smooth Bottom	Corrugated Bottom
Smooth No. 4	9 in.	2 in.	4 lbs. 4 oz.	9 C 3742 \$6.95	
Jack No. 5	14 in.	2 in.	5 lbs. 12 oz.	9 C 3743 7.65	
Fore No. 6	18 in.	2½ in.	7 lbs. 14 oz.	9 C 3748 \$11.00	
Jointer No. 7	21½ in.	2½ in.	9 pounds	9 C 3749 13.95	

Build your order up to \$20 or more and use Sears EASY TERMS. Pay as little as 10% down! See page 34 for complete information.



## Planes and other wood-working tools

**A** 14-inch Jack Plane. 2-inch cutter; adjusts sidewise and endwise. Smooth bottom. Wood handle and knob. Made in West Germany. 9 C 3186—Shipping weight 5 pounds. . . . \$4.59

**B** 8-inch Smooth Plane. 1¾-inch steel cutter; adjusts sidewise and endwise. Wood handle and knob. Made in West Germany. 9 C 3182—Shipping weight 3 lbs. 8 oz. . . . \$3.69

**C** CRAFTSMAN Block Plane. 6¾ in. long. 1½-inch cutter set at 20° to work across grain of wood. Adjustable endwise and sidewise. Adjustable throat. Metal knob cap. 9 C 3704—Shipping wt. 1 lb. 12 oz. . . . \$3.55

**D** CRAFTSMAN Knuckle-Joint Plane. 7 inches long. 1½-inch cutter set at a low 12° angle for cutting across grain of wood. Patented screw adjustment; adjustable throat. 9 C 3732—Shipping wt. 2 lbs. 4 oz. . . . \$4.30

**E** 7-inch Block Plane. 1½-inch cutter set at 20° angle. Made in West Germany. 9 C 3185—Shpg. wt. 1 lb. 12 oz. . . . \$1.39

**F** CRAFTSMAN Model-Makers' Block Plane. 3½ inches long. For cabinet work, pattern-making, model-making, light work, etc. 1-inch tempered alloy steel cutter. 9 C 3705—Shipping weight 1 pound. . . . 98c

**G** CRAFTSMAN Rabbit Plane. 1½-inch alloy steel cutter. Makes either right or left-hand cut on edge of board. With 2 cutter seats—rear for regular work, front for bullnose work (close in corners). Spur and removable depth gauge. Adjustable fence. 8½ inches long overall. 9 C 3730—Shipping wt. 3 lbs. 10 oz. . . . \$5.25

**H** DUNLAP 10-inch Draw Knife. 1½-inch wide tool steel blade; keen cutting. Tangs extend through hardwood handles; stay tight. 9 C 3678—Shipping weight 1 lb. 8 oz. . . . \$3.29

**I** Spokeshave. For planing convex and concave surfaces on wood edges. 2-in. selected steel blade. 9-in. frame. Black finish. 9 C 3661—Shipping weight 13 ounces. . . . \$1.35

**J** CRAFTSMAN Wood and Point Scraper. Two 1½-in. wide alloy steel blades; all 4 edges can be used. 6½-in. wood handle. 9 C 3672—Shipping weight 4 ounces. . . . 69c

**K** 9 C 3656—As above with 8-in. handle, 2½-in. wide blades. Shipping weight 8 ounces. . . . 85c

**L** 9 C 3671—As above, with 12-in. handle; 2½-in. wide blades. Shipping weight 9 ounces \$1.09

**M** DUNLAP Sanding Block. 6-in. steel block frame. 30x1½-in. roll of medium grit garnet paper, over flat, soft, felt cushion. 9 C 3681—Shipping weight 12 ounces. . . . 95c

**N** 9 C 3688—Garnet Paper Sanding Block Refills for above. 30x1½-in. rolls. State choice: coarse, medium or fine grit. Shipping weight 3 ounces. Any 1 grit, each. . . . 12c

**O** 9 C 3689—Aluminum Oxide Refills for 9 C 3681. 30x1½-in. rolls. State grit: coarse, No. 60; medium, No. 100; or fine, No. 150. Shipping weight 3 ounces: Any 1 grit, each. . . . 12c


**P** CRAFTSMAN Blade Sharpening Guide. Holds plane blades or chisels so they can be sharpened or honed to correct bevel. Clamp locks blade in position. Zinc alloy frame. Steel screw, roller. 2½-in. blade capacity. 9 C 3774—9½x5½ in. Shpg. wt. 1 lb. 14 oz. \$2.79



Our Best CRAFTSMAN Wood Chisels. Tang type with tough plastic handles that last up to 50 times as long as wood handles . . . resist heavy pounding. Tang extends into handle, won't come out. 2½-inch long precision ground blades of vanadium steel. Hand-forged and heat-treated for lasting sharpness . . . Austempered for maximum toughness and edge-holding quality. Bright, chrome-plated finish.

9 C 3683—Set of 4 in plastic pouch. In widths ¼, ½, ¾ and 1 in. Shpg. wt. 1 lb. 8 oz. . . . Set of 4 for \$7.98

Individual CRAFTSMAN Tang-type Chisels. 9 C 3684—Be sure to state size wanted. Size. . . . ¼ in. ½ in. ¾ in. 1 in. 1½ in. Shpg. wt. . . . 6 oz. 7 oz. 8 oz. 8 oz. 10 oz. Each. . . . \$1.98 \$2.09 \$2.25 \$2.39 \$2.69




CRAFTSMAN All-steel Wood Chisels. Forged alloy steel chrome plated from tip to head. Austempered for maximum toughness and edge-holding quality . . . will not break or take a set. Precision ground bevels and cutting edge. Use for finishing or ripping; for cutting flooring, plaster and occasional nails. Hexagonal shank fits hand; round head provides greater striking surface.

9 C 3680—Set of 4 in plastic pouch. In widths ¼, ½, ¾ and 1 in. Shipping weight 1 pound 8 ounces. . . . Set of 4 for \$4.50

Individual CRAFTSMAN All-steel Wood Chisels. Same quality as above. 2½ inch size is double beveled for prying or ripping flooring.

9 C 3687—Please be sure to state size wanted. Size. . . . ¼ in. ½ in. ¾ in. 1 in. 1½ in. 2½ in. Shpg. wt. . . . 3 oz. 4 oz. 6 oz. 12 oz. 14 oz. 1 lb. 4 oz. Each. . . . 89c 98c \$1.35 \$1.59 \$1.85 \$2.50



DUNLAP Wood Chisels. Lightweight, well-balanced chisels with blade tang driven into handle . . . won't come out. Tough plastic handles reduce breaking and mushrooming. 2½-inch long blades made of hand-forged, heat-treated steel. Precision-ground bevels and cutting edge.

9 C 3677—Set of 4 in plastic pouch. In widths ¼, ½, ¾ and 1 in. Shipping weight 1 pound 2 ounces. . . . Set of 4 for \$5.35

Individual DUNLAP Tang-type Chisels. 9 C 3676—Please state size wanted. Size. . . . ¼ in. ½ in. ¾ in. 1 in. 1½ in. Shpg. wt. . . . 6 oz. 7 oz. 8 oz. 8 oz. 10 oz. Each. . . . \$1.25 \$1.29 \$1.49 \$1.59 \$1.65

CRAFTSMAN and DUNLAP are registered trademarks of Sears, Roebuck & Co. Look for these assurances of quality.



4-piece Set only \$2.55

CRAFTSMAN 4-piece Screwdriver Set. Chrome-vanadium hammer-forged steel. Austempered for maximum toughness. Tough, clear plastic handles withstand up to 10,000 volts. Two larger sizes have rounded domes. Sizes are 6x½ in., 4½x¾ in., 3x½ in. and pocket size.

9 C 4150—Shpg. wt. 1 lb. \$2.55

Buy all your tools on Sears EASY TERMS. Pay as little as 10% down on orders of \$20 or more, the balance in small monthly amounts. See page 34.



**M** **N** CRAFTSMAN Automatic Screwdrivers and Accessories. Push on handle to drive or draw screws. Have steel spirals. Left or right ratchet action. Lasting hardwood handles.

**M** 9 C 4141—Standard-size Automatic Return Screwdriver. 20½ in. long, extended with bit. Spring return. Locks closed. With 3 bits (small, medium and large). Converts to manual return. Shipping weight 1 pound 8 ounces. . . . \$6.95

9 C 4143—Chuck and 8 Drills. Converts 9 C 4141 screwdriver above and our former Nos. 4138 and 4140 into drills. Not for 9 C 4130 at right or former No. 4134. Eight drills in sizes ¼ to 1½ in. Shipping weight 3 oz. . . . \$1.59

9 C 4198—3 Replacement Screwdriver Bits (small, medium, large) for 9 C 4141 screwdriver at left and our former Nos. 4138 and 4140. Shpg. wt. 6 oz. 89c

**N** 9 C 4130—Small size Automatic Return Screwdriver. 10½ in. long, extended with bit. With ¼ in. steel bit. Shpg. wt. 14 oz. . . . \$2.98

9 C 4165—Replacement Bit for 9 C 4130 above. Shipping weight 2 ounces. . . . 35c

**P** **R** **S** Automatic Screwdrivers. Made in West Germany. Left or right ratchet; steel spirals. Spring return.


**P** 9 C 3468—10 in. long. Plastic handle stores bits. With 2 slot-type bits and 3 drill points (¼, ⅜, and ½ in. sizes). Shipping weight 11 ounces. . . . \$1.98

**R** 9 C 3470—20 in. long. Locks closed. Wood handle. With 3 standard bits (small, medium, large). Shpg. wt. 1 lb. 8 oz. . . . \$2.55

**S** 9 C 3180—10 in. long. Similar to 9 C 3468 but with hardwood handle and one ¼-in. bit. Shpg. wt. 14 oz. . . . \$1.29


**T** 9 C 4115—CRAFTSMAN 3-pc. Phillips-type Bit Set. Sizes 1, 2, 3. Fits CRAFTSMAN 9 C 4141 at left, imported 9 C 3470 above, and our former Nos. 4138 and 4140; Yankee 30A, 130A; Millers Falls 61A, 610A; Greenlee 448, 458 automatic screwdrivers. Shpg. wt. 6 oz. Set. . . . \$1.29





**Hollow Ground**  
Exclusive, patented feature! Blades are thinner gauge of center of back greatly lessens binding where 90% of cutting is done.

**A** 99 C 03613  
**\$4.95**



**B** 99 C 03615  
**\$6.25** High Carbon Steel Blade



**C** 99 C 03620  
**\$9.50**

**Our Best!**  
Complete blade made of stainless steel. The all-weather saw... will not rust or stain. Tough, durable, with better edge-holding qualities than ordinary steel.

## Famous CRAFTSMAN Hand Saws . . hollow ground for easy cutting, less binding

REG. U.S. PAT. OFF.

**A** CRAFTSMAN Hand Saws . . with Plastic Handles. Handle is better, more comfortable and much stronger than conventional wood or other types of plastic handles. . . also weather resistant and won't break in normal use. 26-inch straight back blade is *hollow ground*. Special saw steel; heat-treated, tempered and polished. Expertly set, filed and jointed. Teeth are same gauge entire length of saw. Hole in end of blade for hanging. Shipping weight each 3 lbs.

99 C 03613—Crosscut Saw. For cutting wood across the grain. 8 coarse cross-cutting or 10½ fine cross-cutting points per inch. Please state points wanted. . . . . Each **\$4.95**

99 C 03614—Rip Saw. For cutting wood with the grain. 5½ points per inch. . . . . Each **4.95**

99 C 03615—Crosscut Saw, like 99 C 03613, but with 22-inch taper ground blade, 10½ points per inch. . . . . Each **\$3.89**

**B** CRAFTSMAN Carbon Steel Blade Hand Saw. 26-inch straight back blade is *hollow ground*. Carbon steel; heat-treated, tempered and polished. Uniform thickness of cutting edge from force point at handle to the nose means less wrist strain, less buckling. Expertly set, filed and jointed to cut straight. 9-ply pressure-welded laminated hardwood handle. Hang-hole in end of blade. 4 inches of starter teeth on 8 and 5½-point saws. Shpg. wt. each 3 lbs.

99 C 03617—Crosscut Saw. For cutting wood across the grain. 8 coarse or 10½ fine points per inch. State points. . . . . Each **\$6.25**

99 C 03618—Rip Saw. For cutting wood with the grain. 5½ points per inch. . . . . Each **6.25**

**C** CRAFTSMAN Stainless Steel Blade Hand Saw. 26-inch straight back blade is *hollow ground*. Made from high-quality steel alloy Armco 17-7 PH that will not rust or stain in ordinary use. Ideal for work outdoors in all weather conditions. Sharpens as easily as ordinary saw blades and stays sharp longer because stainless steel is tougher than ordinary saw steel. Expertly set, filed and jointed to cut straight and smoothly with less effort. 9-ply pressure-welded laminated hardwood handle. Hang-hole in end of blade. Shipping weight each 3 lbs.

99 C 03620—Crosscut Saw. For cutting wood across the grain. 8 coarse or 10½ fine points per inch. . . . . Each **\$9.50**

99 C 03621—Rip Saw. For cutting wood with the grain. 5½ points per inch. . . . . Each **9.50**



**D** \$1.35

**E** \$1.50



**F** \$2.85



**G** \$1.39

**H** \$3.75

**D** CRAFTSMAN Keyhole Saw. 10-inch tempered steel blade. Patented slot-lock guaranteed to hold blade securely in handle. Tough plastic handle is stronger than wood.

9 C 3519—Shpg. wt. 8 oz. **\$1.35**

**E** CRAFTSMAN Compass Saw. 12-inch tempered steel blade; set and filed for easier sawing action. Patented slot-lock guaranteed to hold blade securely. Tough plastic handle, stronger than wood.

9 C 3518—Shpg. wt. 9 oz. **\$1.50**

**F** CRAFTSMAN Heavy-duty Compass Saw. Use in any one of four different positions! Most useful compass saw we've seen. Makes cuts in tight places or at difficult angles. Blade rotates full 360° and locks in 4 positions (see views above).

For cutting wood or metal. With 12-in. wood cutting blade and 9-inch metal cutting blade. Hard rubber pistol-grip handle is extremely comfortable and easy to hold while working. Shipping weight 1 lb. 5 oz.

9 C 3549—Each. **\$2.85**

**G** CRAFTSMAN Coping Saw. Adjusts for angle cuts. Steel frame; 6½-inch throat. Bright finish. Sturdy hardwood handle. With 6½-inch blade. Takes pin-end or loop-end blades. (See below for additional blades.)

9 C 3541—Shipping weight 1 pound 2 ounces. **\$1.39**

9 C 3544—CRAFTSMAN Coping Saw Blades. For wood or metal. 6½-inch pin-end type. Shpg. wt. for 3, 1 oz. . . . . 3 for 25c


9 C 3543—CRAFTSMAN Coping Saw Blades. For wood or metal. Assorted 6½-in. loop and pin-end. Shpg. wt. for 3, 1 oz. . . . . 3 for 25c

9 C 3546—CRAFTSMAN Coping Saw Blades. Extra-wide spaced teeth for cutting plastics, hardwood and plywood. 6½-inch loop-end type. Shipping weight for 3, 1 ounce. . . . . 3 for 25c

9 C 3545—CRAFTSMAN Hack Saw Blades. To use coping or scroll saws for same type of cutting as hack saw. 6½-inch pin-end type. Shipping weight for 3, 1 ounce. . . . . 3 for 25c

**H** CRAFTSMAN Plumber Saw. 15 milled teeth to the inch with precision wave set. Requires no additional setting. Cuts quickly, accurately through wood, soft metals, light-gauge sheet metal. Especially recommended for cutting sheet metal where a hack saw, with frame thicker than blade, will not cut through. You can cut board without removing light nails. Taper ground blade is thicker at bottom than at top to eliminate friction and binding at top of cut. High quality 18-inch tempered steel blade. Hardwood handle with weather-resistant lacquer finish.

9 C 3612—Shpg. wt. 1 lb. 6 oz. **\$3.75**



## Corner Clamp and Miter Vice . . Gluing Clamp . . Woodworkers' Vises . . Back or Miter Saw . . Miter Boxes

**J** CRAFTSMAN Corner Clamp and Miter Vice. For clamping screens, frames, trim, miter or butt joints, etc.; holds at 90° angle.

Made of special aluminum alloy. Will not buckle or force mitered joint apart. Open construction permits easy nailing or stapling of wood while held in clamp. For lumber and trim up to 3 in. wide. Shipping weight 12 ounces.

9 C 6666. . . . . Each **\$1.35**

**K** Gluing Clamp. Adjustable pipe style. Use with any length ¾-in. threaded pipe. Malleable iron. Crank adjustment. Sliding jaw has 1½x1½-inch face. With pipe cap; less pipe. Shipping weight 3 pounds 14 ounces.

9 C 6674—Order today. Each. **\$3.09**

**L** CRAFTSMAN Woodworkers' Vice. Semi-steel jaws; holes in jaw faces to mount wood faces. Adjustable bench stop. Acme screw. 10-inch jaws open to 10 inches.

99 C 05200—Shipping weight 20 pounds. **\$15.95**

**M** Quick-acting Woodworkers' Vice. (Not shown.) Similar to above, but half-turn of handle disengages screw and permits jaws to slide back and forth. A turn in opposite direction again engages screw.

99 C 05201—Shipping weight 20 pounds. **\$19.25**

**N** CRAFTSMAN Home Workshop Woodworkers' Vice. 3x6-inch semi-steel jaws open to 7 inches. Adjustable steel dog in front jaw. Steel guide rods keep jaws aligned. Holes in jaw to mount wood faces. Wood handle.

9 C 5204—Shipping weight 11 pounds. **\$8.15**

**O** CRAFTSMAN Lightweight Woodworkers' Vice. Cast aluminum jaws. 5½x5½ in.; open to 2¾ in.; holes for mounting wood faces. Clamps to anything ¾ to 2¼ in. thick. Easily carried in carpenter's kit.

9 C 5202—Shipping weight 3 pounds. **\$3.25**

**P** CRAFTSMAN Back or Miter Saw. Heavy steel rib on back edge for extra strength, rigidity. Thin-gauged for cutting light stock, moldings. Fits any standard size miter box. Carefully filed sharp teeth, 11 points to inch. Pressure-welded 7-ply laminated wood handle.

9 C 3619—16x3½-in. blade. Shpg. wt. 3 lbs. 4 oz. **\$3.85**

99 C 03619—26x4-in. blade. Shpg. wt. 6 lbs. **10.95**

**R** CRAFTSMAN All-metal Miter Box with Back Saw. Saw carriage swings from 45° to 90°, right or left. One-piece cast bed and back. Guides have self-lubricating Oillite bearings. Handles stock up to 5 inches. Gauge regulates depth of cut. Offset legs avoid tilting. Locking pin has greater bearing surface for closer accuracy.

Capacity at miter, 7 inches; at right angle, 10½ inches. Inside measurements: bed 19¼ in. long, 4½ in. wide; back 3¼ in. high. Complete with precision-fitted 28-inch back saw.

99 C 03650L—Shipping weight 37 pounds. **\$62.50**

**S** CRAFTSMAN Miter Box. With improved and patented features! 3½-inch aluminum alloy back to prevent warping. Cuts from 45° to 90° right or left. Index graduated for 4°, 5°, 6°, 8° or 12-sided figure. Hardwood bed 17¼ in. long, 4½ in. wide. Index lever and center-post made of hardened steel. Use with hand or back saw (saw not included). Aluminum guides adjust for saw of any thickness. Rubber feet on bottom of bed help prevent slipping.

9 C 3634—Shipping weight 5 pounds. **\$7.15**

CRAFTSMAN and DUNLAP are registered trademarks of Sears, Roebuck & Co. They are your assurance of quality. Look for them always.

**T** CRAFTSMAN Miter Box. Guaranteed accurate! Exclusively designed saw guides, positive-lock slides, accurate scale. Rigid saw guides assure straight, exact cuts. Easy guides have positive lock for desired setting. Graduated scale gives pinpoint accuracy on every cut. Guaranteed accurate enough to cut picture frame molding!


Cuts from 45° to 90° right or left. . . same effectiveness on repetitive cuts. Lightweight aluminum alloy bed and back (entire bed is wood covered). Bed 18 in. long, 5¼ in. wide. Back 3 in. high. Capacity 4x6-inch when used with 4-inch back saw. Also takes 5-inch back saw or 26-inch hand saw. (Saw not included.)

99 C 03632—Shipping weight 11 pounds. **\$30.50**

Order all the things you need on Sears EASY TERMS. See page 34 for details.

Zone 3 29. . MECHANICS' TOOLS





## CRAFTSMAN Tapes . . 1/2, 3/4 and 3/8 inches wide . . won't buckle

REG. U.S. PAT. OFF.

Three Self-totalling Pocket Tapes. Features seldom found at these low prices. See total inches, and feet and inches at a glance . . eliminate figuring! Jet black markings on white baked enamel; bonded to tempered high carbon flex-rigid steel blades.

**A CRAFTSMAN "Power-Retain" Tape.** Blade automatically rewinds into case by simply pushing button . . no backlash! Tape speed controlled for fast or slow rewind. Rewind mechanism acts as positive brake on blade . . allows you to take measurements and transfer them. 3/4-in. replaceable "self-totalling" blade . . see total inches; feet and inches at a glance; easy to read black on white markings. Metal case. Large self-adjusting end hook permits accurate inside and outside measurements. Comes in plastic box with magnifier top. *State side wanted.*

9C 3910—6-ft. Shpg. wt. 7 oz. \$1.19  
8-ft. Shpg. wt. 7 oz. 1.35  
10-ft. Shpg. wt. 8 oz. 1.59  
12-ft. Shpg. wt. 8 oz. 1.98

**B CRAFTSMAN 3/4-in. Wide Tape.** Easier to handle; more rigid . . extends vertically without bending. Chrome-plated zinc die-cast case with belt clip; adjusting end hook for inside-outside measurements. 10-foot size graduated in 32nds for first 6 inches, 16ths thereafter. 12-foot size graduated in 16ths.

9C 3950—*State length wanted.*  
10-ft. length, Shipping weight 10 oz. \$2.19  
12-ft. length, Shipping weight 12 oz. 2.59

9C 3951—*Replacement Blades* for 3/4-in. tapes above. 10-ft. replacement blade, Shipping wt. 4 oz. *State length.* \$1.10  
12-ft. replacement blade, Shpg. wt. 5 oz. *State length.* 1.50

**C CRAFTSMAN 1/2-in. Pocket Tape.** Has the "self-totalling," high readability features of the tapes at left. 3/4-in. flex-rigid steel blade. Jet black markings on white enamel . . won't chip or crack. Strong plastic case. Accurate inside or outside measurements.

9C 3919—*Please state length.*  
6-ft. length, Shpg. wt. 4 oz. .79c  
8-ft. length, Shpg. wt. 5 oz. .98c  
10-ft. length, Shpg. wt. 6 oz. \$1.29

*Replacement Blades.* 1/2-in. blades to fit tapes 9C 3919 (above) and 9C 3910 (at far left).

9C 3920—*Please state length.*  
6-ft. length, Shpg. wt. 3 oz. .39c  
8-ft. length, Shpg. wt. 4 oz. .55c  
10-ft. length, Shpg. wt. 5 oz. .69c  
12-ft. length, Shpg. wt. 6 oz. .95c

**D CRAFTSMAN Steel Tapes . . Our Most Popular.** Professional quality features seldom found at these low prices. *Easy-to-read* jet black markings on snow-white blade. Won't crack, chip, peel or corrode. Replaceable 3/8-inch flex-rigid steel tape with markings in feet, inches and eighths of an inch. *Combination hook-and-ring-end* gives you accurate hook-over measurements; easy one-man operation.


Double-roller mouthpiece keeps tape from scraping or jamming. Folding handle opened by push-pin; anti-backlash chrome-plated winding reel; welded steel case, covered with DuPont Fabrilite, a tough material like saddle leather. With handy plastic carrying case.

9C 3900—*State length wanted.*  
25-ft. Shpg. wt. 13 oz. \$3.65  
50-ft. Shipping weight 1 pound 2 ounces. 4.25  
100-ft. Shipping weight 1 pound 14 ounces. 6.75

9C 3903—*Replacement Blades* to fit 9C 3900. *State length wanted.*  
25-ft. Shpg. wt. 7 oz. \$2.25  
50-ft. Shpg. wt. 11 oz. 2.85  
100-ft. Shipping weight 1 pound 2 ounces. 4.49

**E CRAFTSMAN Chrome-plated Steel Tapes.** Easy to read, jet black figures on non-glare satin chrome finished blade; graduated in feet, inches, and 8ths. Flexible steel tape 3/4 in. wide. Folding handle; extension fingerhold. Simulated leather covered metal case; plated steel liner. *State length.*

9C 3909—50-ft. Shipping weight 1 pound. \$6.95  
100-ft. Shipping weight 1 pound 10 ounces. 11.95



**F CRAFTSMAN Duralumin Rafter Square.** Won't rust, warp, shrink or splinter! Has octagon and 100ths scale; rafter; brace table. Face graduated in 8ths and 16ths of an in.; back in 10ths and 12ths. Black numerals etched on satin-like background. Body 24x2 in.; tongue 16x1 1/2 in.

99 C 03963—Shipping weight 2 pounds. \$5.35

**G CRAFTSMAN Steel Square.** Rafter table, brace table, octagon scale, 100ths scale. Blued steel, white markings. Face marked in 16ths and 8ths; back in 10ths, 12ths, 32nds. Body 24x2 in.; tongue 16x1 1/2 in.

99 C 03973—Shipping weight 3 pounds. \$3.69

**H DUNLAP Angle or Stair Gauges.** Brass body, steel screw. Use with rafter squares.

9C 3956—Shipping weight 4 ounces. Pair. \$75c

**J CRAFTSMAN Combination Square.** Use as inside or outside try square, depth gauge, rule, level, plumb. Etched steel blade; graduated in 8ths and 16ths of an inch on one side; 16ths and 32nds on other. Lock nut holds setting. Beam has level and removable scriber.

9C 3954—*State blade size wanted.*

9x3/4-in. blade, 3 1/2-in. beam, Shpg. wt. 8 oz. \$1.65

12x1-in. blade, 4 1/2-in. beam, Shpg. wt. 1 lb. 1.75

**K CRAFTSMAN Sliding "T" Bevel.** 8-in. stainless steel blade; 5 1/2-in. steel handle.

9C 3948—Adjustable, Shpg. wt. 10 oz. \$1.98

**L DUNLAP Sliding "T" Bevel** (not shown). 8-in. blued steel blade, plastic handle, locking device. Shipping weight 5 oz. .69c

**M DUNLAP Combination Square and Miter.** Welded construction. Heavy gauge steel. 10-inch side; graduations on both sides.

9C 3949—Shipping weight 8 oz. .98c

**N DUNLAP 6-foot Plastic Folding Rule.** Dependable quality. White plastic with calibrations fused in for ease in reading. Graduated in 16ths. Conventional outside reading. Flexible; will bow tip to tip without breaking. Brass-plated steel joints. Molded strike plates in each slot. Width 3/4 in.

9C 3931—Shipping weight 10 oz. .95c

**P CRAFTSMAN 6-foot Wood Folding Rule.** Professional quality. Select maple. Conventional outside reading. Graduated in 16ths of an inch. Easy to read markings. White finish. 12 folds.

9C 3930—Shipping wt. 5 oz. \$1.55

9C 3925—Similar to above, but with inside reading. Shipping weight 5 oz. \$1.55

**R CRAFTSMAN 6-foot Inside-Outside Wood Extension Folding Rule.** Professional quality. Outside-reading; has 6-inch extension bar for inside-outside measuring. Select maple. 6-in. folds; 3/4 in. width. Marked in 16ths on both edges of each section. Spring joints with patented lock. Strike plates.

9C 3927—Shipping wt. 8 oz. \$2.35

9C 3933—Like above, but for inside-outside markings. Shpg. wt. 8 oz. \$2.35

**S Yellow Chalk Line.** 200-foot ball. Number 21 cotton.

9C 7654—Shipping wt. 4 oz. .39c

**T DUNLAP 75-foot Chalk Line.** Line chalked as it unreeles. Sturdy case. Folding handle winding mechanism. Hook end ring for one-man operation. Chalk included. Refills available (below).

9C 3772—Shipping wt. 10 oz. \$1.25

**U Powdered Carpenter Chalk.** For use with 9C 3772 above. *State your choice of red or blue cartridges.*

9C 3758—Shpg. wt. 2 oz. .85c

**V Nickel-plated Steel Plumb Bobs.** Economy quality. Hang true. *State size.*

9C 3839—4 oz. Shipping wt. 5 oz. .45c

8-oz. Shipping wt. 8 oz. .65c

12-oz. Shipping wt. 13 oz. .85c

**W CRAFTSMAN Brass Plumb Bobs.** Non-rusting. Removable point. *State size wanted.*

9C 4000—8-oz. Shpg. wt. 12 oz. \$2.69

12-oz. Shpg. wt. 1 lb. 3.19

**X CRAFTSMAN Dual-Purpose Chalk and Plumb Line.** Heavy die-cast hook-ring for one-man true plumb action and chalk lining. Full rewind cylinder . . disappearing handle. Positive slide-action brake . . separate from rewind wheel . . released on rewind. Sure-grip case has a knurled edge. Combination refill cap and plumb bob. 50-foot chalk-plumb line. Chalk is included.

9C 3773—Shpg. wt. 12 oz. \$1.75

**Y CRAFTSMAN Glass Cutter.** 6 steel cutters set in turret head. Numbered to assure equalized wear. Shaped hardwood handle.

9C 3797—Shipping weight 2 oz. .65c

**Z CRAFTSMAN Carbide Wheel Glass Cutter.** Wheel of tungsten carbide, science's hardest metal. Outlasts regular steel wheel cutters by many times. Easier to part glass after cutting. Modern design handle. Requires less pressure. For standard single and double-strength glass.

9C 3796—Shipping wt. 3 oz. \$1.19

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**AA Saw Horse Brackets.** Use with nails. Hinged action provides easy folding. Enameled steel. (Use standard 2x4's.) *State quantity.*

9C 2887—Shpg. wt. pair, 2 lbs. 8 oz. Pair \$2.09

**AA Saw Horse Brackets.** Need no nails, screws or bolts. Easy to set up. Enameled steel. (Use standard 2x4's.) *State quantity.* Shipping weight pair 6 lbs.

9C 2849—Pair \$4.15

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500 lbs.) and hard use. Lightweight; easy to carry. Safe . . won't wiggle under a heavy load . . won't warp. Flexible design adjusts to stand firm on uneven surfaces. Folds into compact bundle. Size 23 in. high x 42 in. long.

99 C 08703—Shipping weight 13 lbs. \$6.45

**BB Handy Saw Horse.** Completely assembled ready for use. Has hundreds of uses for home or shop . . for painting screens or storm windows, scaffolding, window painting. A sturdy structural steel unit; withstands heavy weight (capacity of 500





**A** Builders' Leveling Rod with Target. 3-section, 8-ft. 8-in. solid maple rod. Easy to carry. Graduated in feet, inches, eighths. Vernier reading to 1/64 in. on cast metal target; red and white enameled face. Mailable.

99 C 04612—Shipping weight 4 lbs. .... \$14.50

**CRAFTSMAN Engineers' Leveling Rod.** (Not shown.) As above, but 10 ft. graduated in feet, tenths, hundredths. Vernier reading to 1/1000 ft. Mailable.

99 C 04611—Shipping weight 6 lbs. .... \$18.50

**\$18.00 DOWN**  
**\$175.95 CASH**

99 C MT4603  
With stiff leg tripod



**You can SURVEY accurately with no experience**

Illustrated Manual of Instructions included with each surveying level. Written in everyday, easy-to-understand language; provides complete, simplified procedures for surveying jobs.



**\$900 DOWN**  
**\$85.50 CASH**

99 C MT4608  
With stiff leg tripod


## CRAFTSMAN Surveying Instruments . . Accessories

REG. U.S. PAT. OFF.

- B** Surveyors' Compass. Jeweled. Adjustable variation ring with gear and pinion. Marked in degrees. N. S. E. W. All metal.
- 99 C 4613—For levels 99 C MT4608 and 99 C MT46085 at right. Shipping weight 12 ounces. .... \$12.95
- C** CRAFTSMAN Locke-type Hand Sighting Level. 4-power bubble magnification. Adjustable focus. Metal. Leather case; with belt loops, neck cord.
- 99 C 4600—6 1/2 inches long. Shipping wt. 10 oz. .... \$11.95

- D** CRAFTSMAN Builders' Dumpy Level. 25-power, 11 1/2-in. bronze erecting telescope; coated lenses; color corrected. 34-mm. clear aperture objective lens. Leveling head of malleable iron; center of steel. Ground glass level vial; horizontal circle. Bronze internal focusing slide actuated by rack and pinion. Dust-protected focusing eyepiece, tangent, leveling and clamp screws. Shifting center. Integral forged brass bar and circle guard. Horizontal circle; Vernier reading directly to 5 minutes. Heavy white ash tripod (stiff leg or extension leg), mahogany case, plumb bob, sun shade, manual. Minimum focus 6 ft. Tripod head 3 1/2 x 8-thread. Level exceeds U.S. Gov't Specifications AIDS-1113. Shipped express only.
- 99 C MT4603—With stiff leg tripod. Shipping weight 26 lbs. \$18.00 down. .... Cash \$175.95
- 99 C MT46035—With extension leg tripod. Shipping weight 27 lbs. \$19.00 down. .... Cash \$190.00

- E** CRAFTSMAN Service Transit Level. One-piece cast telescope with integral level vial housing and axis. 10-power, dustproof; with sharp achromatic lens system. Wide view. Vertical angles measured in single degrees by use of vertical arc of 1 1/16-in. radius numbered from 0° to 50° to 0° Precision ground, sensitive spirit level 2 3/4 in. long. Converts from level to transit for measuring elevations; locks in level position. Control level mounted between standards; gives continual check of level position while checking vertical alignment. Cross hairs in fixed focus. Full horizontal circle in 90 quadrants; reads to single degrees. Reinforced base with 4 leveling screws, micrometer tangent adjustment and shifting piece. With tripod, plumb bob, mahogany case, manual. Shipped express only.
- 99 C MT4608—With stiff leg tripod. Shipping weight 16 pounds. .... Cash \$85.50
- 99 C MT46085—With extension leg tripod. Shipping weight 17 pounds. \$10.00 down. .... Cash \$98.50



## CRAFTSMAN Wood, Aluminum and Magnesium Levels . . All Guaranteed Accurate!

- F** CRAFTSMAN Wood Level. Exclusive design. Three vials; plumb, level and 45° at center for easy reading. 1x2 1/4-in. natural hardwood frame; warp-resistant finish. Excellent for the home-owner.
- 99 C 3974—State size wanted.
- 18 inch. Shipping weight 13 ounces. .... \$1.75
- 24 inch. Shipping weight 1 pound. .... 1.95
- G** CRAFTSMAN 9-inch Torpedo Level. Aluminum; with grooved bottom for leveling pipes, etc. Three glasses: 1 plumb, 1 level, and 1 set at 45 degrees. Center vial graduated for 1/2" pitch.
- 99 C 3983—Shipping weight 10 ounces. .... \$1.98
- H** CRAFTSMAN Line and Surface Level. Made of plastic. Integral hooks. 3 1/2 in. long.
- 99 C 3980—Shipping weight 4 ounces. .... 59c
- J** CRAFTSMAN 5-inch Pocket Level. Aluminum. 1 vial. V-groove in bottom to level pipes, wires, etc. With pocket clip.
- 99 C 3979—Shipping weight 4 ounces. .... \$1.09
- K** DUNLAP 3-way Plumb and Level. 2 plumbs and level glass on 3x6-in. brass plate. Fits straight-edge or straight length of wood. Make your own level.
- 99 C 3977—Shipping weight 8 ounces. .... \$1.98

CRAFTSMAN Aluminum and Magnesium Levels. Professional quality . . all guaranteed accurate! Precision made, with special aluminum or magnesium frames; true and polished edges. Will not warp or rust! Light in weight; easy to handle. Extremely sensitive vial cases; fully protected from dust and moisture by heavy glasses. Large hand grips . . . easier to handle in all positions. All Sears aluminum levels meet Federal Specifications GGG-L-211 for aluminum levels.

- L** CRAFTSMAN 24-inch Magnesium Level. New concept in vial mounting for maximum visibility, greater accuracy. Vials are exposed from end to end and held permanently in shock-absorbing jaws. Snap-in vials adjustable; easily replaced. Magnifying lenses for easier reading. Magnesium alloy "I" beam frame assures minimum weight, utmost strength. Never rusts, won't warp. Contains 6 glasses (2 levels and 4 plumbs). Two large hand grips.
- 99 C 3995—Shpg. wt. 1 lb. 11 oz. .... \$6.35
- M** CRAFTSMAN Aluminum Carpenters' Level. Professional quality. Easily adjusted vial cases; dust and moisture-proof. Contains 6 glasses (2 levels, 4 plumbs). 2 sizes: 24 and 28 in. long
- 99 C 3992—24 in. Shpg. wt. 2 lbs. .... \$6.35
- 99 C 3992—28 in. Shpg. wt. 3 lbs. .... 7.09

- N** CRAFTSMAN Standard-type Aluminum Carpenters' Level. Accurate, sensitive vials completely shielded from dust and moisture by solid-set glass covered cases. Choice of 2 sizes: 18 and 24 inches long.
- 99 C 3988—18 inch length, 4 glasses (2 levels and 2 plumbs). Shipping weight 2 pounds. .... \$4.09
- 99 C 3990—24 inch length, 6 glasses (2 levels and 4 plumbs). Shipping wt. 2 lbs. 4 oz. .... \$5.09

- P** CRAFTSMAN 42-inch Aluminum Masons' Level. Professional quality. Provides maximum strength with minimum weight. Level is rust resistant and will not warp. Has sufficient yield to prevent breaking or bending under ordinary use.
- Vial cases easily adjusted; completely dust and moisture proof. Precision mounted for extreme accuracy. 6 glasses (2 levels and 4 plumbs). Shipping weight 4 lbs. .... \$11.50
- 99 C 03998. .... \$11.50

- R** CRAFTSMAN 48-in. Aluminum Masons' Level. "Snap-in" concept in vial mounting provides maximum visibility and extreme accuracy—at a glance! Stereoscopic magnifying lenses and luminosity-factor vial fluid make readings easier, quicker—even at a distance! No shadows interfere. "Snap-in" vial mounting exposes entire vial; mechanically holds vial in place, absorbs shock, and keeps vial true. Vials are tipless; fluid sealed in with unbreakable metallic caps. Dust and moisture proof.

"I" beam frame made of extruded aluminum alloy. Lightweight; won't rust or warp. 6 large hand holes. Meets Federal Specifications GGG-L-211. For aluminum levels. With 6 glasses (2 levels, 4 plumbs). Shipping weight 4 pounds. .... \$11.75

99 C 03997. .... \$11.75



- S** CRAFTSMAN Plasterers' Hawk. 12-gauge aluminum, 13 1/2 x 13 1/2 in. Scored to keep mortar from sliding. Detachable hardwood handle; rubber cushion. Shipping weight 2 pounds 3 ounces.
- 99 C 6562—Each \$3.19
- T** CRAFTSMAN Flat Brick Jointer. For concave and convex joints. One end is rounded, the other grooved. Forged steel; chrome plated for rust-resisting qualities. 9 1/2 inches long.
- 99 C 43225—Shipping weight 11 ounces. .... \$1.29
- U** CRAFTSMAN Square Brick Jointer. For V-shape or round joints. One square and one round point. Forged steel. Chrome plated for rust-resisting qualities. 9 inches long overall.
- 99 C 43215—Shpg. wt. 9 oz. \$1.29

- V** CRAFTSMAN Bricklayers' Hammer. 24-ounce forged steel head; 8 1/4 in. long. Sides polished. 11-inch hickory handle.
- 99 C 6545—Shipping weight 3 pounds. .... \$3.15
- W** CRAFTSMAN Bricklayers' Hammer. (Not shown.) 16-ounce forged steel head; 1 1/2 inches long. Polished sides. Sturdy 11-inch hickory handle. Shipping weight 1 pound 8 ounces \$2.75
- X** CRAFTSMAN Extra-Lightweight Brick Hammer. (Not shown.) 10-oz. forged steel head; 6 in. long. Polished sides. 11-inch hickory handle. Shipping weight 13 oz. .... \$2.35
- Y** CRAFTSMAN Bricklayers' Chisel. Professional quality. Forged steel; 4-in. polished bit; 3/16-in. beveled square shank.
- 99 C 6558—Shipping weight 1 lb. 12 oz. .... \$1.29
- Z** CRAFTSMAN Forged Steel Brick Trowel. London pattern, 1-piece blade, post, tang. Scientifically heat-treated and tempered 4 1/4 x 11-inch steel blade. Hardwood handle.
- 99 C 6553—Shipping weight 1 lb. 5 oz. .... \$3.05

## Masons' and Plasterers' Tools

- AA** DUNLAP Pointing Trowel. 2 1/4 x 5 1/2-in. tempered spring steel blade. Hardwood handle.
- 99 C 6581—Shipping weight 6 ounces. .... 85c
- BB** DUNLAP Patching Trowel. 1 3/4 x 5 1/2-in. tempered spring steel blade. For use with cement plaster, putty for tuck pointing, etc.
- 99 C 6589—Hardwood handle. Shpg. wt. 6 oz. .... 89c
- CC** DUNLAP Stainless Steel Cement Tools. Blades made of non-rusting stainless steel. Comfortable hardwood handles. Please state correct catalog number.
- 99 C 6551—Groover. Size 2 1/4 x 6 1/2 in. Shipping weight 11 ounces. .... 98c
- 99 C 6555—Curved Edger. Size 2 1/4 x 5 1/2 in. Shipping weight 11 ounces. .... 98c
- 99 C 6554—Straight Edger. Size 2 1/4 x 5 1/2 in. Shipping weight 10 ounces. .... 98c
- DD** CRAFTSMAN Cement Finishing Trowel. 4x14-in. special analysis steel blade. Polished aluminum alloy mounting. Hardened steel rivets. Smooth, lightweight wood handle.
- 99 C 6557—Shipping weight 1 lb. 5 oz. .... \$3.25

- EE** CRAFTSMAN Plasterers' Finishing Trowel. Steel blade 4 3/4 x 11 in. Ten hardened steel rivets. Aluminum shank. Lightweight wood handle.
- 99 C 6550—Shipping weight 13 oz. .... \$2.98
- FF** CRAFTSMAN Putty Knife. 1 1/4 x 3 1/2-in. carbon steel blade. Black plastic handle. Shpg. wt. each 5 oz. State correct catalog number. Shipping weight, each, 5 ounces.
- 99 C 90151—Flexible blade. .... 79c
- 99 C 90161—Stiff blade. .... 75c
- 99 C 90091—Chisel point stiff blade. 89c
- GG** CRAFTSMAN Wall Scraper. Carbon steel blade, 3x4 in. Black plastic handle. Shpg. wt. each 6 oz.
- 99 C 90171—Flexible blade. .... \$1.10
- 99 C 90181—Stiff blade. .... 1.00

Build your order to \$20.00 . . Use Sears Easy Terms . . See page 34.





**CRAFTSMAN**  
Fastest heat-  
ing Soldering  
Gun we know of

\$9.95

## Electronic Soldering Gun

Nickel-plated, special alloy tip lasts much longer, more compact... stores heat. Spotlight stays on while cord is plugged in. Ideal for automotive, electrical, radio, etc. jobs. For repairing auto radiators, making costume jewelry, etc. Converts to a plastic and asphalt tile cutting tool with 9C5367 plastic cutting tip (not included; see below). Durable plastic pistol-grip handle. 250-watt. For 110-120-volt 60-cycle AC. UL approved. With 6-foot cord, plug, instructions.

9 C 5367—Shipping weight 4 pounds 2 ounces..... \$9.95

General Purpose Tip for 9C5367 soldering gun above. Nickel plated, special alloy, lasts much longer than ordinary tips. Ideal for seaming, etc.

9 C 5368—Shipping weight 2 ounces..... 65c

Plastic Cutting Tip. For 9C5367 soldering gun above. Cuts plastic and asphalt floor tile, plastic wall tile. Cuts straight lines, curves, holes, etc.

9 C 5369—Shipping weight 2 ounces..... 65c

Radio-TV Soldering Tip. For 9C5367 above. For hard-to-reach places.

9 C 5364—Shipping weight 2 ounces..... 69c



No Priming...  
No Pumping  
No filling necessary  
Handy throw-away  
cylinder

\$5.95

## Propane Blow Torch

A CRAFTSMAN. Easy to handle! Burns in any position—even upside down—at 2300° F. Lights instantly... turn gas jet, strike a match... no pumping, priming or preheating! Long burning throw-away cylinder approved by ICC. (For replacement cylinder see 9C5412 at right.) Torch U.L. approved. With cylinder and pencil flame burner. Can also be used with Silver Solder Kit 9C8077 (bottom of page). Torch is mailable.

9 C 5494—Shpg. wt. 3 lbs..... \$5.95

9 C 5433—Small Solder Tip.

Shipping weight 6 ounces..... 1.75

B 9 C 5418—Large Soldering Tip.

Shipping weight 9 oz..... 1.95


C 9 C 5417—Flame Spreader. Use on head 9C5371 below. Shpg. wt. 8 oz..... 95c

D 9 C 5371—Utility Burner Head. Larger flame for heavy duty. Shpg. wt. 3 oz..... \$1.95

E 9 C 54092—Jet Action Push Button Burner. New! from pilot light to heavy-duty flame with the touch of a button. Solid brass burner mechanism with interchangeable tip. Shpg. wt. 1 lb. 5 oz..... \$6.95

9 C 5493—CRAFTSMAN Jet Action Propane Torch. Includes Burner 9C54092 (above), throw-away cylinder. Shpg. wt. 3 lbs. 8 oz. \$8.95

9 C 5412—Propane Tank. Replacement cylinder for both 9C5494 and 9C5493. Mailable. Shipping wt. 2 lbs. 4 oz..... Each \$1.85



Electric Soldering Irons, U.L. approved. For use on any 110-120 volt, AC-DC. Hardwood handles. With cord, plug.

F DUNLAP 80-watt. Copper tip; nickel-chrome element.

9 C 5408—Shpg. wt. 1 lb..... \$1.65

G CRAFTSMAN 100-watt. Copper tip; nickel-chrome element.

Shipping weight 1 lb..... \$1.98

H CRAFTSMAN 150-watt. 2 1/2-ounce 3/4-inch replaceable copper tip; 4 1/4 inches long. Nickel-chrome element wound on Allegheny steel core.

9 C 5381—Shpg. wt. 1 lb. 8 oz..... \$5.25

J CRAFTSMAN 200-watt. 2 1/2-ounce 3/4-inch replaceable copper tip; 4 1/4 inches long. Nickel-chrome element wound on Allegheny steel core.

9 C 5382—Shpg. wt. 1 lb. 8 oz..... \$6.25

Use Sears Easy Terms Plan...  
See page 34 for details

J CRAFTSMAN 200-watt Electric Soldering Iron. Use on the toughest jobs. Has 3 cooling fins. 6-oz. 3/4-in. replaceable copper tip. Nickel-chrome element on Allegheny steel core. Hardwood handle. Use on 110-120 volt AC or DC, U.L. approved. Insulated cord and plug. For replacement tip see 9C5354 below. For replacement element see 9C5360 below.

9 C 5383—Shpg. wt. 1 lb. 8 oz..... \$7.25

### Replacement Tips, Elements

9 C 5355—Copper Tip, for 100 and 150-watt soldering irons 9C5381 and 9C5382, left. Shipping weight 4 oz..... 49c

9 C 5354—Copper Tip, for 9C5383 above, 200-watt iron. Shpg. wt. 10 oz..... \$1.15

9 C 5365—Nickel-Chrome Element, for use on iron 9C5381, left. Shpg. wt. 8 oz..... \$1.98

9 C 5361—Nickel-Chrome Element, for use on iron 9C5382, left. Shpg. wt. 8 oz..... \$1.98

9 C 5360—Nickel-Chrome Element, for use on iron 9C5383, above. Shpg. wt. 10 oz..... \$1.98



Our Best  
Exceeds  
U.S. Navy Spec-  
ifications 41T4F  
\$14.50

CRAFTSMAN Blow Torch. Our best... professional quality. We believe it's unmatched anywhere at any price. Heavy-duty construction throughout... 5 times factory tested. Meets the most exacting requirements of professional use. Exceeds United States Navy Specifications 41T4F. Self-lubricating pump... automatic check valve. Leakproof, 1-pc. pump mounting. Ground pyroxy stainless steel needle. 1-pc. burner; 3/4-in. opening; windshield. Generates 2200°-F. flame. Insulated valve wheel and pistol grip. Cast iron drip cup. Brass tank and filler plug. Double-lock seam for added strength; lead-coated steel corrugated bottom. 10 1/2 inches high. Solder hook. Capacity 1 quart gasoline.

9 C 5542—Shipping weight 5 lbs..... \$14.50

DUNLAP Gasoline Blow Torch. A practical value. Unsurpassed for the occasional user, for farm, home and shop work. Can be used for sweating copper fittings, thawing pipes, soldering, removing paint, etc. 3/4-inch cast bronze burner generates a 2100°-F. flame. Self-cleaning needle valve.

Sturdy handle is "D" shaped for cooler handling. Ribbed valve wheel is built for comfort and a sure grip. Self-lubricating leakproof pump; automatic check valve insures pressure retention. Lead-coated steel tank is seamless; has a rust-resistant sprayed bronze finish. Bottom is bell shaped for longer wear. Has hook for supporting soldering iron. Locked joints. Full length drip cup for speedier burner heating. Fills through the pump orifice. 10 1/2 in. high. Has 1-qt. capacity. Add this highly efficient blow torch to your Easy Terms order.

9 C 5549—Shpg. wt. 3 lbs. 14 oz..... \$10.95



K CRAFTSMAN Offset Yarning Iron. Chrome-plated forged alloy steel. For installation of leaded joints on soil pipe. 4-inch slight offset bit.

9 C 43275—1/2 x 8-inch stock. Shpg. wt. 9 oz..... \$1.35

L CRAFTSMAN Caulking Irons. 1-pc. forged steel; hardened and tempered. Chrome plated; rust resistant. For installing soil pipe, etc.

9 C 43305—Straight type. 1/2 x 7-inch stock. Shipping weight 9 ounces..... \$1.35

9 C 43285—Out-concave type. 1/2 x 6 1/2-inch stock. Shipping weight 8 ounces..... 1.35

9 C 43295—In-concave type. 1/2 x 6 1/2-inch stock. Shipping weight 8 ounces..... 1.35

M CRAFTSMAN Right and Left-hand Caulking Irons. Chrome-plated finish. For caulking lead joints in soil pipe. Forged alloy steel.

9 C 43325—Right-hand type. 1/2 x 6 1/4-inch stock. Shipping weight 9 ounces..... \$1.35

9 C 43345—Left-hand type. 1/2 x 6 1/4-inch stock. Shipping weight 9 ounces..... 1.35

N Asbestos Joint Runner. Holds lead until hardened; will not burn. 3/4-in. diam. Cast iron spring clamp. For 2, 4, 5, or 6-in. pipe. Protective metal tip.

9 C 5439—Shipping weight 1 lb. 12 oz..... \$2.29

P Cast Iron Pouring Ladle. For lead and other soft metals. Handle about 10 in. long. Screen strains impurities. Holds about 1 1/2 lbs. molten metal.

9 C 5436—Shipping weight 1 lb. 12 oz..... 79c

R DUNLAP Plumbers' Gasoline Furnace. Quick, concentrated controlled heat at 2250° F. Melts 16 pounds of lead in 6 minutes. Can be used as a blow torch! Rugged steel tank; long life lead coating inside. Capacity 1 gallon of gasoline. Brass pump. Removable top and wire grip.

9 C 5432—Shipping weight 11 lbs..... \$19.95

S Cast Iron Melting Pot. For use with 9C5432 above, to melt lead, babbitt and other soft metals. Top diameter of pot about 4 3/4 inches; pot holds about 12 pounds molten metal. Sturdy bail handle.

9 C 5435—Shpg. wt. 2 lbs. 12 oz..... \$1.25

T Core Solder. Finest quality, 60% lead and 40% tin. High tin content gives better operation with electric soldering irons (listed at left, above). Has flux in core and is ready to use. No paste needed. Please order by correct catalog number.

Acid Core Solder. For general use only.

9 C 8095—10-ft. coil. Shpg. wt. 6 oz..... 55c

9 C 8093—1-lb. spool. Shpg. wt. 1 lb. 6 oz..... \$1.45

Rosin Core Solder. For electrical work.

9 C 8102—10-ft. coil. Shpg. wt. 6 oz..... 55c

9 C 8100—1-lb. spool. Shpg. wt. 1 lb. 6 oz..... \$1.45

Solid Wire Solder. Requires flux. 1-lb. spool.

9 C 8090—Shipping weight 1 lb. 6 oz..... \$1.40

U Babbitt Metal. For high speed work.

9 C 8081—About 2 1/2-lb. bar. Shipping weight 2 pounds 10 ounces..... \$1.98

V Soldering Fluid. For all metals except aluminum. 1/2-pint bottle.

9 C 8073—Shpg. wt. 1 lb. 12 oz..... 35c

W Sal Ammoniac. Solid type. To clean soldering coppers before retinning. 4-ounce pkg.

9 C 8071—Shipping weight 6 ounces..... 19c

X Plumbers' Solder. 60% lead, 40% tin.

9 C 8085—1-lb. bar. Shpg. wt. 1 lb. 8 oz. \$1.10

9 C 8080—50-50. 50% tin, 50% lead; lower melting, easier flowing. About 1-pound bar. Shipping weight 1 lb. 8 oz..... \$1.39

Y DUNLAP Soldering Paste. For all soft metals except aluminum. 1/4-pound can

9 C 8075—Shipping weight 6 ounces..... 20c

Z SWIF Paste Solder. Cleans, tins, sweats in 1 operation. Cleaner, flux, solder all in one container. Just brush on, heat—complete! 1 lb. of SWIF does work of 3-4 lbs. solder.

9 C 8096—4-oz. jar. Shpg. wt. 5 oz..... 95c

AA Silver Solder Kit. Joins all metal except aluminum and white metal. Use Bunsen burner, acetylene or blow torch, or propane torch. Requires heat of 1145° F. With 5-oz. tube of flux; twelve 5-in. lengths assorted silver solder wire and strip. Instructions.

9 C 8077—Shipping weight 8 oz..... \$1.49

Be sure to give complete ordering information

BB Wire Brush. For re-

moving rust, paint,

etc. Convenient shoe-brush

style handle; easy to hold.

You'll find many uses for it

in the shop, garage, home,

or on the farm. Four 5-inch

rows of 17 tufts of wire,

each tuft 1 1/4 inches long.

Steel wire tufts securely

set in solid block hardwood

handles. 10x1 inch size.

Shipping weight 7 oz.

9 C 3669..... 55c

CC Combination Brush

and Scraper. Easily

removes rust, scale, paint,

varnish, etc. An especially

suitable brush in garage,

service station, on the

farm, for removing grease

and carbon from motor

blocks, machinery.

Comfortable shaped

wood handle. Four rows of

10-inch tufts, each tuft 1 1/2

inches long. Chiseled edge

steel scraper (2 1/2 inches


wide) at one end of brush.

11x1 1/2 inch size, Shipping

weight 13 ounces.

9 C 3647..... \$1.05





Inserted teeth in dies are specially heat-treated and hardened for maximum toughness and strength.



## CRAFTSMAN Die Sets . . Double Threaded for Easy Starts, Cleaner Threading

REG. U. S. PAT. OFF.

### AMERICAN NATIONAL PIPE THREADS


Pipe Size	Threads Per Inch	Outside Diam. Pipe	Pitch Inches
1/8 in.	27	.405 in.	.03704
1/4 in.	18	.540 in.	.05556
3/8 in.	18	.675 in.	.05556
1/2 in.	14	.840 in.	.07143
3/4 in.	14	1.050 in.	.07143
1 in.	11 1/2	1.315 in.	.08696
1 1/8 in.	11 1/2	1.660 in.	.08696
1 1/2 in.	11 1/2	1.900 in.	.08696
2 in.	11 1/2	2.375 in.	.08696

**A** CRAFTSMAN Adjustable Die Sets. Self-centering guides adjust to any pipe. Self-feeding. Top professional quality. Strong, 2-pc. dies of fine tool steel. Dies have double-threaded throats for easy, positive threading; no pushing effort needed. Automatic self-centering guide centers stock accurately on pipe; insures straight, even threads. No lost or misplaced guides. Eliminates need of special lead screw or separate guide rings. Cuts U. S. standard right-hand tapered pipe threads. Complete with 1/2-pint can of pipe thread cutting oil.

**9 C 5388**—5-die set. Number 2A. Threads pipe 1/4, 3/8, 1/2, 3/4, and 1 inch. Shipping weight 14 lbs. . . . . **\$28.95**  
**9 C 5389**—4-die set. Number 2 1/2 A. Our finest adjustable die set. Set threads pipe 1/2, 3/4, 1, and 1 1/4 inches. Shipping weight 16 pounds. . . . . **\$33.50**

**B** CRAFTSMAN Ratchet Solid-Die Sets. Top professional quality. Ratchet action pumps dies on pipe . . . perfect for close-quarter work. Double pawls reduce lost motion 50%. Strong, long handle; powerful leverage. Solid self-feeding, inserted-tooth dies. Dies have double-threaded throats. Cut U. S. Standard right-hand tapered pipe threads. Solid cast ring guides assure accurate threads. Die set comes complete with 1/2-pint can of pipe thread cutting oil.

**99 C 5385**—5-die set. Threads pipe 1/4, 3/8, 1/2, 3/4, and 1 inch. Dies 2x2 in. In metal carrying case. Shipping weight 12 pounds. . . . . **\$28.95**  
**99 C 5395**—3-die set. Threads pipe 1/2, 3/4, and 1 inch. Dies 2x2 in. In metal carrying case. Shipping weight 11 pounds. . . . . **22.95**  
**99 C 5390**—4-die set. Threads pipe 1/2, 3/4, 1, and 1 1/4 inches. Dies 2 1/2 x 2 1/2 in. In metal carrying case. Shipping weight 15 pounds. . . . . **27.35**  
**99 C 5386**—3-die set. Threads pipe 1 1/4, 1 1/2, and 2 inches. Dies 4x4 in. Shipping weight 17 pounds. . . . . **27.50**



### Pipe Taps . . Cutters . . Reamers . . Pipe Vise Stand . . Pipe Visers . . Ratcheting Chain Wrench

**C** Taper-style Pipe Taps. Cut right-hand U. S. Standard pipe threads. Made of high quality forged, tool steel; heat-treated and hardened. Self-threading. Cut clean even, uniform threads.

**9 C 5453**—Please state size wanted.

Size, in.	Threads per inch	Shpg. wt.	Each
1/8	27	3 oz.	49c
1/4	18	4 oz.	55c
3/8	18	6 oz.	65c
1/2	14	8 oz.	\$1.09
3/4	14	12 oz.	1.49
1	11 1/2	1 lb.	2.35

**D** DUNLAP Saunders-type Pipe Cutters. Good quality for the handy man. For cutting wrought iron or steel pipe. Has one thin tool steel cutting wheel; two case-hardened rollers.

**9 C 5502**—State size wanted. Size No. 1. Cuts pipe 1/4 to 1 inch. Shipping weight 4 lbs. 2 oz. . . . . **\$6.85**  
 Size No. 2. Cuts pipe 1/2 to 2 inches. Shipping weight 6 lbs. 9 oz. . . . . **\$9.75**

Please make sure you have correct and complete ordering information.

**E** CRAFTSMAN Saunders-type Pipe Cutters. Extra-strong frame. Special alloy steel cutter wheel. Razor-thin edge cuts pipe easily; 2 rollers. No. 2 size; cuts pipe from 1/2 to 2 inches.

**9 C 5507**—Shipping weight 6 pounds 6 ounces. . . . . **\$14.50**

**9 C 5503**—Extra Cutting Wheels. For 9C5502, left and 9C5507, above. Alloy steel. Shipping weight 1 ounce. Please state size.

Size No. 1 for 9C5502 (No. 1) pipe cutter at left. . . . . **98c**  
 Size No. 2 for 9C5502 (No. 2) and 9C5507. . . . . **\$1.25**

**F** CRAFTSMAN Burring Reamers. For removing burrs caused by cutting pipe; enlarging holes in sheet metal. Spiral flutes. Can be used in bit brace. High grade tool steel.

**9 C 5513**—For pipe 1/4 to 1 1/4 in. Shpg. wt. 8 oz. . . . . **\$2.50**

**9 C 5514**—For pipe 1/4 to 2 in. Shpg. wt. 1 lb. 8 oz. . . . . **\$4.69**

**G** Aluminum Pipe Vise Stand. Check these outstanding features: (1) Chain vise takes 1/2 to 2-inch pipe. (2) Jaws grip along entire length. (3) Bends pipe up to 3/4-inch diameter. (4) Legs fold for storage . . . tie with chain. All aluminum . . . weighs only 19 pounds. Rivets of chain engage in base; turn of handle locks vise in unbreakable grip. Recess on top for oil can; slots for tools. Formed feet on tubular legs punched for fastening to floor. Only \$4.00 down on Sears Easy Terms.

**99 C T5502**—Shipping weight 22 pounds. . . . . **Cash \$36.50**

**H** CRAFTSMAN Pipe Vise. For plumbers, farmers, etc. Hinged for easy removal of pipe from side. Malleable iron frame. Extra-long, reversible, hardened tool steel jaws. Automatic lock. Vise adjusts to take up wear. Clamp under base for attaching to post, or any flat surface up to 3 1/2-inch thickness or diameter. Vise is easily moved from one location to another. Capacity 1/2 to 2 inches.

**99 C 05555**—Shipping weight 13 pounds. . . . . **\$17.25**

**J** CRAFTSMAN Pipe Vise. Hinged type for easy sideways removal of pipe. Malleable iron frame. Extra-long, reversible, hardened tool steel jaws. Automatic lock. Vise adjusts to take up wear. Capacity 1/2 to 2 inches. Bends pipe up to 3/4-inch diameter.

**99 C 05550**—Shipping weight 10 pounds. . . . . **\$14.25**

**K** Chain-type Pipe Vise. Special feature prevents bending small pipe; aids in holding short nipples, ells, odd shapes. Forged steel frame and jaws. Strong alloy steel chain. Capacity 1/4 to 2 in. Light, compact. Fits in tool box.

**9 C 5554**—Shipping weight 5 pounds. . . . . **\$6.50**


**L** CRAFTSMAN Ratcheting Chain Wrench. Designed especially for turning pipe, conduit or bars where obstructions prevent use of a pipe wrench. A perfect tool for the automotive maintenance man, farm implement dealer, electrical contractor, plumber, farmer, etc.

Ratcheting action permits continuous operation without removing wrench from work. Works perfectly on any shape stock—round, square or hex. Drop forged steel handle is 12 inches long.

Has strong 15-inch chain. Will handle 1/2 to 4-inch pipe or other material from 3/4 to 4 1/4 inches in diameter. Shipping weight each, 2 lbs. Please order by correct number.

**9 C 5571**. . . . . **\$3.98**

Build your order to \$20.00 or more and buy on Sears Easy Payment Plan



**CRAFTSMAN 9-piece Flaring Tool Set.** Includes the following: 9C5537, 9C5533 and 9C5541 (listed below), and heavy metal box.

**9 C 5527**—Shipping weight 6 lbs. 8 oz. . . . . **\$8.75**

**M** CRAFTSMAN Flaring Tool. 7 flaring discs, sizes 3/16 to 5/8 in. Yoke has swivel cone and slide-bar handle.

**9 C 5537**—Shipping weight 3 pounds. . . . . **\$4.29**

**N** Tubing Cutter. Has steel blade; two rollers. 1-inch capacity.

**9 C 5533**—Shipping weight 12 ounces. . . . . **\$2.29**

**P** 6-pc. Tube Bender Set. For bending tubing 1/2 to 5/8 inch by hand, safely and easily without kinking.

**9 C 5541**—Shipping weight 2 pounds 4 oz. . . . . **\$1.65**

**R** CRAFTSMAN Tube Cutter. Heavy duty. For aluminum, copper, brass, thin wall tubing 1/4 to 1 1/2 in.

**9 C 5528**—Shipping weight 1 lb. 3 oz. . . . . **\$3.55**

**S** Closet Auger. Remove obstructions from water closets, drains, and traps. Flexible coil of cadmium-plated spring steel; slides in steel tube; has steel crank and wood handle. Removable wire corkscrew tip. Rubber guard prevents scratching of toilet bowl. Length 5 1/2 ft.

**99 C 05534**—Shipping weight 3 pounds. . . . . **\$2.15**

**T** Hook-end Cleanout Auger. Clean drain traps, closets, sinks, drains. Turn of handle twists wire hook on end to loosen stoppages. Cadmium-plated coil spring.

**9 C 5530**—1/4 in. wide; 6 ft. long. Shpg. wt. 2 lbs. 2 oz. . . . . **\$1.19**

**U** Flat Sewer Rods. Spring steel. 1/16 in. thick. Revolving spear point digs through stoppages. Self-adjusting handle grips rod. Steel storage frame.

**99 C 05509**—50 ft. 1/2 in. wide. Shpg. wt. 8 lbs. . . . . **\$6.95**

**99 C 05539**—50 ft. 3/4 in. wide. Shpg. wt. 10 lbs. . . . . **8.95**

**99 C 05540**—100 ft. 3/4 in. wide. Shpg. wt. 17 lbs. . . . . **13.95**

**V** Hook-end Cleanout Auger. Thin, flat clock spring steel. 25 ft. long. 3/4 in. wide. Plows through traps, around bends; won't kink. Holder.

**9 C 5532**—Shipping weight 1 lb. 4 oz. . . . . **\$1.09**

**W** Drain, Trap Auger. 3/8-in. coiled spring steel. Sharp hook goes through stoppages. Flexible. Auger-type handle grips spring at any point.

**9 C 5536**—State length. 15 ft. Shpg. wt. 7 lbs. . . . . **\$2.95**  
 25 feet. Shipping weight 10 pounds. . . . . **3.79**

**X** Rubber Force Cup. For cleaning clogged sinks, toilet bowls, etc. Smooth, threaded wood handle; screws into 5/8-inch rubber suction cup. Ribbed interior.

**9 C 5526**—Shipping weight 1 lb. 6 oz. . . . . **49c**



## General Index

Adjustable End Wrenches.....	11	Mirrors, Inspection.....	21
Automotive Tools.....	18, 19	Miter Boxes.....	29
Axes.....	26	Oilers.....	24
Bits and Braces.....	27	Open-End Wrenches.....	10
Blow Torches.....	32	Pickup Tools.....	13
Body and Fender Tools.....	24	Pipe Wrenches.....	11
Bolt Cutters.....	12	Piston Ring Compressors.....	18
Bow Saws.....	26	Planes.....	28
Box-End Wrenches.....	10, 11	Plasterers' Tools.....	31
Break Adjusting Tools.....	7, 19	Pliers.....	12, 13, 19
Brushes, Wire.....	32	Plumbers' Tools.....	33
Bushing Drivers.....	19	Protractors.....	20
Calipers.....	21	Propane Torches.....	32
Center Finders.....	21	Pry Bars.....	16
Chisels.....	16, 17, 28	Punches.....	16, 17, 21
Circle Cutters.....	16	Reamers.....	15, 18, 19
Clamps.....	13, 21	Rules.....	20, 30
Clutch Aligning Tools.....	19	Saws and Blades.....	16, 17, 26, 29
Combination Wrenches.....	10, 11	Saw Horses.....	30
Cutter Key Extractors.....	16	Screwdrivers.....	14, 28
Creepers.....	17	Scribes.....	21
Cutting Nippers.....	12, 13	Set Screws and Wrenches.....	7
Cylinder Tools.....	18	Snips.....	13
Dies.....	15, 33	Sockets.....	7, 8, 9
Dividers.....	21	Socket Attachments.....	9
Drills and Drill Cases.....	22, 23	Socket Wrench Sets.....	2, 3, 4, 5, 6, 7, 8, 9
Drill Grinding Stands.....	22	Solder, Body.....	24
Electric Drills and Attachments.....	22	Soldering Guns and Irons.....	32
Files.....	17	Spark Plug Tools.....	5, 11
Flaring Tools.....	33	Speed Indicators.....	21
Gasket Cutters.....	16	Squares.....	21, 30
Gauges.....	20	Star Drills.....	16
Gear Pullers.....	19	Surveyors' Tools.....	31
Grinders.....	18, 25	Tapes, Pocket.....	30
Hack Saws.....	17	Taps and Dies.....	15
Hammers.....	17, 24, 26	Tire Tools.....	19
Hand and Breast Drills.....	27	Tool Boxes, Chests, Cabinets.....	4, 34, 35, Back Cover
Hatchets.....	26	Torque Wrenches.....	7
Hoists.....	25	Tubing Tools.....	33
Hub Pullers.....	19	Tweezers.....	13
Ignition Tools.....	11, 13	Valve Tools.....	18, 19
Impact Tool and Attachments.....	7	V-blocks.....	21
Jack Screws.....	31	Vises.....	21, 25
Levels.....	31	Welders and Accessories.....	25
Mallets.....	17	Wheel Pullers.....	19
Masons' Tools.....	31	Wrecking Bars.....	26
Mechanics' Tool Sets.....	2, 3, 4	Wrenches.....	7, 9, 10, 11, 12, 13, 19
Micrometers.....	20		

## SEARS GUARANTEE

We guarantee that every article in this catalog is honestly described and illustrated... We guarantee that any article purchased from us will give you the service you have a right to expect... If for any reason whatever you are not satisfied with any article purchased from us, we want you to return it to us... We will then exchange it for exactly what you want, or will refund your money.

SEARS, ROEBUCK AND CO.

## Sears Easy Payment Plan

It is possible to equip a complete power tool workshop for only a few dollars down on Sears Easy Payment Plan. You can carefully plan your shop and buy all the tools you need NOW... all at one time... and pay for the shop while you are using it. You can buy anything in this catalog on Easy Terms if your purchase totals \$20 or more. It takes only a 10% down payment with your purchase, and the balance in convenient monthly payments. See the table below for the amount of monthly payments. Any of our sales people will be glad to give you further information about Sears Easy Payment Plan.

If unpaid balance amounts to	We shall add for Easy Payments	Amount monthly is	If unpaid balance amounts to	We shall add for Easy Payments	Amount monthly is
Up to \$17.50	10%		\$120.01 to \$130.00	\$13.00	\$10.00
\$17.51 to 20.00	\$2.00		130.01 to 140.00	14.00	
20.01 to 23.00	2.30		140.01 to 150.00	15.00	11.00
23.01 to 26.00	2.60		150.01 to 160.00	16.00	
26.01 to 29.00	2.90		160.01 to 170.00	18.00	12.00
29.01 to 32.00	3.20		170.01 to 180.00	19.00	13.00
32.01 to 35.00	3.50		180.01 to 190.00	20.00	
35.01 to 40.00	4.00		190.01 to 200.00	21.00	14.00
40.01 to 45.00	4.50		200.01 to 210.00	22.00	
45.01 to 50.00	5.00		210.01 to 220.00	23.00	15.00
50.01 to 55.00	5.50		220.01 to 230.00	24.00	
55.01 to 60.00	6.00		230.01 to 240.00	26.00	16.00
60.01 to 65.00	6.50		240.01 to 250.00	28.00	
65.01 to 70.00	7.00		250.01 to 260.00	30.00	17.00
70.01 to 75.00	7.50		260.01 to 270.00	32.00	
75.01 to 80.00	8.00		270.01 to 280.00	33.00	18.00
80.01 to 85.00	8.50		280.01 to 290.00	35.00	
85.01 to 90.00	9.00		290.01 to 300.00	36.00	19.00
90.01 to 95.00	9.50				
95.01 to 100.00	10.00				
100.01 to 110.00	11.00				
110.01 to 120.00	12.00				


For balances over \$300 consult any Sears salesperson

## Important Notice About Prices

We reserve the right to change the price of any item in this catalog if it becomes necessary to do so... Furthermore, should the Federal, State or Local governments increase by taxes or otherwise the cost or selling price of any of the merchandise shown in this book, we reserve the right to add such taxes or other increases of cost or selling to the prices shown... The prices shown in this catalog are good for the continental United States only.

## CRAFTSMAN Wall-hung Tool Cabinets

REG. U.S. PAT. OFF.



... save space ...  
keep tools SAFE  
and easy to find!

Either Model  
Tools not included

\$250  
DOWN

\$2150  
CASH

### Carpenters' Model

**A** Professional quality. Holds over 75 tools! For home workshops as well as professional woodworking shops. Rugged all-steel construction.

Strong steel doors have cylinder lock with two keys. Permanent brackets inside back and both doors hold numerous tools. Back is perforated to adapt to your own personal tool arrangement. Full length, easy-action piano-type door hinges are extra strong... swing easily, even when door is fully loaded with tools.

Shelves at bottom hold plane, small hand tools, etc. Small view above shows full capacity of cabinet.

Overall size (closed): 32 in. high, 19 in. wide, 5 1/4 in. deep. Holes in back of cabinet for hanging on workshop wall. Finished in rust-resistant machinery gray. Tool holders and cabinet mounting hardware included. Tools not included.


99 C 04382L—Shpg. wt. 28 lbs. .... \$21.50

### Mechanics' Model

**B** Professional quality. Ideal for storing mechanics' tools—holds from 75 to 90 pieces! Provides lock-up protection for expensive tools. Storage area for sockets, open-end wrenches, box-end wrenches, etc. All-steel construction. Doors fitted with cylinder-type lock; two keys. Steel tool holders fastened inside back and doors. Perforated back permits any tool arrangement. Full length, easy-action piano-type hinges swing easily, even with door fully loaded. Shelves at bottom hold sockets and small accessories. Small view above shows full capacity of cabinet.

Overall size (closed): 32 in. high, 19 in. wide, 5 1/4 in. deep. Holes in back of cabinet for hanging on wall of your shop, at home or at work. Finished in rust-resistant machinery gray. Tool holders and cabinet mounting hardware included. Tools not included.

99 C 04363L—Shpg. wt. 28 lbs. .... \$21.50



\$6.45

### All-steel Parts Bin

Take the part right to the job and save both time and steps. Keeps miscellaneous small parts, screws, etc., all together, ready for instant use. No more hunting; and bins cut loss, too. For home workshop, garage, industrial plant.

Twelve detachable and interchangeable bins on steel frame. Frame measures 15 1/2 inches high, 12 3/4 inches wide, 7 3/4 inches deep. Six large bins (each 3 5/8 x 6 x 2 3/4 in.) and six smaller bins (each 1 3/4 x 6 x 2 3/4 in.). Rigid frame won't tip—no need to bolt it down. Gray enamel finish.

99 C 07268—Shpg. wt. 14 lbs. .... \$6.45



\$13.95

### CRAFTSMAN

### Carpenters' Tool Box

Also for plumbers and mechanics who use long tools. Holds full set of carpenters' tools. Size: 30 inches long, 8 3/4 inches wide, 9 inches deep. Long design ideal for big hammers, ripping bars, saws, long wrenches, pipe wrenches, etc.

Electric welded construction. 22-gauge steel with heavier 20-gauge end plates. Divided lift-out tray for small tools. Wooden saw clips in both top and bottom hold four hand saws. Slot for carrying steel square. Metal handles on both ends and on top. Full length, easy-action piano-type hinge. Lock and key plus two lever-type latches on front. Rust-resisting machinery gray finish.

99 C 06517—Shipping weight 19 pounds. .... \$13.95

See back cover for more Tool Boxes



# Roll your tools to the job with a CRAFTSMAN Roller Cabinet!

REG. U.S. PAT. OFF.

## CHECK THESE IMPORTANT CABINET FEATURES:

★ Drawers will not jam... close easily with pressure anywhere on front.

★ Drawers will not sag... glide open and shut smoothly on strong, compound slide rails. All drawers have stops.

★ Cylinder locks; with device to lock all drawers at the same time.

★ Four big ball-bearing casters; 2 stationary and 2 swivel (with foot brakes).

★ Rounded corners, doubly reinforced. Heavy-gauge steel construction.



### SAVE \$4.95 on Chest and Cabinet Combination!

Big Tool Chest	Roller Cabinet
\$400 DOWN	\$550 DOWN
\$36.95 CASH	\$52.50 CASH

Both for Only

**\$850 DOWN**  
**\$84.50 CASH**

Combination Offer: Tool Chest 99C04371L and Cabinet 99CM4358 (both listed below). Separate prices total \$89.45. Shipped by freight, express or truck. Shipping wt. 136 lbs. 99 C MT4393.....Only \$84.50

### Our BEST CRAFTSMAN Roller Cabinet

**ONLY \$800 DOWN**

**\$76.95 CASH**



- EIGHT drawers... can serve as tool chest and roller cabinet!
- Has room for tools plus bigger, plate-type casters
- Reinforced top and bottom. Will hold any CRAFTSMAN Tool Chest

(See features above and at top of page.) Main cabinet body made of heavy 20-gauge steel with round, smooth corners. Chrome-plated handle on side of cabinet. Rolls easily, silently on heavy duty, ball bearing, rubber-tired casters; 4-inch diameter, plate-mounted; 3/8-inch wide tread. Overall cabinet size 17x25 5/8x33 1/2 inches high.

Eight drawers; two at top are 9x16 3/4x1 3/4 in. deep; next two are 19 1/4x16 3/4x1 3/4 in. deep; next two are 19 1/4x16 3/4x3 in. deep; and two bottom drawers are 19 1/4x15 3/4x4 1/2 in. deep. All drawer pulls are chrome plated. Bottom panel (not visible in illustration) fits down over two bottom drawers and locks all eight drawers at once.

Entire cabinet has tough, hard, smooth machinery gray finish. Cabinet shipped by freight, express or truck.

99 C M6527—Shipping weight 121 pounds.....Cash \$76.95

Get the tool storage you need to keep your tools safe and at hand... Get it NOW... Order today on Sears EASY TERMS—details on opposite page.



**A CRAFTSMAN Big Tool Chest.** Holds 150 to 200 pieces. Size 25x12x14 1/2 in. Reinforced steel. 19x7 1/2x2 1/4 in. lift-out "tote" tray. All drawers lock as cover is lowered. Trunk-type hasp lock; key. 3 drawers, 22 1/2 in. wide, 2, 3 and 4 in. deep. Glide open, shut smoothly on compound slides; all have stops. Two trunk handles. Gray finish. 99 C 04371L—Tool Chest only. Shipping weight 48 pounds.....Cash \$36.95

99 C 04370L—CRAFTSMAN 2-drawer Chest. (Not shown.) Holds 100 to 150 pieces. Size 25x10x11 in. Drawers 2 1/4 and 3 1/2 in. deep. Similar in all other respects to 99C04371L above. Shpg. wt. 33 lbs.....\$26.50

**B CRAFTSMAN Roller Cabinet.** (See features above.) Heavy-gauge steel, reinforced at corners and ends. Heavy-duty, ball-bearing, rubber-tired casters; 3-in. diam., wide 1 3/4-in. tread. Size 17x25 5/8x32 in. high. Padded bottom compartment 17x25 in. Two top drawers, 16 1/2x19x3 in. deep. Bottom drawer, 16 1/2x19x5 1/2 in. deep. Machinery gray finish. Shipped by freight, express or truck. 99 C M4358—Roller Cabinet only. Shipping weight 88 lbs.....Cash \$52.50



\$53.95 CASH



\$44.50 CASH



\$29.50 CASH

### CRAFTSMAN all-steel Tool Chests with easy-action slide rails, stops

ONLY \$5.50 DOWN

**CRAFTSMAN 10-drawer Mechanic's Tool Chest.** Heavy 20-gauge steel body. Size 24 3/8x12x18 in. Lift-out "tote" tray 19x7 1/2x2 1/4 in. Non-jam, non-sag drawers, all 11 1/2 in. long. 3 are 4 3/4x1 3/4 in.; 3 are 11x1 3/4 in.; 1 is 4 3/4x6 in. (holds 1/4-inch pistol-grip electric drill, soldering gun, portable saw, etc.); 2 are 22 1/2x1 3/4 in.; and 1 is 22 1/2x2 3/4 in. Center drawer sliding tray is 10 1/2x3 1/4 in. All drawers lock as cover is lowered. Trunk-type hasp lock with key. Gray finish. Shipped by freight, express or truck. Shpg. wt. 76 lbs. 99 C M6511.....Cash \$53.95

ONLY \$4.50 DOWN

**CRAFTSMAN 6-drawer Mechanic's Tool Chest.** Heavy-gauge steel. Size 25x12x14 1/2 in. Top has 3 tool compartments plus lift-out "tote" tray. 19x7 1/2x2 1/4 in., with socket dividers. Non-jam, non-sag drawers; all small drawers 1 3/4 in. deep. 2 end drawers 4 3/4 in. wide; center drawer 10 1/2 in. wide. 3 full-width drawers, 2 1/4 in. deep, one 2 3/4 in. deep. Chrome-plated drawer pulls. All drawers lock as cover is lowered. Trunk-type hasp lock with key. Machinery gray finish. Shipping weight 60 pounds. 99 C 04373L.....Cash \$44.50

ONLY \$3.00 DOWN

**CRAFTSMAN 7-drawer Mechanic's Tool Chest.** All drawers felt lined. Heavy-gauge steel body; moisture resistant; electrically welded. Size 20x13x9 in. Non-jam, non-sag drawers, all 8 3/8 in. long. 4 small drawers 7 1/4x1 1/4 in.; 1 small drawer 7 1/4x2 1/4 in.; 2 full-width drawers, one 1 1/2 in. deep, one 2 1/2 in. deep. Handy drawer pulls. Front locking panel slides under bottom drawer; ballcatch prevents panel from falling when cover is open. Trunk-type hasp lock with key. Two snap locks. Machinery gray finish. Shipping weight 33 pounds. 99 C 06522L.....Cash \$29.50

### CRAFTSMAN Utility Cabinets



4 sizes... 21 to 90 compartments... \$2.75 to \$9.95

**C CRAFTSMAN 21-compartment Utility Cabinet.** For garage, shop, office, home. Ideal for sewing cabinet. Electrically welded sheet metal. 6 3/4x5 3/4x8 3/8 in. 4 plastic drawers (8 sections in 2, 4 in another, 1 not divided); removable. Indentations in each corner (top and bottom) permit stacking. Gray finish. 9 C 6529—Shipping weight 3 pounds 8 ounces.....Each \$2.75

**D 9 C 6546—CRAFTSMAN 42-compartment Cabinet.** As above, but 8 drawers (8 sections in 4, 4 sections in 2, 2 not divided). Size 11x8 1/2x7 in. Shipping weight 6 lbs. 11 oz.....Each \$5.50

**E 9 C 6548—CRAFTSMAN 66-compartment Cabinet.** As above, but 12 drawers (8 sections in 6, 4 sections in 4, 2 not divided). Size 11x8 1/2x10 1/4 in. Shipping weight 9 lbs.....Each \$7.75

**F 9 C 6549—CRAFTSMAN 90-compartment Cabinet.** As above, but 16 drawers (8 sections in 8, 4 sections in 6, 2 not divided). Size 11x8 1/2x13 1/2 in. Shipping weight 13 lbs.....Each \$9.95



# CRAFTSMAN and DUNLAP TOOL BOXES

REG. U.S. PAT. OFF.

REG. U.S. PAT. OFF.

- ★ Heavy gauge, ALL STEEL . . . electrically welded for extra strength

- ★ Full length, easy-action piano-type hinge . . . resists "springing"

- ★ Rounded corners protect your person and clothes from injury

- ★ Large handle, securely fastened. Strong hasps and snap locks



A \$2.79



B \$4.59



C \$5.95




D \$8.50


99 C 06512



E \$11.95



F \$11.95



G \$14.75



H \$17.95

## DUNLAP Utility Tool Box

A Our lowest-priced tool box. Size 14x6x6 3/4 inches. All-steel construction, electrically welded for added strength. Handy tray with 3 compartments; lifts out easily. Sturdy wire handle on top makes it easy to carry. Suitcase-type catch. Attractive, rust-resisting machinery gray finish. For home or workshop. 9 C 65063—Shpg. wt. 4 lbs. . . . . \$2.79

## DUNLAP Mechanics' Tool Box

B 17x7 1/2 x 6 inches. For home use or workers with small tool assortments, etc. 24-gauge steel, electrically welded. Lift-out "tote" tray to take to the job. Handle of solid aluminum for easy carrying; combination catch and hasp for padlock (padlock is not included with box). Rust-resisting machinery gray finish. 9 C 6501—Shpg. wt. 6 lbs. 8 oz. . . . . \$4.59

## Hip-roof Tool Box

C CRAFTSMAN, Improved . . . 19x7x8 3/4 in. Holds 50 to 75 sockets and parts. 24-gauge steel, electrically welded. Rolled edges for added strength and safety. Partitioned lift-out "tote" tray. Full-length, easy-action piano-type hinge. 2 suitcase-type catches and catch-hasps for padlock. (Padlock not included.) Aluminum top handle. Attractive gray hammeroid finish. 99 C 06520—Shipping weight 9 lbs. . . . . \$5.95

## Best-selling CRAFTSMAN Tool Box

D CRAFTSMAN Mechanics' Tool Box . . . size 20x8 1/2 x 9 3/8 inches. Truly an outstanding value! Holds 75 to 100 sockets, socket wrenches, parts, and small tools. Made of 22-gauge steel . . . same thickness as automobile bodies. Electrically welded for greater strength. All edges rounded for double strength and to protect body and clothes from injury. 3-partitioned lift-out "tote" tray can be taken with you . . . has carrying handle. Full-length, easy-action, piano-type hinge is much stronger than ordinary hinge. Reinforced corner braces. Large, comfortable, solid aluminum carrying handle; securely fastened. Two lever-type latches and hasp with padlock eye. (Padlock not included.) Attractive, rust-resisting machinery gray finish. 99 C 06512—Shipping weight 13 pounds. . . . . \$8.50

E CRAFTSMAN Mechanics' Tool Box . . . size 18x8x9 inches. (Not shown.) Similar to 99 C 06512 tool box above, but smaller. No partitions in "tote" tray. 99 C 06500—Shipping weight 12 pounds. . . . . \$6.95

## Mechanics' Tool Box

F CRAFTSMAN, Streamlined. Size 19 1/2 x 8 3/4 x 9 1/2 in. Holds up to 150 sockets, socket wrenches, and parts. Tubular steel handle attached to ends of box, not to cover. Divided lift-out "tote" tray partitioned for sockets and other small tools; has carrying handle . . . size 7 1/2 x 19 in. Made of heavy 22-gauge steel, electrically welded, rolled ends. Full-length easy-action piano-type hinge. Hasp for padlock (padlock not included). Gray finish. 99 C 06521—Shpg. wt. 12 lbs. . . . . \$11.95

## Double Cantilever Tool Box . . smaller size

G CRAFTSMAN, Smaller size than 99 C 06536K below. Ideal for workshop, or as fishing tackle box. Size 17x8x10 in. Four trays, each 15 1/2 x 4 1/2 in. Top two trays have covers. When box opens the four trays spread out into a fan-like position . . . easy access to any one of them. 22-gauge steel, electrically welded. Streamlined design, hip-roof construction. Aluminum handle; full-length piano-type hinges. Padlock hasp (lock not included). Gray finish. 99 C 06535—Shpg. wt. 16 lbs. . . . . \$11.95

## CRAFTSMAN Tool Box . . double-cantilever action

H Double-cantilever action permits easy access. For maintenance, farm or shop use. Meets latest military specifications MIL-C-3152. Size 18x10x13 1/2 in. Four big trays, each 16 1/2 x 4 1/2 x 1 1/2 inches; top two have covers. When box is opened these four trays spread out into position automatically. 22-gauge steel, electrically welded. 16-gauge skids on bottom, for extra protection. Streamlined hip-roof construction. Solid aluminum handle; full-length piano-type hinge. Machinery gray finish. May be locked with padlock (not included). 99 C 06536K—Shipping weight 23 pounds. . . . . \$14.75

## CRAFTSMAN extra-heavy Mechanics' Tool Box

I Holds over 150 sockets and socket wrench parts. Will accommodate 24-inch pipe wrench. Massive size (24 1/2 x 9 1/2 x 9 1/2 in.). Especially suited for oil field workers, contractors, plumbers, and homeowners. Lift-out "tote" tray has dividers for sockets and other small tools. Electrically welded for greater strength. Reinforced corner braces; 3 heavy-duty lever-type latches with center lock. 2 keys included. Large aluminum carrying handle; heavy metal handle on each end. Machinery-gray enamel finish. 99 C 06514K—Shipping weight 23 pounds. . . . . \$17.95